

Bazzard-1 RT 200MD Log

Format: Bazzard_1 ARCSOINIC RT Log

Vertical Scale: 1:200

Graphics File Created: 08-Oct-2008 04:26

PIP SUMMARY


Gamma Ray Samples





Resistivity Samples


Neutron Samples

Delta-T Samples

ARC Gamma Ray, Real-Time (ARC_GR_RT) 0 (GAPI) 200	ARC BHCorr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H_RT) 0.2 (OHMM) 200		
Average Borehole Diameter, Real-Time (ADIA_ADN_RT) 6 (IN) 16	MWD Collar RPM (CRPM_RT) 0 250	ARC BHCorr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H_RT) 0.2 (OHMM) 200	
ROP*5 (ROP5) 200 (M/HR) 0	PKPK_RPM (Stick_RT) 0 500	ARC BHCorr Attenuation Resistivity 40-in. at 2 MHz, Real-Time (A40H_RT) 0.2 (OHMM) 200	Delta-T Compressional, Real-Time (DTCO_RT) 140 (US/F) 40










3300

3325





<p>ROP*5 (ROP5) (M/HR)</p> <p>200 0</p>	<p>PKPK_RPM (Stick_RT) (RPM)</p> <p>0 500 0 2</p>	<p>ARC BHCorr Attenuation Resistivity 40-in. at 2 MHz, Real-Time (A40H_RT)</p> <p>(OHMM)</p> <p>0 200</p>	<p>Delta-T Compressional, Real-Time (DTCO_RT) (US/F)</p> <p>140 40</p>
---	---	---	--

Average Borehole Diameter, Real-Time (ADIA_ADN_RT) 6 (IN) 16	MWD Collar RPM (CRPM_RT) (RPM) 0 250	ARC BHCorr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H_RT) 0.2 (OHMM) 200	
ARC Gamma Ray, Real-Time (ARC_GR_RT) 0 (GAPI) 200		ARC BHCorr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H_RT) 0.2 (OHMM) 200	

PIP SUMMARY

└ Gamma Ray Samples

Delta-T Samples ─

└ Resistivity Samples

Neutron Samples ─

IDEAL Version: ID13_0C_11
IDF