

Coelacanth-1 GeoVISION Service RM 200MD

Format: GeoVISION Service Log

Vertical Scale: 1:200

Graphics File Created: 18-Mar-2008 12:52

PIP SUMMARY

Density Samples †

Neutron Samples †

† Gamma Ray Samples

† Ring Samples

Rate of Penetration, Averaged over Last
5ft (ROP5_RM)
200 (M/HR) 0

RAB Gamma Ray (GR_RAB)
0 (GAPI) 200

Vertical Hole Diameter (VERD)
6 (IN) 16

Horizontal Hole Diameter (HORD)
6 (IN) 16

Density Time After Bit (TAB_DEN)
0 (HR) 10

RAB
Rotational
Speed
(RPM_RAB)
(RPM)
250 0

ADN
Rotational
Speed
(RPM_ADN)
(RPM)
0 250

Ring Resistivity (RES_RING)
0.2 (OHMM) 2000

Shallow Button Resistivity (RES_BS)
0.2 (OHMM) 2000


Deep Button Resistivity (RES_BD)
0.2 (OHMM) 2000




Thermal Neutron Porosity (TNPH)
45 (PU) -15




Bulk Density, Bottom (ROBB)
1.95 (G/C3) 2.95


Photoelectric Factor, Bottom (PEB)
0 (----) 10


Bulk Density Correction, Bottom
(DRHB)
-0.25 (G/C3) 0.25






























1275

1300



















1450

1475














1600

1625



1650








1725


1750











Density Time After Bit (TAB_DEN) (HR)	0 10	ADN Rotational Speed (RPM_ADN) (RPM)	Deep Button Resistivity (RES_BD) (OHMM)	0.2 2000	Bulk Density Correction, Bottom (DRHB) (G/C3)	-0.25 0.25
Horizontal Hole Diameter (HORD) (IN)	6 16	RAB Rotational Speed (RPM_RAB) (RPM)	Shallow Button Resistivity (RES_BS) (OHMM)	0.2 2000	Photoelectric Factor, Bottom (PEB) (----)	0 10
Vertical Hole Diameter (VERD) (IN)	6 16		Ring Resistivity (RES_RING) (OHMM)	0.2 2000	Bulk Density, Bottom (ROBB) (G/C3)	1.95 2.95
RAB Gamma Ray (GR_RAB) (GAPI)	0 200				Thermal Neutron Porosity (TNPH) (PU)	45 -15
Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR)	200 0					

PIP SUMMARY

Density Samples †

Neutron Samples †

‡ Gamma Ray Samples

† Ring Samples

IDEAL Version: ID13_0C_06

IDF