

Coelacanth-1 GeoVISION Service RM 500MD

Format: GeoVISION Service Log

Vertical Scale: 1:500

Graphics File Created: 18-Mar-2008 12:54


PIP SUMMARY


Density Samples +



Neutron Samples -


Gamma Ray Samples +


Ring Samples +


























Density Time After Bit (TAB_DEN) (HR)	ADN Rotational Speed (RPM_ADN) (RPM)	Deep Button Resistivity (RES_BD) (OHMM)	Bulk Density Correction, Bottom (DRHB) (G/C3)
0	250	0.2	-0.25
10		2000	0.25
Horizontal Hole Diameter (HORD) (IN)	RAB Rotational Speed (RPM_RAB) (RPM)	Shallow Button Resistivity (RES_BS) (OHMM)	Photoelectric Factor, Bottom (PEB) (----
6	250	0.2	0
16	0	2000	10
Vertical Hole Diameter (VERD) (IN)	RAB Gamma Ray (GR_RAB) (GAPI)	Ring Resistivity (RES_RING) (OHMM)	Bulk Density, Bottom (ROBB) (G/C3)
6	0	0.2	1.95
16	200	2000	2.95
Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR)			Thermal Neutron Porosity (TNPH) (PU)
200			45
0			-15

PIP SUMMARY			
Density Samples		Neutron Samples	
Gamma Ray Samples			
Ring Samples			

IDEAL Version: ID13_0C_06
IDF