

# Coelacanth-1 GeoVISION RT 200TVD Log


IDEAL Version: ID13\_OC\_06 <TVD> Vertical Scale: 1:200



Graphics File Created: 20-Mar-2008 20:05



## PIP SUMMARY


- └ GR Samples
- └ Ring Samples

		<b>Ring Resistivity, Real-Time (RES_RING_RT)</b>	
0.2	(OHMM)	2000	
		<b>Shallow Button Resistivity, Real-Time (RES_BS_RT)</b>	
0.2	(OHMM)	2000	
		<b>Bit Resistivity, Real-Time (RES_BIT_RT)</b>	
0.2	(OHMM)	2000	
		<b>Medium Button Resistivity, Real-Time (RES_BM_RT)</b>	
0.2	(OHMM)	2000	
		<b>Deep Button Resistivity, Real-Time (RES_BD_RT)</b>	
0.2	(OHMM)	2000	
<b>RAB Gamma Ray, Real-Time (GR_RAB_RT)</b> 0 (GAPI) 200			
<b>Rate of Penetration, Real-Time (ROP5)</b> 200 (M/HR) 0		Surface RPM (RPM) 0 200	











2125  
TVD


2150  
TVD






2175  
TVD


2200  
TVD





2225  
TVD



2250  
TVD




2275  
TVD

2300  
TVD


2325  
TVD







2350  
TVD

2375  
TVD











2450  
TVD

2475  
TVD







2500  
TVD

2525  
TVD


2550  
TVD






2575  
TVD


2600  
TVD






2625  
TVD

2650  
TVD





<b>Rate of Penetration, Real-Time (ROP5)</b> 200 (M/HR) 0	<b>Surface RPM (RPM)</b> 0 200 (RPM)	<b>Deep Button Resistivity, Real-Time (RES_BD_RT)</b> 0.2 (OHMM) 2000
<b>RAB Gamma Ray, Real-Time (GR_RAB_RT)</b> 0 (GAPI) 200		<b>Medium Button Resistivity, Real-Time (RES_BM_RT)</b> 0.2 (OHMM) 2000
		<b>Bit Resistivity, Real-Time (RES_BIT_RT)</b> 0.2 (OHMM) 2000
		<b>Shallow Button Resistivity, Real-Time (RES_BS_RT)</b> 0.2 (OHMM) 2000
		<b>Ring Resistivity, Real-Time (RES_RING_RT)</b> 0.2 (OHMM) 2000

└ GR Samples  
└ Ring Samples