

# Coelacanth-1 GeoVISION Service RM 200TVD

IDEAL Version: ID13\_0C\_06

IDF

ADN id13\_0c\_02

Format: GeoVISION Service Log

Vertical Scale: 1:200

Graphics File Created: 23-Mar-2008 04:54

## PIP SUMMARY

Density Samples †

Neutron Samples †

† Gamma Ray Samples

† Ring Samples

Rate of Penetration, Averaged over Last 5ft (ROP5\_RM)

200 (M/HR) 0

RAB Gamma Ray (GR\_RAB)

0 (GAPI) 200

Vertical Hole Diameter (VERD)

6 (IN) 16

Horizontal Hole Diameter (HORD)

6 (IN) 16

RAB Rotational Speed (RPM\_RAB) (RPM)  
250 0

Ring Resistivity (RES\_RING)

0.2 (OHMM) 2000

Shallow Button Resistivity (RES\_BS)

0.2 (OHMM) 2000

Thermal Neutron Porosity (TNPH)

45 (PU) -15

Bulk Density, Bottom (ROBB)

1.95 (G/C3) 2.95

Photoelectric Factor, Bottom (PEB)

0 (----) 10

Density Time After Bit (TAB\_DEN)

0 (HR) 10


ADN Rotational Speed (RPM\_ADN) (RPM)  
0 250


Deep Button Resistivity (RES\_BD)

0.2 (OHMM) 2000

Bulk Density Correction, Bottom

-0.25 (G/C3) 0.25







925  
TVD

950  
TVD



975  
TVD








1000 TVD


1025 TVD

















1275  
TVD


1300  
TVD














1425  
TVD


1450  
TVD


1475  
TVD





















1775  
TVD


1800  
TVD






















2150  
TVD


2175  
TVD


2200  
TVD
































2675  
TVD


2700  
TVD








2725  
TVD


2750  
TVD














<b>Density Time After Bit (TAB_DEN)</b> (HR) 0 10	<b>ADN Rotational Speed (RPM_ADN)</b> (RPM) 0 250	<b>Deep Button Resistivity (RES_BD)</b> (OHMM) 0.2 2000	<b>Bulk Density Correction, Bottom (DRHB)</b> (G/C3) -0.25 0.25
<b>Horizontal Hole Diameter (HORD)</b> (IN) 6 16	<b>RAB Rotational Speed (RPM_RAB)</b> (RPM) 250 0	<b>Shallow Button Resistivity (RES_BS)</b> (OHMM) 0.2 2000	<b>Photoelectric Factor, Bottom (PEB)</b> (----) 0 10
<b>Vertical Hole Diameter (VERD)</b> (IN) 6 16		<b>Ring Resistivity (RES_RING)</b> (OHMM) 0.2 2000	<b>Bulk Density, Bottom (ROBB)</b> (G/C3) 1.95 2.95
<b>RAB Gamma Ray (GR_RAB)</b> (GAPI) 0 200			<b>Thermal Neutron Porosity (TNPH)</b> (PU) 45 -15
<b>Rate of Penetration, Averaged over Last 5ft (ROP5_RM)</b> (M/HR) 200 0			

PIP SUMMARY

Density Samples †  
 Neutron Samples †  
 † Gamma Ray Samples  
 † Ring Samples



# True Vertical Depth Log