

Daily Drilling Report

WELL NAME DORY-1				DATE 17-11-2008	
----------------------------	--	--	--	---------------------------	--

API # OH	24 HRS PROG 0.00 (m)	TMD 3,814.00 (m)	TVD 3,812.77 (m)	REPT NO 20
--------------------	--------------------------------	----------------------------	----------------------------	----------------------

RIG NAME NO OCEAN PATRIOT	FIELD NAME DORY	AUTH TMD 3,821.50 (m)	PLANNED DOW 26.02 (days)	DOL 16.40 (days)	DFS / KO 12.85 (days)	WATER DEPTH 518.48 (m)
-------------------------------------	---------------------------	---------------------------------	------------------------------------	----------------------------	---------------------------------	----------------------------------

SPUD DATE 04-11-2008	Rig Release	WELL SUPERVISOR PAT BROWN / DAVID SYMINGTON	OIM DENNIS GORE	PBTMD
--------------------------------	--------------------	---	---------------------------	--------------

REGION AUSTRALIA	DISTRICT OFFSHORE	STATE / PROV VICTORIA	RIG PHONE NO (08) 9338 5640	RIG FAX NO
----------------------------	-----------------------------	---------------------------------	---------------------------------------	-------------------

AFE # 096 08EE6	AFE COSTS	DAILY COSTS	CUMULATIVE COSTS
DESCRIPTION: Vertical Exploration Well.	DHC: 26,682,148 DCC: CWC: Others: TOTAL: 26,682,148	DHC: 874,985 DCC: CWC: Others: TOTAL: 874,985	DHC: 18,622,938 DCC: CWC: Others: TOTAL: 18,622,938

DEFAULT DATUM / ELEVATION ROTARY TABLE / 21.50 (m)	LAST SAFETY MEETING 17/11/2008	BLOCK VIC-P59	FORMATION LATROBE / VOLADOR / SELENE	BHA HRS OF SERVICE
--	--	-------------------------	--	---------------------------

LAST SURVEY	LAST CSG SHOE TEST (EMW)	LAST CASING	NEXT CASING
MD 3,780.00 (m) INC 1.21° AZM 338.12°	1.34 (sg)	340.000 mm @ 1,534.1 m	177.800 mm @ 3,800.0 m

CURRENT OPERATIONS: POH Tool String #3 - RCOR due to loss of hydraulic pressure.

24 HR SUMMARY: Completed Logging Run #1 - GSLAM. L/O tool string to pipe deck. M/U and RIH Tool String #2 - RCI. Completed Logging Run #2 - RCI and POH same.

24 HR FORECAST: Conduct Logging Run #3 - RCOR.

OPERATION SUMMARY

From	To	HRS	Phase	Operation	PT/NPT	NPT CODES	ACTIVITY SUMMARY
0:00	0:30	0.50	P-EVAL	LOG	PP		Completed Logging Run #1 - GSLAM. POH tool string to surface.
0:30	2:00	1.50	P-EVAL	LOG	PP		Laid out GSLAM tool string to pipe deck.
2:00	4:00	2.00	P-EVAL	LOG	PP		Picked up and made up Tool String #2 - RCI. Function tested tool string (including pad) at surface - OK.
4:00	0:00	20.00	P-EVAL	LOG	PP		Conducted Logging Run #2 - RCI. Conducted 54 pressure points (42 good, 7 tight, 5 no seal) and 4 samples. Hole condition good. Note: Obtained sample at 2845.4m (tool stationary for 45 minutes) - unable to work tool free with 0.86MT (1900lbs) string weight down. Applied 0.95MT (2100lbs) overpull to free tool. Obtained sample at 3066.7m (tool stationary for 16 minutes) - unable to work tool free with 0.86MT (1900lbs) string weight down. Applied 0.0.5MT (1100lbs) overpull to free tool. No other overpull observed.

24.00 = Total Hours Today

06:00 UPDATE

0000-0600 00:00 - 02:00hrs: Laid out Tool String #2 - RCI to pipe deck.
02:00 - 03:00hrs: Made up and RIH Tool String #3 - RCOR. Function tested same - OK.
03:00 - 05:00hrs: RIH RCOR. Correlated same and placed on depth to cut first core at 2799.3m. Unable to cut first core due to hole washout. RIH and placed on depth to cut second core at 2804.9m.
05:00 - 06:00hrs: Tool lost hydraulic pressure and unable to function inner mandrel push rod or extend pads or probe. Troubleshot same - unsuccessful. POH Tool String #3 to change out hydraulic module.

HSE: No accidents, incidents or pollution reported.
Total Stop cards - 55 (22 unsafe, 33 safe).
JSA - 22, PTW - 22.

CASING

S/T	DESCRIPTION	SIZE	WEIGHT	GRADE	SETTING DEPTH
OH	SURFACE	340.00			1,534.14
OH	CONDUCTOR	762.00			585.00

Daily Drilling Report

WELL NAME DORY-1				DATE 17-11-2008
API # OH	24 HRS PROG 0.00 (m)	TMD 3,814.00 (m)	TVD 3,812.77 (m)	REPT NO 20

PERSONNEL DATA

COMPANY	QTY	HRS	COMPANY	QTY	HRS
APACHE	5		BAKER ATLAS	10	
DODI	60		SUBSEA 7	5	
SPERRY SUN	4		BJ CASING	2	
BHI	3		PETROTECH	1	
KEMTECH	2		DOWELL	2	

TOTAL PERSONNEL ON BOARD: 94

SUPPORT CRAFT

TYPE	REMARKS
FAR GRIP	On Location.
NOR CAPTAIN	In Geelong.
FAR SKY	Enroute to Rig.
HELICOPTER	JYN (Pax On - 6, Pax Off - 8).

MATERIALS/CONSUMPTION

ITEM	UNITS	USAGE	ON HAND	ITEM	UNITS	USAGE	ON HAND
BARITE BULK	MT		139	BENTONITE	MT		43
CEMENT	MT		102	DIESEL	m3		455
WATER, POTABLE	m3	27	365	WATER, DRILLING	m3	30	661

WEATHER

TIME	SWELL HT/DIR/PER	WAVE HT/DIR/PER	WIND SPEED/DIR	GUST SPEED/DIR	TEMP
00:00	1.00/45.00/3	0.20/45.00/3	/	9.8/45.00	

DECKLOG

MAX VDL	ACT VDL	AVG VDL	LEG PEN (BOW)	LEG PEN (PORT)	LEG PEN (S BOARD)
2560	2012	2012			

SAFETY DRILLS

RAMS (kPa)	ANNULARS (kPa)	CASING	LAST BOP DRILL	NEXT BOP PRESS TEST	FIRE DRILL	H2S DRILL	MAN OVERBRD	ABND. DRILL
16-11-2008 / 41,370	16-11-2008 / 41,370	10-11-2008 / 17,238	10-11-2007	24-11-2007	16-11-2008			16-11-2008

INCIDENT REPORT

INCIDENTS TYPE NONE LOST TIME? NO INCIDENTS DESCRIPTION

ANCHOR TENSION DATA

ANCHOR NO	CURRENT TENSION	ANCHOR NO	CURRENT TENSION	ANCHOR NO	CURRENT TENSION
1	185	2	183	3	164
4	165	5	181	6	183
7	196	8	186	9	
10		11		12	

Daily Drilling Report

WELL NAME DORY-1				DATE 17-11-2008
API # OH	24 HRS PROG 0.00 (m)	TMD 3,814.00 (m)	TVD 3,812.77 (m)	REPT NO 20

MUD INVENTORY

ITEM	UNIT	USAGE	Day Cost (\$)	ON HAND
POLYSAI	25.00 kg			30.00
OMYACARB 10	25.00 kg			96.00
SAFE-CIDE	25.00 l			34.00
SOLTEX	25.00 kg			182.00
BENTONITE (BULK)	MT			47.00
CIRCAL 60/16	25.00 kg			78.00
DRISPAC SL	25.00 kg			228.00
BARITE (bulk)	MT			140.30
SAPP	25.00 kg			40.00
CAUSTIC SODA - NaOH	25.00 kg			20.00
CIRCAL 1000	25.00 kg			94.00
KCL BRINE (1.15SG)	1.00 bbl			0.00
KWIKSEAL (F)	40.00 lbs			90.00
				0.00
CIRCAL Y	25.00 kg			96.00
NUT PLUG	25.00 kg			28.00
CITRIC ACID	25.00 kg			40.00
SODIUM BICARBONATE - NaHCO3	25.00 kg			40.00
KWIKSEAL (M)	40.00 lbs			90.00
GUAR GUM	25.00 kg			0.00
SODA ASH- SOD.CARBONATE-Na2CO3	25.00 kg			23.00
CALCIUM CHLORIDE 74-77%	25.00 kg			80.00
FLOWZAN	25.00 kg			87.00
DEFOAM A	25.00 l			24.00