

Parameters

DLIS Name	Description	Value
DO	Depth Offset	0.0 m


PIP SUMMARY




Gamma Ray Samples

Delta-T Samples

Resistivity Samples


<p>ARC Gamma Ray, Real-Time (ARC_GR_RT)</p> <p>0 (GAPI) 200</p>	<p>ARC BHCorr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H_RT)</p> <p>0.2 (OHMM) 200</p>	
<p>ARC Equivalent Circulating density (ECD_ARC_RT)</p> <p>9.5 (LB/G) 10.5</p>	<p>MWD Collar RPM (CRPM_RT) (RPM)</p> <p>0 250</p>	<p>ARC BHCorr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H_RT)</p> <p>0.2 (OHMM) 200</p>
		<p>Delta-T Compressional, Real-Time (DTCO_RT)</p> <p>40 (US/F) 240</p>
<p>ROP*5 (ROP5)</p> <p>200 (M/HR) 0</p>	<p>PKPK_RPM (Stick_RT) (RPM)</p> <p>0 500</p>	<p>ARC BHCorr Attenuation Resistivity 40-in. at 2 MHz, Real-Time (A40H_RT)</p> <p>0.2 (OHMM) 200</p>
		<p>Coherence at Compressional Peak, Real-Time (CHCO_RT)</p> <p>4 (----) 1</p>








1100


1150

















<p>ROP*5 (ROP5) 200 (M/HR) 0</p>	<p>PKPK_RPM (Stick_RT) (RPM) 0 500</p>	<p>ARC BHCorr Attenuation Resistivity 40-in. at 2 MHz, Real-Time (A40H_RT) (OHMM) 0.2 200</p>	<p>Coherence at Compressional Peak, Real-Time (CHCO_RT) 4 (----) 1</p>
<p>ARC Equivalent Circulating density (ECD_ARC_RT) 9.5 (LB/G) 10.5</p>	<p>MWD Collar RPM (CRPM_RT) (RPM) 0 250</p>	<p>ARC BHCorr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H_RT) (OHMM) 0.2 200</p>	<p>Delta-T Compressional, Real-Time (DTCO_RT) (US/F) 40 240</p>
<p>ARC Gamma Ray, Real-Time (ARC_GR_RT) (GAPI) 0 200</p>		<p>ARC BHCorr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H_RT) (OHMM) 0.2 200</p>	

PIP SUMMARY

† Gamma Ray Samples

IDEAL Version: ID13_0C_14
IDF