

# DRILLING DATA PLOT



SCALE : 1\ 500

Operator : APACHE ENERGY Country : AUSTRALIA Field : SUNFISH Permit : VIC/P-54 Well Type : EXPLORATION Rig Name : OCEAN PATRIOT	<b>POSITION</b> Latitude : 38 07 47.91 S Longitude : 148 09 08.44E  RT-AHD (m) : 21.5 RT-Seabed (m) : 80.1	<b>CASING</b> 762mm Shoe at (mMDRT): 78.1 m 244mm Shoe at (mMDRT): 817.6 m 244mm Shoe at (mMDRT):	Spud Date : 24-10-05 Total Depth Date : Total Depth (mRT) : T.V.D. (mSSAHD) :
--	---	--	--

<b>ABBREVIATIONS</b>  MW MUD WEIGHT FV FUNNEL VISCOSITY PV PLASTIC VISCOSITY YP YIELD POINT FC FILTER CAKE SOL SOLIDS WL FILTRATE SD SAND-% S SALINITY-PPM RM MUD RESISTIVITY RMF MUD FILTRATE C CARBIDE TEST LAT LOGGED AFTER TRIP DS DEVIATION SURVEY  NB NEW BIT RR RERUN BIT CB CORE BIT WOB WEIGHT ON BIT RPM REVS PER MINUTE FLC FLOW CHECK CR CIRCULATE RETURNS PR POOR RETURNS NR NO RETURNS BG BACKGROUND GAS TG TRIP GAS STG SHORT TRIP GAS CG CONNECTION GAS SG SWAB GAS SVG SURVEY GAS	<b>LITHOLOGY LEGEND</b>  Limestone Coal Claystone Calcilutite Med Sandstone Coarse Sandston Fine Sandstone VF Sandstone  Conglomerate Dolomite Carb. Siltstone Calc. Siltstone Pyrite Siderite Glauconite Feldspar  Mica Ferrous Chert Calcareous Dolomitic Carbonaceous Lithoclast Breccia	<b>ENGINEERING LEGEND</b>  Deviation Curve Wiper Trip SWC (rec) SWC (unrec) Casing Shoe Bit Trip Core DST
---	--	--















