

APACHE ENERGY LIMITED
DAILY DRILLING REPORT

Page 2 of 3

WELL NAME	API #	SPUD DATE	24 HRS PROG	TMD	TVD	DFS	REPT NO	DATE
Fur Seal-1		24/10/2005	712.30 (m)	824.00 (m)	824.00 (m)	1.87	4	25/10/2005

BHA		JAR S/N	BHA / HOLE CONDITIONS				JAR HRS	BIT	
ITEM DESCRIPTION	NO. JTS	LENGTH	O.D.	I.D.	CONN SIZE	CONN TYPE			
Polycrystalline Diamond Bit	1	0.42	406.40		7.6	API REG			
Positive Displacement Motor	1	8.54	242.89		7.6	API REG			
Cross Over w/ ported float	1	0.97	239.71	80.96	7.6	API REG			
Gamma Resistivity Tool	1	7.11	203.20		6.6	API REG			
Universal Bottom Hole Orientation Sub	1	2.77	203.20		6.6	API REG			
MWD Tool	1	3.11	203.20		6.6	API REG			
Sonic Tool	1	6.63	203.20		6.6	API REG			
Intergral Blade Stabilizer	1	2.19	381.00	76.20	6.6	API REG			
Spirall Drill Collar	6	53.53	203.20	76.20	6.6	API REG			
Drilling Jar	1	10.11	209.55	76.20	6.6	API REG			
Spirall Drill Collar	2	18.10	203.20	74.61	6.6	API REG			
Cross Over	1	1.10	200.02	73.02	4.5	NC 50			
Heavy Weight Drill Pipe	15	138.48	160.34	77.79	4.5	NC 50			

MUD PROPERTIES											MUD TYPE		SW / Gel Sweeps	
VIS	PV/YP	GELS	WL/HHP	FC/T.SOL	OIL/WAT	%Sand/MBT	Ph/pM	Pf/Mf	Cl	Ca	H2S	KCL	LGS	
120	/	/	/	/	/	/	/	/	/					
DENS		1.06	ECD		PP	DAILY COST		CUM COST	1.040	% OIL				

MUD PUMPS / HYDRAULICS					SPR			
	STROKE	SPM	LINER	FLOW RATE			SPM	PPSR
#1	12.0	88	6.0	1,423.80	SPP: 22,064 (kPa)		PUMPS #1	
#2	12.0	78	6.0	1,262.01	AV (DP): 34.5 (m/min) AV Riser: (m/min)		PUMPS #2	
#3	12.0	83	6.0	1,342.91	AV (DC): 41.5 (m/min) HP/in2: 21.897 (kW/cm)		PUMPS #3	

PERSONNEL DATA					
COMPANY	QTY	HOURS	COMPANY	QTY	HOURS
Sperry Sun	3		Dowell Schlumberger	2	
Apache	5		MI	2	
Diamond	50		Fugro	6	
ESS Catering	8		Geoservices	2	
Dril-Quip	1		Weatherford	3	

Total Personnel on Board: 82

MATERIALS ON LOCATION					
MATERIALS	RIG	WORKBOAT 1	WORKBOAT 2	OTHER	TOTAL
BARITE BULK	155	0	0		155
CEMENT	156	0	0		156
DIESEL	395	312	590		1,297
GEL, FRESH	66	0	0		66
WATER, DRILLING	439	292	0		731
WATER, POTABLE	226	259	0		485

Total Water 1,216

SUPPORT CRAFT			
NAME/TYPE	REMARKS	NAME/TYPE	REMARKS
HELICOPTER	BZU (Pax In - 11, Pax Out - 10)	SUPPLY BOAT	Pacific Wrangler - Melbourne.
SUPPLY BOAT	Far Grip - On location.		

DECKLOG					
MAX VDL	ACT VDL	AVL VDL	LEG PEN (BOW)	LEG PEN (PORT)	LEG PEN (S'BOARD)
2,560	2,219	341			

APACHE ENERGY LIMITED
DAILY DRILLING REPORT

Page 3 of 3

WELL NAME Fur Seal-1	API #	SPUD DATE 24/10/2005	24 HRS PROG 712.30 (m)	TMD 824.00 (m)	TVD 824.00 (m)	DFS 1.87	REPT NO 4	DATE 25/10/2005
--------------------------------	--------------	--------------------------------	----------------------------------	--------------------------	--------------------------	--------------------	---------------------	---------------------------

WEATHER

TIME	WIND SPEED / DIR	SWELL HT / DIR / PER	WAVE HT / DIR / PER	CURRENT SPEED / DIR	TEMP
00:00	3 / 112	0 / /	0.50 / 90 /	/	0 (°C)

SAFETY DRILLS

RAMS	ANNULARS	CASING	BOP DRILL	NEXT BOP PRESS TEST	FIRE DRILL	H2S DRILL	MAN OVERBOARD	ABAN DRILL
22/10/2005 / 34.400 (kPa)	22/10/2005 / 17.200 (kPa)	/ (kPa)	22/10/2005		25/10/2005			25/10/2005

INCIDENT REPORT

INCIDENT TYPE NONE	INCIDENT DESCRIPTION
LOST TIME? NO	
DAYS W/O LTA 3	

DATUM SECTION

RT TO AHD	25.00 (m)	AIR GAP	WATER DEPTH	56.62 (m)
------------------	-----------	----------------	--------------------	-----------

SURVEYS

TYPE	MD	DEG	AZI	TVD	N/S	E/W	V. SECT	D.L.
MWD	0.00	0.000	0.000	0.00	0.00	0.00	0.00	
MWD	147.58	0.200	177.100	147.58	-0.26	0.01	-0.26	0.04
MWD	202.77	0.440	176.340	202.77	-0.56	0.03	-0.56	0.13
MWD	230.70	0.600	175.420	230.70	-0.82	0.05	-0.82	0.17
MWD	259.17	0.440	182.260	259.17	-1.08	0.06	-1.08	0.18
MWD	316.46	0.190	202.220	316.46	-1.38	0.01	-1.38	0.14
MWD	431.05	0.420	169.270	431.04	-1.97	0.02	-1.97	0.07
MWD	574.28	0.770	174.990	574.27	-3.45	0.20	-3.45	0.07
MWD	631.93	0.590	187.000	631.91	-4.13	0.20	-4.13	0.12
MWD	747.01	1.160	234.790	746.98	-5.39	-0.83	-5.39	0.23
MWD	804.24	1.360	261.580	804.20	-5.82	-1.97	-5.82	0.32