

APACHE ENERGY LIMITED
DAILY DRILLING REPORT

WELL NAME Fur Seal-1		API #	SPUD DATE 24/10/2005	24 HRS PROG 650.00 (m)	TMD 1,569.00 (m)	TVD 1,568.60 (m)	DFS 5.87	REPT NO 8	DATE 29/10/2005
-------------------------	--	-------	-------------------------	---------------------------	---------------------	---------------------	-------------	--------------	--------------------

BHA	3	JAR S/N	WDAH02928	BHA / HOLE CONDITIONS			JAR HRS	29.00	BIT	3
ITEM DESCRIPTION				NO. JTS	LENGTH	O.D.	I.D.	CONN SIZE	CONN TYPE	
Spirall Drill Collar				2	18.62	165.10	73.02	4.5	IF	
Heavy Weight Drill Pipe				12	110.55	160.34	82.55	4.5	IF	

MUD PROPERTIES											MUD TYPE	KCL / PHPA	
VIS	PV/YP	GELS	WL/HHP	FC/T.SOL	OIL/WAT	%Sand/MBT	Ph/pM	Pf/Mf	Cl	Ca	H2S	KCL	LGS
55	14/13	6/13	5.6/	/9.0	/	0.60/6.0	9.00/0.25	0.15/0.30	34.000	280			2.0
DENS	1.20	ECD	1.26	PP	DAILY COST			CUM COST	41.939	% OIL			

MUD PUMPS / HYDRAULICS						SPR				
	STROKE	SPM	LINER	FLOW RATE				SPM	PPSR	
#1	12.0	75	6.0	1,213.47	SPP: 17,237 (kPa)			PUMPS #1	50	3,723
#3	12.0	65	6.0	1,051.67	AV (DP): 94.5 (m/min) AV Riser: 19.6 (m/min)			PUMPS #3	50	3,792
#					AV (DC): 148.7 (m/min HP/in2: 10.897 (kW/cm			PUMPS #		

SOLIDS CONTROL						
SHAKER #1	SHAKER #2	SHAKER #3	DESILTER HRS	DESANDER HRS	CENT #1 HRS	CENT #2 HRS
165 / 165	165 / 165	145 / 145				

PERSONNEL DATA									
COMPANY			QTY	HOURS	COMPANY			QTY	HOURS
Sperry Sun			4		Dowell Schlumberger			2	
Apache			6		MI			2	
Diamond			47		Fugro			3	
ESS Catering			8		Geoservices			4	

Total Personnel on Board: 76

MATERIALS ON LOCATION					
MATERIALS	RIG	WORKBOAT 1	WORKBOAT 2	OTHER	TOTAL
BARITE BULK	126	0	80		206
CEMENT	125	0	61		186
DIESEL	320	308	529		1,157
GEL, FRESH	47	0	0		47
WATER, DRILLING	657	0	0		657
WATER, POTABLE	211	0	275		486

Total Water 1,143

SUPPORT CRAFT			
NAME/TYPE	REMARKS	NAME/TYPE	REMARKS
SUPPLY BOAT	Far Grip - Steaming from Melbourne to rig.	SUPPLY BOAT	Pacific Wrangler - On location.

DECKLOG					
MAX VDL	ACT VDL	AVL VDL	LEG PEN (BOW)	LEG PEN (PORT)	LEG PEN (S'BOARD)
2,560	2,219	341			

WEATHER					
TIME	WIND SPEED / DIR	SWELL HT / DIR / PER	WAVE HT / DIR / PER	CURRENT SPEED / DIR	TEMP
00:00	4 / 90	0 / /	0.50 / 90 /	/	0 (°C)

SAFETY DRILLS								
RAMS	ANNULARS	CASING	BOP DRILL	NEXT BOP PRESS TEST	FIRE DRILL	H2S DRILL	MAN OVERBOARD	ABAN DRILL
27/10/2005 / 34,400 (kPa)	27/10/2005 / 17,200 (kPa)	26/10/2005 / 20,685 (kPa)	27/10/2005		25/10/2005			25/10/2005

INCIDENT REPORT	
INCIDENT TYPE	NONE
INCIDENT DESCRIPTION	
LOST TIME?	NO
DAYS W/O LTA	7

APACHE ENERGY LIMITED
DAILY DRILLING REPORT

WELL NAME	API #	SPUD DATE	24 HRS PROG	TMD	TVD	DFS	REPT NO	DATE
Fur Seal-1		24/10/2005	650.00 (m)	1,569.00 (m)	1,568.60 (m)	5.87	8	29/10/2005

DATUM SECTION

RT TO AHD	21.50 (m)	AIR GAP		WATER DEPTH	58.60 (m)
------------------	-----------	----------------	--	--------------------	-----------

SURVEYS

TYPE	MD	DEG	AZI	TVD	N/S	E/W	V. SECT	D.L.
MWD	940.40	1.160	271.020	940.33	-6.03	-4.71	-6.03	0.03
MWD	969.00	1.140	275.160	968.92	-5.99	-5.29	-5.99	0.09
MWD	997.65	1.070	274.190	997.57	-5.95	-5.84	-5.95	0.08
MWD	1,026.35	1.050	269.720	1,026.26	-5.93	-6.37	-5.93	0.09
MWD	1,054.97	0.930	273.030	1,054.88	-5.92	-6.86	-5.92	0.14
MWD	1,083.56	0.880	279.710	1,083.46	-5.87	-7.31	-5.87	0.12
MWD	1,112.05	0.860	280.500	1,111.95	-5.79	-7.74	-5.79	0.02
MWD	1,140.78	0.800	280.280	1,140.68	-5.72	-8.15	-5.72	0.06
MWD	1,169.42	0.690	281.950	1,169.32	-5.65	-8.51	-5.65	0.12
MWD	1,198.14	0.810	286.360	1,198.03	-5.56	-8.88	-5.56	0.14
MWD	1,255.86	1.010	305.380	1,255.75	-5.15	-9.68	-5.15	0.19
MWD	1,284.62	0.870	311.340	1,284.50	-4.85	-10.05	-4.85	0.18
MWD	1,313.27	0.860	333.940	1,313.15	-4.52	-10.31	-4.52	0.36
MWD	1,341.99	0.670	334.230	1,341.87	-4.17	-10.48	-4.17	0.20
MWD	1,370.65	0.680	330.150	1,370.52	-3.87	-10.63	-3.87	0.05
MWD	1,427.72	0.770	326.650	1,427.59	-3.26	-11.01	-3.26	0.05
MWD	1,456.16	0.820	328.790	1,456.03	-2.93	-11.22	-2.93	0.06
MWD	1,484.95	0.850	336.790	1,484.81	-2.55	-11.42	-2.55	0.13
MWD	1,513.89	0.880	324.920	1,513.75	-2.18	-11.63	-2.18	0.19
MWD	1,542.83	0.860	327.870	1,542.69	-1.81	-11.87	-1.81	0.05