

LWD Recorded Data

| | | | | | |
|---|--|---|--|---|--|
| | | Deep Phase Res (SEDP) 0.2 ohmm 200 | | | |
| Acoustic Caliper (ACAL) 6 inches 16 | | Medium Phase Res (SEMP) 0.2 ohmm 200 | | Neutron Porosity (NUCL) 0.45 v/v -0.15 | |
| Rate of Penetration (SROP) 200 m/hr 0 | | Shallow Phase Res (SESP) 0.2 ohmm 200 | | Bulk Density (SBD2) 1.95 g/cc 2.95 | |
| Gamma Ray (SGRC) 0 api 200 | | Extra Shallow Res (SEXP) 0.2 ohmm 200 | | Stand-Off Correction (SCO2) -0.75 g/cc 0.25 | |
| DEPTH TVD 1:500 825 850 | | Photoelectric Effect (SNP2) 0 b/e 10 | | | |
| | | | | | |
| Gamma Ray (SGRC) 0 api 200 | | Extra Shallow Res (SEXP) 0.2 ohmm 200 | | Stand-Off Correction (SCO2) -0.75 g/cc 0.25 | |
| Rate of Penetration (SROP) 200 m/hr 0 | | Shallow Phase Res (SESP) 0.2 ohmm 200 | | Bulk Density (SBD2) 1.95 g/cc 2.95 | |
| Acoustic Caliper (ACAL) 6 inches 16 | | Medium Phase Res (SEMP) 0.2 ohmm 200 | | Neutron Porosity (NUCL) 0.45 v/v -0.15 | |
| | | Deep Phase Res (SEDP) 0.2 ohmm 200 | | | |

| | | | |
|--|-----|-----|-----|
| | 0.2 | 0mm | 200 |
|--|-----|-----|-----|