

Madfish-1 EcoScope Service 500MD RT

Format: Nero-2 ST1 Ecoscope Service – sonicVISIO Vertical Scale: 1:500 Graphics File Created: 07-Dec-2008 07:44

PIP SUMMARY

ISONIC Samples +

+ Gamma Ray Samples
 + Resistivity Samples
 Neutron Samples +

Gamma Ray, Average, Real-Time, Computed Downhole (GRMA_DH_ECO_RT)			Thermal Neutron Porosity, Average, Real-Time (TNPH_ECO_RT)			Delta-T Compressional, Real Time (DTCO_RT)					
0 (GAPI) 200			0.45 (V/V) -0.15			140 (US/F) 40					
Ultrasonic Caliper, Average Diameter, Real-Time, Computed Downhole (UCAV_DH_ECO_RT)			Eco Uncorrected Phase Shift Resistivity 40 inch at 2MHz, Real-Time (P40H_UNC_DH_ECO_RT)			Photoelectric Factor, Bottom, Real-Time, Computed Downhole (PEB_DH_ECO_RT)		Bulk Density Correction, Bottom, Real-Time Computed Downhole (DRHB_DH_ECO_RT)		Coherence at Compressional Peak, Real-Time (CHCO_RT)	
6 (IN) 16			0.2 (OHMM) 2000			0 (----) 10		-0.25 (G/C3) 0.25		1 (----) -4	
ROP*5 (ROP5)			Eco Uncorrected Phase Shift Resistivity 16 inch at 2MHz, Real-Time (P16H_UNC_DH_ECO_RT)			Bulk Density, Bottom, Real-Time, Computed Downhole (ROBB_DH_ECO_RT)			Downhole Annulus Temperature, Real Time, Computed Downhole (DHAT_DH_ECO_RT)		
200 (M/HR) 0			0.2 (OHMM) 2000			1.95 (G/C3) 2.95			0 (DEGC) 200		
MWD Collar RPM (CRPM_RT) (RPM)											
0 200											







