

RT Vision Service APWD 2MD

IDEAL Version: ID13_OC_08 <TVD> Vertical Scale: 1:500


Graphics File Created: 09-Dec-2008 02:13


PIP SUMMARY

ROBB_A PIP

TNPH_TA PIP

			Coherence at Compressional Peak, Real-Time (CHCO_RT)		
			-4 (----) 1		
RAB Gamma Ray, Real-Time (GR_RAB_RT)			Bulk Density, Bottom, Real-Time Computed Downhole (ROBB_DH_RT)		
0 (GAPI) 200			1.95 (G/C3) 2.95		
Average Borehole Diameter, Real-Time (ADIA_ADN_RT)			Thermal Neutron Porosity, Real-Time (TNPH_ADN_RT)		
0 (IN) 10			45 (PU) -15		
ROP*5 (ROP5)			Delta-T Compressional, Real-Time (DTCO_RT)		
200 (M/HR) 0			40 (US/F) 240		
Shallow Button Resistivity, Real-Time (RES_BS_RT)					
0.2 (OHMM) 2000					
Deep Button Resistivity, Real-Time (RES_BD_RT)					
0.2 (OHMM) 2000					
Ring Resistivity, Real-Time (RES_RING_RT)					
0.2 (OHMM) 2000					








3750
TVD

3800
TVD

3850
TVD







4050
TVD

4100
TVD

4150
TVD

