

Madfish-1 VISION Service 500MD RM

RAB id13_0c_02

Format: GeoV_Ser_200MD Vertical Scale: 1:500

Graphics File Created: 11-Dec-2008 12:17

PIP SUMMARY

Density Ticks, 0.1-ft

Neutron Ticks, 0.1 ft

Ring Samples

Gamma Ray Samples

Ring Resistivity Time After Bit (TAB_RAB_RING)
(HR)

Rate of Penetration, Averaged over Last
5ft (ROP5_RM)
(M/HR)

Vertical Hole
Diameter (VERD)
(IN)

Horizontal Hole
Diameter (HORD)
(IN)

RAB Gamma Ray (GR_RAB)
(GAPI)

Density Time After Bit (TAB_DEN)
(HR)

Shallow Button Resistivity (RES_BS)
(OHMM)

Medium Button Resistivity (RES_BM)
(OHMM)

Deep Button Resistivity (RES_BD)
(OHMM)

Photoelectric
Factor, Bottom
(PEB)
(----


Bulk Density
Correction, Bottom
(DRHB)
(G/C3)



Bit Resistivity (RES_BIT)
(OHMM)


Thermal Neutron Porosity (TNPH)
(PU)


Ring Resistivity (RES_RING)
(OHMM)


Bulk Density, Bottom (ROBB)
(G/C3)




















Density Time After Bit (TAB_DEN) (HR)		0	10
RAB Gamma Ray (GR_RAB) (GAPI)		0	200
Horizontal Hole Diameter (HORD)		6	16
(IN)			
Vertical Hole Diameter (VERD)		6	16
(IN)			
Rate of Penetration, Averaged over Last 5ft (ROP5_RM)		200	0
(M/HR)			
Ring Resistivity Time After Bit (TAB_ RAB_RING)		0	10
(HR)			

Ring Resistivity (RES_RING)		Bulk Density, Bottom (ROBB)	
0.2	(OHMM)	2000	1.95 (G/C3) 2.95
Bit Resistivity (RES_BIT)		Thermal Neutron Porosity (TNPH)	
0.2	(OHMM)	2000	45 (PU) -15
Deep Button Resistivity (RES_BD)		Photoelectric Factor, Bottom (PEB)	Bulk Density Correction, Bottom (DRHB)
0.2	(OHMM)	2000	0 (----) 10 -0.25 (G/C3) 0.25
Medium Button Resistivity (RES_BM)			
0.2	(OHMM)	2000	
Shallow Button Resistivity (RES_BS)			
0.2	(OHMM)	2000	

Neutron Ticks, 0.1 ft

Ring Samples

Gamma Ray Samples

IDEAL Version: ID13_0C_08

IDF

RAB

id13_0c_02