

**30 Jan 2006**From: Simon Rodda/ Bryan Webb
To: John Ah-Cann

Well Data							
Country	Australia	MDBRT	2,263.0m	Cur. Hole Size	12.250in	AFE Cost	\$21,712,149
Field	Basker and Manta	TVDBRT	2,132.0m	Last Casing OD	13.375in	AFE No.	
Drill Co.	DOGC	Progress	752.0m	Shoe TVDBRT	948.5m	Daily Cost	\$0
Rig	OCEAN PATRIOT	Days from spud	7.19	Shoe MDBRT	984.5m	Cum Cost	\$3,736,228
Wtr Dpth(LAT)	133.3m	Days on well	7.10	FIT/LOT:	/ 14.50ppg	Days Since Last LTI	989
RT-ASL(LAT)	21.5m	Planned TD MD	3,120.0m				
RT-ML	154.8m	Planned TD TVDRT	2,892.0m				
Current Op @ 0600		Pulling out of hole to shoe for Top Drive repairs.					
Planned Op		Repair Top Drive. RIH to 2360m MDRT and continue to drill 311mm (12 1/4") hole.					

Summary of Period 0000 to 2400 Hrs
Drill 311mm (12 1/4") hole from 1511m MDRT to 2263m MDRT

Operations For Period 0000 Hrs to 2400 Hrs on 30 Jan 2006							
Phse	Cls (RC)	Op	From	To	Hrs	Depth	Activity Description
IH	P	DA	0000	0500	5.00	1,660.0m	Drill 311mm (12 1/4") hole from 1511m MDRT to 1660m MDRT. 25-30klbs WOB/ 120rpm/ 2800psi/ 1018gpm/ 10-11,000 ftlbs torque. String wt 250klbs up/ 230klbs rotating/ 215klbs down. Average ROP 30.8mhr @1642.11m MDRT/ 23.81 incl/ 43.33 azimuth
IH	TP (OTH)	DA	0500	0600	1.00	1,660.0m	Trouble shoot Geo-Pilot communication problems. Tool not responding to commands. Air actuator problem on surface by-pass unit.
IH	P	DA	0600	2400	18.00	2,263.0m	Drill 311mm (12 1/4") hole from 1660m MDRT to 2263m MDRT. 10-32klbs WOB/ 120rpm/ 3400psi/ 1018gpm/ 12-18,000 ftlbs torque. String wt 280klbs up/ 255klbs rotating/ 230klbs down. Average ROP 33.5mhr @2244.20m MDRT/ 22.33 incl/ 45 azimuth

Operations For Period 0000 Hrs to 0600 Hrs on 31 Jan 2006							
Phse	Cls (RC)	Op	From	To	Hrs	Depth	Activity Description
IH	P	DA	0000	0230	2.50	2,360.0m	Drill 311mm (12 1/4") hole from 2263m MDRT to 2360m MDRT. 10-18klbs WOB/ 120rpm/ 3400psi/ 1018gpm/ 12-18,000 ftlbs torque. String wt 300klbs up/ 255klbs rotating/ 250klbs down. Average ROP 38.8mhr
IH	TP (RE)	DA	0230	0500	2.50	2,360.0m	Top Drive failure. Rack back one stand and rig up circulating hose to string and work while trouble shooting problem. Circulate bottoms up and boost riser. Top drive motor appears top be the fault on initial findings.
IH	TP (RE)	DA	0500	0600	1.00	2,360.0m	Decision made to trip to shoe to make repairs to Top Drive. POOH from 2360m MDRT

Phase Data to 2400hrs, 30 Jan 2006						
Phase	Phase Hrs	Start On	Finish On	Cum Hrs	Cum Days	Max Depth
CONDUCTOR HOLE(CH)	5	23 Jan 2006	23 Jan 2006	5.00	0.208	189.0m
CONDUCTOR CASING(CC)	10.5	23 Jan 2006	24 Jan 2006	15.50	0.646	189.0m
SURFACE CASING(SC)	23.5	24 Jan 2006	26 Jan 2006	39.00	1.625	994.0m
RISER AND BOP STACK(BOP)	18	27 Jan 2006	27 Jan 2006	57.00	2.375	994.0m
SURFACE HOLE(SH)	40.5	24 Jan 2006	28 Jan 2006	97.50	4.062	994.0m
INTERMEDIATE HOLE(IH)	73	27 Jan 2006	30 Jan 2006	170.50	7.104	2,263.0m



WBM Data				Cost Today \$ 59092							
Mud Type:	KCL/PHPA	API FL:	4.6cc/30min	Cl:	41000mg/l	Solids(%vol):	9%	Viscosity	64sec/qt		
Sample-From:	Pits	Filter-Cake:	1/32nd"	K+C*1000:	8%	H2O:	91%	PV	20cp		
Time:	2200	HTHP-FL:	13.2cc/30min	Hard/Ca:	240mg/l	Oil(%):		YP	34lb/100ft²		
Weight:	9.55ppg	HTHP-cake:	1/32nd"	MBT:	11	Sand:	0.4	Gels 10s	9		
Temp:	49C°			PM:	0.25	pH:	9	Gels 10m	16		
				PF:	0.05	PHPA:	1ppb	Fann 003	8		
								Fann 006	10		
								Fann 100	33		
								Fann 200	45		
								Fann 300	54		
								Fann 600	74		
Comment											

Bit # 3				Wear	I	O1	D	L	B	G	O2	R
					0	0	CT	N	X	I	NO	DTF
Bitwear Comments: 1 x chipped tooth only. Minor damage.												
Size ("):	12.250in	IADC#	M433	Nozzles		Drilled over last 24 hrs			Calculated over Bit Run			
Mfr:	REED HYCALOG	WOB(avg)	18.80klb	No.	Size	Progress	0.0m	Cum. Progress	278.0m			
Type:	PDC	RPM(avg)	120	6	20/32nd"	On Bottom Hrs	0.0h	Cum. On Btm Hrs	8.0h			
Serial No.:	209514	F.Rate	24.10bpm			IADC Drill Hrs	0.0h	Cum IADC Drill Hrs	9.0h			
Bit Model	RSX162	SPP	2100psi			Total Revs	60	Cum Total Revs	180			
Depth In	994.0m	HSI				ROP(avg)	N/A	ROP(avg)	34.75 m/hr			
Depth Out	1,272.0m	TFA	1.841									
Bit Comment												

Bit # 3RR1				Wear	I	O1	D	L	B	G	O2	R
Bitwear Comments:												
Size ("):	12.250in	IADC#	M433	Nozzles		Drilled over last 24 hrs			Calculated over Bit Run			
Mfr:	REED HYCALOG	WOB(avg)	24.00klb	No.	Size	Progress	752.0m	Cum. Progress	991.0m			
Type:	PDC	RPM(avg)	120	6	20/32nd"	On Bottom Hrs	13.4h	Cum. On Btm Hrs	18.9h			
Serial No.:	209514	F.Rate	24.40bpm			IADC Drill Hrs	23.0h	Cum IADC Drill Hrs	31.5h			
Bit Model	RSX162	SPP	3400psi			Total Revs	132	Cum Total Revs	192			
Depth In	1,272.0m	HSI				ROP(avg)	56.12 m/hr	ROP(avg)	52.43 m/hr			
Depth Out		TFA	1.841									
Bit Comment												

BHA # 4						
Weight(Wet)	55.00klb	Length	249.2m	Torque(max)	18000ft-lbs	D.C. (1) Ann Velocity
Wt Below Jar(Wet)	22.00klb	String	255.00klb	Torque(Off.Btm)	8000ft-lbs	D.C. (2) Ann Velocity
Drilling Jar Hours		Pick-Up	280.00klb	Torque(On.Btm)	12000ft-lbs	H.W.D.P. Ann Velocity
		Slack-Off	230.00klb			D.P. Ann Velocity

BHA Run Description

BHA Run Comment

Equipment	Length	OD	ID	Top Conn	Serial #	Comment
Bit	0.59m	12.250in			209514	
Geo_Pilot	6.62m	9.500in	3.000in		GPTL044	12 1/16" OD gauge on sleeve stab.
Non-Mag Flex collar	2.80m	7.938in	3.000in		CP1015763	
DGR-EWD-PWD-XHCIM	8.61m	8.000in			90087662	12 3/16" OD gauge on stab. sleeve
HOC	3.11m	8.000in			10645035	
Float Sub	0.72m	7.812in	3.000in		718245	
8in DC	18.17m	8.000in	2.875in			
Drilling Jars	9.69m	8.250in	3.000in		36880C	
Pony DC	4.59m	8.000in	3.000in		A502	



Equipment	Length	OD	ID	Top Conn	Serial #	Comment
X/O	1.17m	6.625in	3.000in		1750-1	
5in HWDP	193.09m	5.000in	3.000in			

BHA # 3						
Weight(Wet)	55.00klb	Length	249.2m	Torque(max)	12000ft-lbs	D.C. (1) Ann Velocity
Wt Below Jar(Wet)	22.00klb	String	210.00klb	Torque(Off.Btm)	4000ft-lbs	D.C. (2) Ann Velocity
Drilling Jar Hours		Pick-Up	220.00klb	Torque(On.Btm)	9000ft-lbs	H.W.D.P. Ann Velocity
		Slack-Off	190.00klb			D.P. Ann Velocity

BHA Run Description

BHA Run Comment

Equipment	Length	OD	ID	Top Conn	Serial #	Comment
Bit	0.59m	12.250in			209514	
Geo_Pilot	6.62m	9.500in	3.000in		GPTL044	12 1/16" OD gauge on sleeve stab.
Non-Mag Flex collar	2.80m	7.938in	3.000in		CP1015763	
DGR-EWD-PWD-XHCIM	8.61m	8.000in			90087662	12 3/16" OD gauge on stab. sleeve
HOC	3.11m	8.000in			10645035	
Float Sub	0.72m	7.812in	3.000in		718245	
8in DC	18.17m	8.000in	2.875in			
Drilling Jars	9.69m	8.250in	3.000in		36880C	
Pony DC	4.59m	8.000in	3.000in		A502	
X/O	1.17m	6.625in	3.000in		1750-1	
5in HWDP	193.09m	5.000in	3.000in			

Survey

MD (m)	Incl (deg)	Azim (deg)	TVD (m)	Vsec (deg)	N-S (m)	E-W (m)	DLS (deg/30m)	Tool Type
1756.77	24.3	46.4	1658.57	492.9	354.0	351.9	1.6	MWD
1785.40	23.7	45.6	1684.72	504.4	362.0	360.3	2.4	MWD
1814.08	24.2	45.3	1710.93	515.9	370.2	368.6	1.8	MWD
1900.01	23.7	43.4	1789.47	550.3	395.1	392.9	1.1	MWD
2014.80	24.6	46.0	1894.21	596.7	428.5	426.0	1.2	MWD
2100.80	25.3	48.4	1972.19	632.7	453.1	452.6	1.4	MWD
2158.30	24.9	42.3	2024.27	656.8	470.3	469.9	4.6	MWD
2186.92	24.7	41.3	2050.25	668.6	479.2	477.9	1.6	MWD
2244.20	22.3	45.0	2102.78	691.0	495.9	493.5	4.9	MWD
2272.81	21.9	45.2	2129.28	701.6	503.5	501.1	1.4	MWD

Bulk Stocks

Name	Unit	In	Used	Adjust	Balance
Barite Bulk	MT	28	1.53		154.1
Bentonite Bulk	MT		0		34.6
Diesel	m3		21.6	0	222.0
Fresh Water	m3	20.2	27.5	0	176.1
Drill Water	m3	0	175.7	0	455.1
Cement G	MT	0	0		79.3

Pumps

Pump Data - Last 24 Hrs								Slow Pump Data									
No.	Type	Liner (in)	MW (ppg)	Eff (%)	SPM (SPM)	SPP (psi)	Flow (bpm)	Depth (m)	SPM1 (SPM)	SPP1 (psi)	Flow1 (bpm)	SPM2 (SPM)	SPP2 (psi)	Flow2 (bpm)	SPM3 (SPM)	SPP3 (psi)	Flow3 (bpm)
1	A1700PT	6.000	8.60	97	80	3400	8.03	2226.0	30	320	3.00	40	420	4.00	50	480	5.00
2	12P 160	6.000	8.60	97	80	3400	8.03	2226.0	30	340	3.00	40	400	4.00	50	490	5.00
3	12P160	6.000	8.60	97	80	3400	8.03										



Casing					
OD (in)	Csg Shoe MD (m)	Csg Shoe TVD (m)	Csg Landing Depth MD (m)	Csg Landing Depth TVD (m)	LOT/FIT (ppg)
30 "	187.22	187.22		152.83	
13 3/8"	984.53	948.47	151.96	151.96	

Personnel On Board		
Company	Pax	Comment
ANZON AUSTRALIA LIMITED	5	
DOGC	48	
HALLIBURTON AUSTRALIA PTY LTD - SPERRY SUN	6	
DOWELL SCHLUMBERGER	2	
GEOSERVICES OVERSEAS S.A.	6	
M-1 AUSTRALIA PTY LTD	4	2 x operators, 1 x trainee, 1 x shaker hand.
FUGRO SURVEY LTD	3	3 x Fugro ROV,
CAMERON AUSTRALIA PTY LTD	1	
ESS	8	
Total	83	

HSE Summary					
Events	Date of last	Days Since	Descr.	Remarks	
Last BOP Test	27 Jan 2006				
Abandon Drill	22 Jan 2006	8 Days			
Abandon Drill	29 Jan 2006	1 Day			
Fire Drill	22 Jan 2006	8 Days			
Fire Drill	29 Jan 2006	1 Day			
JSA	28 Jan 2006	2 Days	Drill crew=7, Deck=10,		
JSA	30 Jan 2006	0 Days	Drill crew=2, Deck=12,Mechanic=1		
Man Overboard Drill	22 Jan 2006	8 Days			
Man Overboard Drill	22 Jan 2006	8 Days			
Safety Meeting	29 Jan 2006	1 Day	Weekly safety meetings with all crew members.	1300/1900/0030hrs	
STOP Card	28 Jan 2006	2 Days	Safe= 9 Un-safe=3		
STOP Card	30 Jan 2006	0 Days	Safe= 5 Un-safe=10		

Shakers, Volumes and Losses Data						
Available	Losses	Equip.	Descr.	Mesh Size		
2,248bbl	820bbl					
Active	Equipment	Shaker1	VSM 100	4x84		
425.2bbl	620bbl	Shaker2	VSM 100	2x145/ 2 x 84		
Hole	Desilter	Shaker3	VSM 100	4x84		
1,148.8bbl	200bbl	Shaker4	BEM650	4 x 120		
Reserve						
674bbl						

Marine									
Weather on 30 Jan 2006							Rig Support		
Visibility	Wind Speed	Wind Dir.	Pressure	Air Temp.	Wave Height	Wave Dir.	Wave Period	Anchors	Tension (klb)
10.0nm	30kn	225.0deg	1,015.0mbar	17C°	1.0m	225.0deg		1	174.0
Rig Dir.	Ris. Tension	VDL	Swell Height	Swell Dir.	Swell Period	Weather Comments		2	143.0
224.0deg	180.00klb	3,912.00klb	3.5m	225.0deg				3	179.0
Comments							4	150.0	
							5	260.0	
							6	225.0	
							7	249.0	
							8	282.0	

Vessel Name	Arrived (Date/Time)	Departed (Date/Time)	Status	Bulks			
Item	Unit	Used	Quantity				
Far Grip	1400		On location off loading cargo.				
Diesel	m3					670	
Fresh Water	m3					300	
Drill Water	m3					610	
Cement G	mt					0	



				Item	Unit	Used	Quantity
				Bentonite Bulk	mt		0
Pacific Wrangler				Item	Unit	Used	Quantity
On location				Diesel	m3		405.6
				Fresh Water	m3		163
				Drill Water	m3		0
				Cement G	mt		0
				Cement HT (Silica)	mt		0
				Barite Bulk	mt		0
				Bentonite Bulk	mt		43

Helicopter Movement				
Flight #	Company	Arr/Dep. Time	Pax In/Out	Comment
1	BRISTOW HELICOPTERS AUSTRALIA PTY LTD	1002 / 1010	0 / 3	