

Wasabi-1 GeoVISION Resistivity RT 200MD


IDEAL Version: ID13_OC_05 <MD > Vertical Scale: 1:200


Graphics File Created: 01-Mar-2008 07:54

PIP SUMMARY

- └ GR Samples
- └ Ring Samples


		Ring Resistivity, Real-Time (RES_RING_RT)
0.2	(OHMM)	2000
		Shallow Button Resistivity, Real-Time (RES_BS_RT)
0.2	(OHMM)	2000
		Bit Resistivity, Real-Time (RES_BIT_RT)
0.2	(OHMM)	2000
		Medium Button Resistivity, Real-Time (RES_BM_RT)
0.2	(OHMM)	2000
		Deep Button Resistivity, Real-Time (RES_BD_RT)
0.2	(OHMM)	2000
RAB Gamma Ray, Real-Time (GR_RAB_RT) 0 (GAPI) 200		
Rate of Penetration, Real-Time (ROP5) 200 (M/HR) 0		Surface RPM (RPM) 0 200






900

925







950

975


1000






1025


1050






1075


1100






1125

1150







1175

1200


1225






1250


1275






1300


1325






1350

1375







1400

1425


1450






1475


1500






1525


1550






1575


1600






1625

1650







1675

1700


1725






1750


1775






1800


1825








1850

1875









1975

2000





JFM



2025


2050











2075


2100











Rate of Penetration, Real-Time (ROP5) 200 (M/HR) 0	Surface RPM (RPM) 0 200	Deep Button Resistivity, Real-Time (RES_BD_RT) 0.2 (OHMM) 2000
RAB Gamma Ray, Real-Time (GR_RAB_RT) 0 (GAPI) 200		Medium Button Resistivity, Real-Time (RES_BM_RT) 0.2 (OHMM) 2000
		Bit Resistivity, Real-Time (RES_BIT_RT) 0.2 (OHMM) 2000
		Shallow Button Resistivity, Real-Time (RES_BS_RT) 0.2 (OHMM) 2000
		Ring Resistivity, Real-Time (RES_RING_RT) 0.2 (OHMM) 2000

PIP SUMMARY

- ┆ GR Samples
- ┆ Ring Samples