Wasabi−1 GeoVISION Resistivity RT 500TVD

IDEAL Version: ID13_0C_05 <TVD> Vertical Scale: 1:500 Graphics File Created: 01−Mar−2008 08:04

PIP SUMMARY

GR Samples

Ring Samples

Ring Resistivity, Real−Time (RES_RING_RT)
0.2 (OHMM) 2000

Shallow Button Resistivity, Real−Time (RES_BS_RT)
0.2 (OHMM) 2000

Bit Resistivity, Real−Time (RES_BIT_RT)
0.2 (OHMM) 2000

RAB Gamma Ray, Real−Time (GR_RAB_RT)
0 (GAPI) 200

Medium Button Resistivity, Real−Time (RES_BM_RT)
0.2 (OHMM) 2000

Rate of Penetration, Real−Time (ROP5)
200 (M/HR) 0

Surface RPM (RPM)
(RPM)
0 200

Deep Button Resistivity, Real−Time (RES_BD_RT)
0.2 (OHMM) 2000




950
TVD
1000
TVD
1050
TVD


1100
TVD
1150
TVD
1200
TVD


1250
TVD
1300
TVD
1350
TVD


1400
TVD
1450
TVD


1500
TVD
1550
TVD
1600
TVD


1650
TVD
1700
TVD
1750
TVD


1800
TVD
1850
TVD
1900
TVD


1950
TVD
2000
TVD
2050
TVD



Rate of Penetration, Real−Time (ROP5)	Surface RPM (RPM)	Deep Button Resistivity, Real−Time (RES_BD_RT)
200 (M/HR) 0	(RPM) 0 200	0.2 (OHMM) 2000
RAB Gamma Ray, Real−Time (GR_RAB_RT)		Medium Button Resistivity, Real−Time (RES_BM_RT)
0 (GAPI) 200		0.2 (OHMM) 2000
		Bit Resistivity, Real−Time (RES_BIT_RT)
		0.2 (OHMM) 2000
		Shallow Button Resistivity, Real−Time (RES_BS_RT)
		0.2 (OHMM) 2000
		Ring Resistivity, Real−Time (RES_RING_RT)
		0.2 (OHMM) 2000

PIP SUMMARY

GR Samples

Ring Samples