

Wasabi-1 GeoVISION Resistivity RM 500TVD

RAB id13_0c_02

Format: GeoVISION Resistivity Log

Vertical Scale: 1:500

Graphics File Created: 01-Mar-2008 23:57

PIP SUMMARY

- ┆ Gamma Ray Samples
- ┆ Ring Samples

Rate of Penetration, Averaged over Last
5ft (ROP5_RM)

200 (M/HR) 0

Ring Resistivity Time After Bit (TAB_ RAB_RING)

0 (HR) 10

RAB Gamma Ray (GR_RAB)

0 (GAPI) 200

RAB
Rotational
Speed
(RPM_RAB)
(RPM)

0 250

Ring Resistivity (RES_RING)


0.2 (OHMM) 2000


Shallow Button Resistivity (RES_BS)


0.2 (OHMM) 2000



Deep Button Resistivity (RES_BD)


0.2 (OHMM) 2000













1400
TVD

1450
TVD


1500
TVD






1550
TVD

1600
TVD







1650
TVD

1700
TVD

1750
TVD









1800
TVD

1850
TVD

1900
TVD







RAB Gamma Ray (GR_RAB) (GAPI)	RAB Rotational Speed (RPM_RAB) (RPM)	Deep Button Resistivity (RES_BD) (OHMM)
0 200	0 250	0.2 2000
Ring Resistivity Time After Bit (TAB_RAB_RING) (HR)		Shallow Button Resistivity (RES_BS) (OHMM)
0 10		0.2 2000
Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR)		Ring Resistivity (RES_RING) (OHMM)
200 0		0.2 2000

PIP SUMMARY

- ┆ Gamma Ray Samples
- ┆ Ring Samples

IDEAL Version: ID13_OC_05

IDF

RAB

id13_0c_02