

























| | | | | |
|--|--|---|---|---|
| <p><u>ROP*5 (ROP5)</u> 200 (M/HR) 0</p> | <p>PKPK_RPM (Stick_RT) (RPM) 0 250</p> | <p>ARC BHCorr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H_RT) 0.2 (OHMM) 2000</p> | <p>Bulk Density Correction, Bottom, Real-Time Computed Downhole (DRHB_DH_RT) -0.75 (G/C3) 0.25</p> | <p>Delta-T Compressional, Real-Time (DTCO_RT) 600 (US/M) 100</p> |
| <p>Average Borehole Diameter, Real-Time (ADIA_ADN_RT) 6 (IN) 16</p> | <p>MWD Collar RPM (CRPM_RT) (RPM) 0 250</p> | <p>ARC BHCorr Phase-Shift Resistivity 28-in. at 2 MHz, Real-Time (P28H_RT) 0.2 (OHMM) 2000</p> | <p>Photoelectric Factor, Bottom, Real-Time (PEB_RT) 0 (-----) 10</p> | |
| <p>ARC Gamma Ray, Real-Time (ARC_GR_RT) 0 (GAPI) 200</p> | | <p>ARC BHCorr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H_RT) 0.2 (OHMM) 2000</p> | <p>Bulk Density, Bottom, Real-Time Computed Downhole (ROBB_DH_RT) 1.85 (G/C3) 2.85</p> | |
| | | | <p>Thermal Neutron Porosity, Real-Time (TNPH_ADN_RT) 0.45 (V/V) -0.15</p> | |

IDEAL Version: ID14_0C_26

IDF

ARC6A-AA
SON675

Id14_0c_26
Id14_0c_26

MWD_10
ADN

Id14_0c_26
Id14_0c_26