

# TERAKIHI-1

## SYNTHETIC SEISMOGRAM



\*\*\*\*\*  
 QUIKLOG REV: 1.2 1987  
 SIERRA GEOPHYSICS, INC.  
 2-JUL-90 13:17  
 TERAKIHI-1-2  
 \*\*\*\*\*

TERAKIHI-1  
 DERIVED FROM DRIFT CORRECTED SONIC

\*\*\*\*\* WELL LOG DESCRIPTION \*\*\*\*\*  
 KELLY BUSHING HEIGHT = 21.0 METERS ABOVE SEA LEVEL  
 GROUND ELEVATION = 0.000 METERS ABOVE SEA LEVEL  
 SEISMIC DATUM = 0.000 METERS ABOVE SEA LEVEL  
 STARTING DEPTH = 21.2 METERS  
 ENDING DEPTH = 0.303E+04 METERS  
 SAMPLED DEPTH INTERVAL = 0.200 METERS

\*\*\*\*\* PROCESSING SEQUENCE \*\*\*\*\*  
 DENSITY MODEL = DENSITY CURVE  
 WAVELET TYPE = RICKER (ZERO-PHASE)  
 WAVELET LENGTH = 124. MSEC  
 WAVELET MAX. AMP. = 1.00  
 WAVELET MIN. AMP. = -1.00  
 WAVELET CENTER FREQUENCY = 28.0 HZ  
 POLARITY = 4.000VE  
 CLIPPING LEVEL = 2.0000  
 TRACE OVERLAP = 2.0000  
 WHITE NOISE PERCENTAGE = 0.0  
 MULTIPLES INCLUDED = NO  
 SEQ FILTER = CORNER FREQUENCIES TOLERANCES

\*\*\*\*\* PLOTTING PARAMETERS \*\*\*\*\*  
 TIME SAMPLE INTERVAL = 4.00 MSEC  
 HORIZONTAL SCALE = 2.00 INCH/LOG  
 VERTICAL SCALE = 3.94 INCH/SEC  
 STARTING TIME = 0.000 MSEC  
 ENDING TIME = 0.226E+04 MSEC  
 \*\*\*\*\*



ENCLOSURE 6

BTBPNORUGGII