





Reeves


CNS PDS
GR CALIPER
1:200

COMPANY	SANTOS		
WELL	NAYLOR SOUTH 1		
FIELD	OTWAY		
PROVINCE/COUNTY	VICTORIA		
COUNTRY/STATE	SANTOS		
LOCATION	NAYLOR SOUTH 1		
LSD	SEC	TWP	RGE
API Number	Other Services		
Permit Number	PEP 154		
Permanent Datum MSL	, Elevation 0.0 M		
Log Measured From RT@53.0 M	above Permanent Datum		
Drilling Measured From RT@53.0 M			
Date			
Run Number	ON		
Depth Driller	2243.0 M		
Depth Logger	2238.0 M		
First Reading	2237.0 M		
Last Reading	SURFACE		
Casing Driller	434.0 M		
Casing Logger	434.0 M		
Bit Size			
Hole Fluid Type	KCL PLOYMER		
Density / Viscosity	9.4 40		
PH / Fluid Loss	9 5.6		
Sample Source	FLOWLINE		
Rm @ Measured Temp	0.816@ .81C		
Rmf @ Measured Temp	0.676@ .41C		
Rmc @ Measured Temp	2.320@ .51C		
Source Rmf / Rmc	PRESS PRESS		
Rm @ BHT	0.314@ 1C		
Time Since Circulation	36 HOURS		
Max Recorded Temp	811C		
Equipment Name	PDS CNS		
Equipment / Base	1030 ROMA		
Recorded By	A DIGIACOMO		
Witnessed By	T PRATER		
ON BOTTOM	17.35 27 DEC		

All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not, guarantee the accuracy or correctness of any interpretations, and we shall not, except in the case of gross or wilful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions in our price schedule.







450

460


44°


470

480

44°

490





500

510

45°



520


530

45°

540

550





550

560

46°


570


580

46°

590

600





610

47°


620

630

47°

640

650





660

48°

670

680


48°


690

700


710


48°





720
730
49°
740
750
760
49°





770

780

50°


790


800

810

50°

820





830

51°


840


850

860

51°

870





880

52°


890


900

910

52°

920





930

53°

940


950


960

53°


970



980








54°
990
1000
1010
 54°
1020
1030
 55°









1150

1160

57°


1170


1180

58°



1190



1200







1210
58%
1220
1230
59%
1240
1250














1310
60°
1320
1330
61°
1340
1350
1360
62°











1530

66°

1540


1550



1560



67°



1570


1580











1750

1760


73°



1770


1780

74°

1790







1860

76


1870



1880



76



1890



1900






















COMPANY SANTOS
WELL NAYLOR SOUTH 1
FIELD OTWAY
PROVINCE/COUNTY VICTORIA
COUNTRY/STATE SANTOS

Elevation Kelly Bushing		First Reading	2237.0 M
Elevation Drill Floor	4.7 M	Depth Driller	2243.0 M
Elevation Ground Level	48.3 M	Depth Logger	2238.0 M

Reeves

CNS PDS
GR CALIPER

