



BASIN GIPPSLAND DATE _____
 WELL NAME ALBACORE -1 ELEVATION +99 feet

AGE	PALYNOLOGIC ZONES	HIGHEST DATA				LOWEST DATA					
		Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time	Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time
MIOC.	<u>T. bellus</u>										
	<u>P. tuberculatus</u>										
EOCENE	<u>U. N. asperus</u>										
	<u>L. N. asperus</u>										
	<u>P. asperopolus</u>										
	<u>U. M. diversus</u>										
	<u>L. M. diversus</u>										
PALEO-CENE	<u>L. balnei</u>	9164 ⁹⁰²⁵	0			1812	9196 ⁹⁰⁷¹	1			1.816
	<u>T. longus</u>	9422 ⁹³²⁵	2	9612	1	1848	9956 ¹¹⁵⁷	1			1.832
LATE-CRETACEOUS	<u>T. lilliei</u>	10081 ⁹³¹²	1			1946	10574 ⁹⁴⁹⁵	1			2.081
	<u>N. senectus</u>										
	<u>C. trip./T. pach.</u>										
	<u>C. distocarin.</u>										
	<u>T. pannosus</u>										
EARLY CRETACEOUS	<u>C. paradoxa</u>										
	<u>C. striatus</u>										
	<u>U. C. hughesii</u>										
	<u>L. C. hughesii</u>										
	<u>C. stylosus</u>										
Pre-Cretaceous											

COMMENTS: T.D. 10885' (1.084)

- RATINGS: 0; SWC or CORE, EXCELLENT CONFIDENCE, assemblage with zone species of spores, pollen and microplankton.
 1; SWC or CORE, GOOD CONFIDENCE, assemblage with zone species of spores and pollen or microplankton.
 2; SWC or CORE, POOR CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.
 3; CUTTINGS, FAIR CONFIDENCE, assemblage with zone species of either spores and pollen or microplankton, or both.
 4; CUTTINGS, NO CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.

NOTE: If a sample cannot be assigned to one particular zone, then no entry should be made. Also, if an entry is given a 3 or 4 confidence rating, an alternate depth with a better confidence rating should be entered, if possible.

DATE RECORDED BY: L.E.S./A.D.P. DATE June 1971
 DATA REVISED BY: checked: L.E.S. DATE Dec. 1971