

BIB4552



Geological Survey of Victoria

Well completion report

COBBOBOONEE 2

1975/40
ot/slb1

NOT FOR LOAN

NOT FOR LOAN

Unpublished Report No. 1975/40

D. T. Ripper
July 1975

APPENDIX 5

Palaeontology

The following fossils have been identified by Dr. Abele from core material.

| Core | Depth (Metres) | Faunal unit (Carter '64) | Fossil |
|------|-------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------|
| 1 | 70 | | No fossils found |
| 2 | 87 | | Few, non-distinct planktonics |
| 3 | 107 | | Few, non-distinct planktonics |
| 4 | 126 | | Very rare forams |
| 5 | 163 | | Very rare forams |
| 6 | 200 | 11 | <u>Orbulina suturalis</u> , <u>Orbulina universa</u> <u>Globoquadrina dehiscens</u> . |
| 7 | 263 | 6 | <u>Globigerina woodi</u> , <u>Globigerina woodi connecta</u> , <u>Globigerina simivera</u> , <u>Globigerina dehiscens</u> |
| 8 | 374 | 6 | <u>Globigerina dehiscens</u> , planktonics. |
| 9 | 521 | | Forams are present but cannot be isolated from the cemented matrix. |