

SONY
VICDME-001
VIC. OTWAY BASIN.

DEPT. NAT. RES & ENV
P0006027

6320

EXATAPE
FROM EXARTE CORPORATION
2.3 GB SEGY
VICDME-001
OTWAY BASIN VICTORIA P0019
DEPT. NAT. RES & ENV
P0006027

OT94A

2.3 GigaByte SEGY
Time of first sample: 0ms
No. of samples: 1251
sample rate: 4ms

File No.	Line	SP/CDP RELATION
1.	0194-01	CROOKED LINE - (SP's 306-774)
2.	0194-02	CROOKED LINE - (SP's 306-774)
3.	0194-02	CDP 3 = SP 201.5/CDP 5 = SP 202.5
4.	0194-02	CDP 3 = SP 201.5/CDP 5 = SP 202.5
5.	0194-03	CROOKED LINE
6.	0194-03	CROOKED LINE
7.	0194-04	CDP 3 = SP 201.5/CDP 5 = SP 202.5
8.	0194-04	CDP 3 = SP 201.5/CDP 5 = SP 202.5
9.	0194-05	CDP 3 = SP 489.00/CDP 5 = SP 488.00
10.	0194-05	CDP 3 = SP 489.00/CDP 5 = SP 488.00
11.	0194-06	CROOKED LINE
12.	0194-06	CROOKED LINE
13.	0194-07	CDP 3 = SP 238.5/CDP 5 = SP 239.5
14.	0194-07	CDP 3 = SP 238.5/CDP 5 = SP 239.5