



COUNTRY AUSTRALIA
WELL WILDCAT
COMPANY WOODSIDE (L.E.) OIL COMPANY

COUNTRY AUSTRALIA
STATE VICTORIA

COMPANY WOODSIDE LAKES ENTRANCE OIL COMPANY
WELL DUTSON DOWNS NO. 1
FIELD WILDCAT

Location: Other Services: M.C. S.L. GRV. CIM

Permanent Datum 61. 5' Elev. K.B. 10'
Log Measured From 43. 11' Ft. Above Perm. Datum Elev. D.F.
Drilling Measured From 43. 11' Ft. Above Perm. Datum G.L. 5'

Ref No
M.C. S.L. GRV. CIM

Run No. 1 Depth Sale 07E 2' / 100'
Date 17 MAR 61 1966

First Reading 376
Last Reading 376
Interval Measured 2325
Casing Skinning 3710
Casing Driller 371
Depth Reached 3202


Bottom Driller L10NO SUDOWATE
Depth 3200

Mud Name
Density 1.7 @ 5.0
Mud Resistivity 1.7 @ 72 F
Mud Resistivity BHT 1.2 @ 104 F
pH of Fluid Less 9.1 @ 7 CC/30 min
Origin of Sample FLOWLINE
Kmf 1.25 @ 104 F
Kmc 1.4 @ 104 F
Bit Size 1 1/4" to 1D
Gauging Size 2 13/16"
Operating Rig Time 2.00
Track No 2520
Recorded By DOWLER, SLINGER
Witness LANGTON

REMARKS:
..... 220° - 2354° : R_m = 3.53 e 73°F

DEPTHS	RESISTIVITY ohms - m ² /m	RESISTIVITY ohms - m ² /m
2' / 100'	10 AM ₁ = 16"	50 AO = 18' 8"
	500	500
	50 AM ₂ = 64"	
	500	

SPONTANEOUS POTENTIAL millivolts
-14



DEPTHS	RESISTIVITY ohms - m ² /m	RESISTIVITY ohms - m ² /m
2' / 100'	10 AM ₁ = 16"	50 AO = 18' 8"
	500	500
	50 AM ₂ = 64"	
	500	

SPONTANEOUS POTENTIAL millivolts
-14

COMPANY WOODSIDE (L.E.) OIL COMPANY
WELL DUTSON DOWNS NO. 1
FIELD WILDCAT
COUNTRY AUSTRALIA STATE VICTORIA

SCHL. F.R. 320
SCHL. T.D. 3202
DRLR. T.D. 3200