

Drilling Mechanics Depth Log

IDEAL Version: ID10_2B_08 <TVD> Vertical Scale: 1:500

Graphics File Created: 18-Aug-2005 11:10

RAB Transverse Shocks,
Real-Time (SHK_RAB_
TRANS_RT)

0 (----) 5

RAB Axial Shocks,
Real-Time (SHK_RAB_
AX_RT)

0 (----) 5

RAB Gamma Ray,
Real-Time (GR_RAB_RT)

0 (GAPI) 200

MWD Shock Risk
(SHKRSK_RT)

0 (----) 5

STOR (TQA)

0 (KFLB) 20000

MWD Shock Peak
(SHKPK_RT)

0 (G) 100

HKLD (HKLD)

0 (KLBF) 300

ROP*5 (ROP5)

200 (M/HR) 0

SWOB (SWOB)

0 (KLBF) 60

MWD Collar RPM
(CRPM_RT)

0 (RPM) 300

PUMPPRS (SPPA)

0 (PSI) 5000

TUR_RPM (TRPM_RT)

0 (RPM) 5000

MWD Annular
Temperature (ATMP_
MWD)

0 (DEGC) 200

MWD Lateral
Vib (VIBLAT_
RT)

0 (G) 5

PKPK_RPM (Stick_RT)

0 (RPM) 600

MWD Annulus Pressure
(APRS_MWD)

0 (PSI) 5000

MWD Vib
X-Axis (VIBX_
RT)


0 (G) 5

CRS_TRPM (TRPM)


0 (RPM) 5000



MWD Equivalent
Circulating density (ECD_
MWD)


5 (LB/G) 15



850









1050

1100







1150

1200


1250






1300

1350







1400

1450


1500






1550

1600







1650

1700


1750






1800

1850







1900

1950


2000






2050

2100







2150

2200


2250





<div>ROP*5 (ROP5)</div> <div>200 (M/HR)00</div>	<div>SWOB (SWOB)</div> <div>(KLBF)60</div>
<div>MWD Shock Peak</div> <div>(SHKPK_RT)</div> <div>0 (G)100</div>	<div>HKLD (HKLD)</div> <div>(KLBF)300</div>
<div>MWD Shock Risk</div> <div>(SHKRSK_RT)</div> <div>0 (----)5</div>	<div>STOR (TQA)</div> <div>(KFLB)20000</div>
<div>RAB Gamma Ray,</div> <div>Real-Time (GR_RAB_RT)</div> <div>0 (GAPI)200</div>	
<div>RAB Axial Shocks,</div> <div>Real-Time (SHK_RAB_</div> <div>AX_RT)</div> <div>0 (----)5</div>	
<div>RAB Transverse Shocks,</div> <div>Real-Time (SHK_RAB_</div> <div>TRANS_RT)</div> <div>0 (----)5</div>	

2300



<div>MWD Vib</div> <div>X-Axis (VIBX</div> <div>RT)</div> <div>0 (G)5</div>	<div>CRS_TRPM (TRPM)</div> <div>(RPM)5000</div>	<div>MWD Equivalent</div> <div>Circulating density (ECD_</div> <div>MWD)</div> <div>5 (LB/G)15</div>
<div>MWD Lateral</div> <div>Vib (VIBLAT_</div> <div>RT)</div> <div>0 (G)5</div>	<div>PKPK_RPM (Stick_RT)</div> <div>(RPM)600</div>	<div>MWD Annulus Pressure</div> <div>(APRS_MWD)</div> <div>0 (PSI)5000</div>
	<div>TUR_RPM (TRPM_RT)</div> <div>(RPM)5000</div>	<div>MWD Annular</div> <div>Temperature (ATMP_</div> <div>MWD)</div> <div>0 (DEGC)200</div>
	<div>MWD Collar RPM</div> <div>(CRPM_RT)</div> <div>0 (RPM)300</div>	<div>PUMPPRS (SPPA)</div> <div>(PSI)5000</div>