



FTA A17A PERFORM – DrillMech RT

IDEAL Version: ID12_OC_11 <MD> Vertical Scale: 1:200

Graphics File Created: 19-Sep-2007 21:15





<div><div>ARC Gamma Ray (GR_ARC)</div><div>0 (GAPI) 200</div></div>										<div><div>Local comp 1 6in (LCOMP1)</div><div>0 (PSI) 100000</div></div>										<div><div>MWD Lateral Vib (VIBLAT_RT)</div><div>5 (G) 0</div></div>										<div><div>Surface RPM (RPM)</div><div>0 (RPM) 0 200</div></div>										<div><div>CONT_INC (INCL_CONT_RT)</div><div>0 (DEG) 90</div></div>										<div><div>Equivalent Circulating Density (ECD_ARC)</div><div>9 (LB/G) 14</div></div>																			
<div><div>Rate of Penetration, Averaged over Last 5ft (ROP5_RM)</div><div>200 (M/HR) 0</div></div>										<div><div>MWD Vib X-Axis (VIBX_RT)</div><div>5 (G) 0</div></div>										<div><div>STOR (TQA)</div><div>0 (KFLB) 50</div></div>										<div><div>MWD Shock Peak (SHKP_K_RT)</div><div>0 (G) 0 200</div></div>										<div><div>CONT_AZIM (AZIM_CONT_RT)</div><div>-180 (DEG) 180</div></div>										<div><div>Annulus Temperature (ATMP)</div><div>0 (DEGC) 200</div></div>																			
										<div><div>SWOB (SWOB)</div><div>0 (KLBF) 100</div></div>																				<div><div>MWD Collar RPM (CRPM_RT)</div><div>0 (RPM) 0 400</div></div>										<div><div>PKPK_RPM (Stick_RT)</div><div>0 (RPM) 400</div></div>										<div><div>Standpipe Pressure (SPPA)</div><div>0 (PSI) 5000</div></div>																			
																																																		<div><div>TUR_RPM (TRPM_RT)</div><div>0 (RPM) 5000</div></div>																			
																																																												<div><div>T_FLOW (TFLO)</div><div>0 (GPM) 800</div></div>									