

Input Source: D:\OP_Folder\Clients\Essso\FLA_A_4B\GUN\COMP_FL A_A_4B_COMP_055.DLIS
Format: DLIS
Storage Set ID: Default Storage Set

Max Record Length: 8192
Storage Unit Sequence: 1

File Header

File: **PERFO_047LUP** Sequence: **1**

Defining Origin: 35

File ID: PERFO_047LUP File Type: DEPTH LOG

Producer Name: Schlumberger Product/Version: OP 14C0-302 File Set: 41 File Number: 46 15-FEB-2007 19:40:33

Company Name: Esso Australia Pty/Ltd.
Well Name: A-4B
Field Name: Flounder
Tool String: SHM_GUN, CCL-L
Computations: WELLCAD

Error Summary

File: **PERFO_047LUP** Sequence: **1**

No errors detected in file.

Well Site Data

File: **PERFO_047LUP** Sequence: **1**

Origin: 35

Well Data

Company Name	Esso Australia Pty/Ltd.	CN
Well Name	A-4B	WN
Field Name	Flounder	FN
Rig:	Prod 4 / Crane	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	AUSL07336260	SON
Longitude	148°06'15.1"E	LONG
Latitude	038°18'45.2"S	LATI
Maximum Hole Deviation	32.0 (deg)	MHD
Elevation of Kelly Bushing	34.0 (m)	EKB
Elevation of Ground Level	-94.0 (m)	EGL
Elevation of Derrick Floor	34.0 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	D.F	LMF, APD
Drilling Measured From	D.F	DMF

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year	15-Feb-2007	DATE
Run Number	1	RUN
Total Depth - Driller	2684.0 (m)	TDD
Total Depth - Logger	2666.3 (m)	TDL
Bottom Log Interval	2666.3 (m)	BLI
Top Log Interval	0.0 (m)	TLI
Current Casing Size	7.63 (in)	CSIZ
Casing Depth From	19.8 (m)	CDF
Casing Depth To	2782.0 (m)	CADT
Casing Grade	L-80	CASG
Casing Weight	29.7 (lbm/ft)	CWEI
Bit Size	9.88 (in)	BS
Date Logger At Bottom	8-Feb-2007	DLAB, TLAB
Logging Unit Number	889	LUN, LUL
Engineer's Name	G Wright , S Gilbert	ENGI
Witness's Name	B White , B Robinson	WITN
Service Order Number	AUSL07336260	SON

Absent Valued Parameters: BSDF, BSDT

Mud Data

Drilling Fluid Type	Production Fluids	DFT
Maximum Recorded Temperature	111.7 (degC)	MRT
	111.7 (degC)	MRT1
Date Logger At Bottom	8-Feb-2007	Time Logger At Bottom 3:30
DLAB, TLAB		
Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT2, MRT3, DCS, TCS		
PVT Data		
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR		
Cement Data		
Cement Job Type	Primary	CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA		
Remarks		
.		R2
.		R5
.		R6
Crew : J Annear, B Flynn ,P Lawrence,L Dooley		R15
Other Services		
None		OS1

Frame Summary							File: PERFO_047LUP	Sequence: 1
Origin: 35								
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>		
BOREHOLE-DEPTH	2662.12	2592.32 m	-60.0 (0.1 in) up	7	TDEP	60B		
	8734.00	8505.00 ft						
BOREHOLE-DEPTH	2662.12	2592.35 m	-10.0 (0.1 in) up	7	TDEP;1	10B		
	8734.00	8505.08 ft						

File Header							File: PERFO_051LUP	Sequence: 2
Defining Origin: 35								
File ID: PERFO_051LUP							File Type: DEPTH LOG	
Producer Name: Schlumberger		Product/Version: OP 14C0-302			File Set: 41	File Number: 50	15-FEB-2007 21:26:25	
Company Name:	Esso Australia Pty/Ltd.							
Well Name:	A-4B							
Field Name:	Flounder							
Tool String:	SHM_GUN, CCL-L							
Computations:	WELLCAD							

Error Summary File: PERFO_051LUP Sequence: 2
No errors detected in file.

Well Site Data File: PERFO_051LUP Sequence: 2			
Origin: 35			
Well Data			
Company Name	Esso Australia Pty/Ltd.		CN
Well Name	A-4B		WN
Field Name	Flounder		FN
Rig:	Prod 4 / Crane		CLAB, COUN
State:	Victoria		SLAB, STAT
Nation	Australia		NATI
Field Location	Gippsland		FL
	Basin		FL1
	Bass Strait		FL2
Service Order Number	AUSL07336260		SON
Longitude	148°06'15.1"E		LONG
Latitude	038°18'15.2"S		LATI

Latitude	030 10 45.2 S				LAT
Maximum Hole Deviation	32.0 (deg)				MHD
Elevation of Kelly Bushing	34.0 (m)				EKB
Elevation of Ground Level	-94.0 (m)				EGL
Elevation of Derrick Floor	34.0 (m)				EDF
Permanent Datum	M.S.L	Elevation of Permanent Datum	0.0 (m)		PDAT, EPD
Log Measured From	D.F	Above Permanent Datum	34.0 (m)		LMF, APD
Drilling Measured From	D.F				DMF

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year	15-Feb-2007				DATE
Run Number	1				RUN
Total Depth - Driller	2684.0 (m)				TDD
Total Depth - Logger	2666.3 (m)				TDL
Bottom Log Interval	2666.3 (m)				BLI
Top Log Interval	0.0 (m)				TLI
Current Casing Size	7.63 (in)				CSIZ
Casing Depth From	19.8 (m)				CDF
Casing Depth To	2782.0 (m)				CADT
Casing Grade	L-80				CASG
Casing Weight	29.7 (lbm/ft)				CWEI
Bit Size	9.88 (in)				BS
Date Logger At Bottom	8-Feb-2007	Time Logger At Bottom	3:30		DLAB, TLAB
Logging Unit Number	889	Logging Unit Location	Prod4		LUN, LUL
Engineer's Name	G Wright , S Gilbert				ENGI
Witness's Name	B White , B Robinson				WITN
Service Order Number	AUSL07336260				SON

Absent Valued Parameters: BSDF, BSDT

Mud Data

Drilling Fluid Type	Production Fluids				DFT
Maximum Recorded Temperature	111.7 (degC)				MRT
	111.7 (degC)				MRT1
Date Logger At Bottom	8-Feb-2007	Time Logger At Bottom	3:30		DLAB, TLAB

Absent Valued Parameters: DFD, DFV, DFL, DFP, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT2, MRT3, DCS, TCS

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type	Primary				CJT
-----------------	---------	--	--	--	-----

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log Correlated to Schlumberger MWPT Perforation Record dated 8-Feb-2007					R1
Objectives: Set 7 5/8" Possiset Plug between existing perforations @2673.5m MDKB					R2
.					R5
.					R6
Crew : J Annear, B Flynn ,P Lawrence,L Dooley					R15

Other Services

2 1/8" Enerjet					OS1
Perforation					OS2

Frame Summary File: PERFO_051LUP Sequence: 2

Origin: 35

Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name
BOREHOLE-DEPTH	2661.67	2591.26 m	-60.0 (0.1 in) up	7	TDEP	60B
	8732.50	8501.50 ft				
BOREHOLE-DEPTH	2661.67	2591.13 m	-10.0 (0.1 in) up	7	TDEP;1	10B
	8732.50	8501.08 ft				

File Header File: MBPT_028LUP Sequence: 2

File Header		File: MPBT_038LUP	Sequence: 3
Defining Origin: 93		File ID: MPBT_038LUP File Type: DEPTH LOG	
Producer Name: Schlumberger		Product/Version: OP 14C0-302	File Set: 41
Tool String: MPEX-BA, MPSU-CA, CCL-I		File Number: 37	15-FEB-2007 16:18:24
Computations: WELLCAD			

Error Summary	File: MPBT_038LUP	Sequence: 3
No errors detected in file.		

Well Site Data	File: MPBT_038LUP	Sequence: 3
Origin: 93		
Well Data		
Permanent Datum	GROUND LEVEL	PDAT
Absent Valued Parameters: CN, CN1, WN, FN, COUN, STAT, NATI, CONT, FL, FL1, FL2, SECT, TOWN, RANG, APIN, SON, LONG, LATI, MHD, EKB, EGL, EDF, EPD, LMF, APD, DMF		
Job Data		
Run Number	1	RUN
Current Casing Size	0.0 (in)	CSIZ
Casing Weight	27.9 (lbm/ft)	CWEI
Bit Size	9.88 (in)	BS
Absent Valued Parameters: DATE, TDD, TDL, BLI, TLI, CDF, CADT, CASG, BSDF, BSDT, DLAB, TLAB, LUN, LUL, ENGI, WITN, SON		
Mud Data		
Absent Valued Parameters: DFT, DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, DLAB, TLAB		
PVT Data		
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR		
Cement Data		
Cement Job Type	Primary	CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA		

Frame Summary						
File: MPBT_038LUP		Sequence: 3				
Origin: 93						
Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name
BOREHOLE-DEPTH	2670.20	2622.35 m	-60.0 (0.1 in) up	7	TDEP	60B
	8760.50	8603.50 ft				
BOREHOLE-DEPTH	2670.20	2622.37 m	-10.0 (0.1 in) up	7	TDEP;1	10B
	8760.50	8603.58 ft				

File Header	File: MPBT_039LUP	Sequence: 4
Defining Origin: 93		
File ID: MPBT_039LUP File Type: DEPTH LOG		
Producer Name: Schlumberger		Product/Version: OP 14C0-302
		File Set: 41
		File Number: 38
		15-FEB-2007 16:34:37
Tool String: MPEX-BA, MPSU-CA, CCL-I		
Computations: WELLCAD		

Error Summary	File: MPBT_039LUP	Sequence: 4
No errors detected in file.		

Well Site Data	File: MPBT_039LUP	Sequence: 4
-----------------------	--------------------------	--------------------

Well Site Data

File: MPBT_039LUPSequence: 4

Origin: 93

Well Data

Permanent DatumGROUND LEVELPDAT

Absent Valued Parameters: CN, CN1, WN, FN, COUN, STAT, NATI, CONT, FL, FL1, FL2, SECT, TOWN, RANG, APIN, SON, LONG, LATI, MHD, EKB, EGL, EDF, EPD, LMF, APD, DMF

Job Data

Run Number1

Current Casing Size0.0 (in)

Casing Weight27.9 (lbm/ft)

Bit Size9.88 (in)

RUNCSIZCWEIBS

Absent Valued Parameters: DATE, TDD, TDL, BLI, TLI, CDF, CADT, CASG, BSDF, BSDT, DLAB, TLAB, LUN, LUL, ENGI, WITN, SON

Mud Data

Absent Valued Parameters: DFT, DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, DLAB, TLAB

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job TypePrimaryCJT

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Frame SummaryFile: MPBT_039LUPSequence: 4						
Origin: 93						
Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name
BOREHOLE-DEPTH	12192.00	11586.51 m	-60.0 (0.1 in) up	7	TDEP	60B
	40000.00	38013.50 ft				
BOREHOLE-DEPTH	12192.00	11586.54 m	-10.0 (0.1 in) up	4	TDEP,1	10B
	40000.00	38013.58 ft				

File Header

File: MPBT_040LUPSequence: 5

Defining Origin: 93

File ID: MPBT_040LUPFile Type: DEPTH LOG

Producer Name: SchlumbergerProduct/Version: OP 14C0-302File Set: 41File Number: 3915-FEB-2007 17:16:09

Tool String: MPEX-BA, MPSU-CA, CCL-I

Computations: WELLCAD

Error Summary

File: MPBT_040LUPSequence: 5

No errors detected in file.

Well Site Data

File: MPBT_040LUPSequence: 5

Origin: 93

Well Data

Permanent DatumGROUND LEVELPDAT

Absent Valued Parameters: CN, CN1, WN, FN, COUN, STAT, NATI, CONT, FL, FL1, FL2, SECT, TOWN, RANG, APIN, SON, LONG, LATI, MHD, EKB, EGL, EDF, EPD, LMF, APD, DMF

Job Data

Run Number1

Current Casing Size0.0 (in)

Casing Weight27.9 (lbm/ft)

Bit Size9.88 (in)

RUNCSIZCWEIBS

Absent Valued Parameters: DATE, TDD, TDL, BLI, TLI, CDF, CADT, CASG, BSDF, BSDT, DLAB, TLAB, LUN, LUL, ENGI, WITN, SON

Mud Data

Absent Valued Parameters: DFT, DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, DLAB, TLAB

PVT Data

Absent Valued Parameters: ODN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Job Type

Primary

CJT

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Origin: 93

<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	2666.24 8747.50	2591.87 m 8503.50 ft	-60.0 (0.1 in) up	7	TDEP	60B
BOREHOLE-DEPTH	2666.24 8747.50	2591.89 m 8503.58 ft	-10.0 (0.1 in) up	7	TDEP;1	10B



Verification Listing

Listing Completed: 16-FEB-2007 1:26:30