

GCS90 Log Line 1140P1

Page 1/37

26/10/03			VOLUME			AUTOFIRE TIME-ERROR SPREAD						
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT	
1140P1	2886.000	7:53:12	2	2500	100	0	0	0	0	0 1.3	0	
1140P1	2885.000	7:53:20	1	2500	100	0	0	0	0	0 0.8	0	
DEPTH ERR: 1 - 1140P1			2884.000	7:53:29	2	2500	100	0	0	0	0	0 0.9
0												
1140P1	2883.000	7:53:37	1	2500	100	0	0	0	0	0 1.0	0	
1140P1	2882.000	7:53:46	2	2500	100	0	0	0	0	0 0.9	0	
DEPTH ERR: 1 - 1140P1			2881.000	7:53:54	1	2500	100	0	0	0	0	0 0.7
0												
1140P1	2880.000	7:54:02	2	2500	100	0	0	0	0	0 1.0	0	
1140P1	2879.000	7:54:11	1	2500	100	0	0	0	0	0 1.3	0	
1140P1	2878.000	7:54:19	2	2500	100	0	0	0	0	0 1.5	0	
1140P1	2877.000	7:54:27	1	2500	100	0	0	0	0	0 1.6	0	
1140P1	2876.000	7:54:36	2	2500	100	0	0	0	0	0 1.0	0	
1140P1	2875.000	7:54:44	1	2500	100	0	0	0	0	0 0.9	0	
1140P1	2874.000	7:54:52	2	2500	100	0	0	0	0	0 1.2	0	
1140P1	2873.000	7:55:01	1	2500	100	0	0	0	0	0 0.9	0	
1140P1	2872.000	7:55:09	2	2500	100	0	0	0	0	0 0.9	0	
1140P1	2871.000	7:55:18	1	2500	100	0	0	0	0	0 0.8	0	
1140P1	2870.000	7:55:26	2	2500	100	0	0	0	0	0 1.1	0	
1140P1	2869.000	7:55:35	1	2500	100	0	0	0	0	0 0.6	0	
1140P1	2868.000	7:55:43	2	2500	100	0	0	0	0	0 0.8	0	
1140P1	2867.000	7:55:52	1	2500	100	0	0	0	0	0 0.9	0	
1140P1	2866.000	7:56:00	2	2500	100	0	0	0	0	0 0.8	0	
1140P1	2865.000	7:56:08	1	2500	100	0	0	0	0	0 1.1	0	
1140P1	2864.000	7:56:17	2	2500	100	0	0	0	0	0 1.2	0	
1140P1	2863.000	7:56:25	1	2500	100	0	0	0	0	0 0.8	0	
1140P1	2862.000	7:56:34	2	2500	100	0	0	0	0	0 1.2	0	
1140P1	2861.000	7:56:42	1	2500	100	0	0	0	0	0 0.6	0	
1140P1	2860.000	7:56:51	2	2500	100	0	0	0	0	0 1.6	0	
1140P1	2859.000	7:56:59	1	2500	100	0	0	0	0	0 0.6	0	
1140P1	2858.000	7:57:08	2	2500	100	0	0	0	0	0 1.5	0	
1140P1	2857.000	7:57:16	1	2500	100	0	0	0	0	0 0.9	0	
1140P1	2856.000	7:57:25	2	2500	100	0	0	0	0	1 1.6	0	
DELTA ERR: 1 - P6-1												
DEPTH ERR: 1 - 1140P1			2855.000	7:57:33	1	2500	100	0	0	0	0	0 0.9
0												
1140P1	2854.000	7:57:42	2	2500	100	0	0	0	0	0 1.2	0	
1140P1	2853.000	7:57:50	1	2500	100	0	0	0	0	0 0.8	0	
1140P1	2852.000	7:57:59	2	2500	100	0	0	0	0	0 1.6	0	
1140P1	2851.000	7:58:07	1	2500	100	0	0	0	0	0 1.0	0	
1140P1	2850.000	7:58:16	2	2500	100	0	0	0	0	0 1.7	0	
1140P1	2849.000	7:58:24	1	2500	100	0	0	0	0	0 0.7	0	
1140P1	2848.000	7:58:33	2	2500	100	0	0	0	0	0 1.1	0	
1140P1	2847.000	7:58:41	1	2500	100	0	0	0	0	0 0.6	0	
1140P1	2846.000	7:58:49	2	2500	100	0	0	0	0	0 1.4	0	
1140P1	2845.000	7:58:58	1	2500	100	0	0	0	0	0 0.6	0	
1140P1	2844.000	7:59:06	2	2500	100	0	0	0	0	0 1.4	0	
1140P1	2843.000	7:59:15	1	2500	100	0	0	0	0	0 0.5	0	
1140P1	2842.000	7:59:23	2	2500	100	0	0	0	0	0 1.9	0	
1140P1	2841.000	7:59:31	1	2500	100	0	0	0	0	0 0.6	0	
1140P1	2840.000	7:59:39	2	2500	100	0	0	0	0	0 2.0	0	
1140P1	2839.000	7:59:48	1	2500	100	0	0	0	0	0 0.5	0	
DEPTH ERR: 1 - 1140P1			2838.000	7:59:56	2	2500	100	0	0	0	0	0 0.7
0												
DEPTH ERR: 1 - 1140P1			2837.000	8:00:04	1	2500	100	0	0	0	0	0 0.9
0												
1140P1	2836.000	8:00:13	2	2500	100	0	0	0	0	0 0.5	0	
1140P1	2835.000	8:00:21	1	2500	100	0	0	0	0	0 0.4	0	
1140P1	2834.000	8:00:29	2	2500	100	0	0	0	0	0 0.9	0	
1140P1	2833.000	8:00:38	1	2500	100	0	0	0	0	0 1.1	0	
1140P1	2832.000	8:00:46	2	2500	100	0	0	0	0	0 1.0	0	
1140P1	2831.000	8:00:55	1	2500	100	0	0	0	0	0 0.7	0	

GCS90 Log Line 1140P1

Page 2/37

DEPTH ERR: 1 - 26/10/03													
VOLUME							AUTOFIRE TIME-ERROR SPREA						
D	LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT	
	1140P1	2830.000	8:01:03	2	2500	100	0	0	0	0	0 1.7	0	
	DEPTH ERR: 1 - 1140P1 2829.000 8:01:12 1 2500 100 0 0 0 0 0 0 0 0 0.4												
	1140P1	2828.000	8:01:20	2	2500	100	0	0	0	0	0 0.9	0	
	1140P1	2827.000	8:01:28	1	2500	100	0	0	0	0	0 0.7	0	
	1140P1	2826.000	8:01:37	2	2500	100	0	0	0	0	0 0.8	0	
	1140P1	2825.000	8:01:46	1	2500	100	0	0	0	0	0 0.8	0	
	1140P1	2824.000	8:01:54	2	2500	100	0	0	0	0	0 1.2	0	
	1140P1	2823.000	8:02:02	1	2500	100	0	0	0	0	0 1.1	0	
	1140P1	2822.000	8:02:11	2	2500	100	0	0	0	0	0 1.1	0	
	1140P1	2821.000	8:02:19	1	2500	100	0	0	0	0	0 1.0	0	
	1140P1	2820.000	8:02:28	2	2500	100	0	0	0	0	0 1.1	0	
	1140P1	2819.000	8:02:36	1	2500	100	0	0	0	0	0 0.8	0	
	1140P1	2818.000	8:02:45	2	2500	100	0	0	0	0	0 1.0	0	
	1140P1	2817.000	8:02:53	1	2500	100	0	0	0	0	0 0.7	0	
	DEPTH ERR: 1 - S3-1												
	1140P1	2816.000	8:03:02	2	2500	100	0	0	0	0	0 1.3	0	
	1140P1	2815.000	8:03:10	1	2500	100	0	0	0	0	0 1.1	0	
	1140P1	2814.000	8:03:19	2	2500	100	0	0	0	0	0 0.5	0	
	1140P1	2813.000	8:03:27	1	2500	100	0	0	0	0	0 0.6	0	
	1140P1	2812.000	8:03:35	2	2500	100	0	0	0	0	0 0.8	0	
	1140P1	2811.000	8:03:44	1	2500	100	0	0	0	0	0 0.8	0	
	1140P1	2810.000	8:03:52	2	2500	100	0	0	0	0	0 0.9	0	
	1140P1	2809.000	8:04:01	1	2500	100	0	0	0	0	0 0.8	0	
	1140P1	2808.000	8:04:09	2	2500	100	0	0	0	0	0 0.9	0	
	1140P1	2807.000	8:04:17	1	2500	100	0	0	0	0	0 1.2	0	
	1140P1	2806.000	8:04:26	2	2500	100	0	0	0	0	0 0.7	0	
	1140P1	2805.000	8:04:34	1	2500	100	0	0	0	0	0 0.3	0	
	1140P1	2804.000	8:04:42	2	2500	100	0	0	0	0	0 1.0	0	
	1140P1	2803.000	8:04:51	1	2500	100	0	0	0	0	0 1.4	0	
	1140P1	2802.000	8:04:59	2	2500	100	0	0	0	0	0 1.1	0	
	1140P1	2801.000	8:05:07	1	2500	100	0	0	0	0	0 1.3	0	
	1140P1	2800.000	8:05:16	2	2500	100	0	0	0	0	0 1.0	0	
	1140P1	2799.000	8:05:24	1	2500	100	0	0	0	0	0 1.2	0	
	1140P1	2798.000	8:05:32	2	2500	100	0	0	0	0	0 1.2	0	
	1140P1	2797.000	8:05:41	1	2500	100	0	0	0	0	0 0.7	0	
	1140P1	2796.000	8:05:49	2	2500	100	0	0	0	0	0 0.6	0	
	1140P1	2795.000	8:05:58	1	2500	100	0	0	0	0	0 0.7	0	
	1140P1	2794.000	8:06:06	2	2500	100	0	0	0	0	0 1.2	0	
	1140P1	2793.000	8:06:15	1	2500	100	0	0	0	0	0 0.7	0	
	1140P1	2792.000	8:06:23	2	2500	100	0	0	0	0	0 0.7	0	
	1140P1	2791.000	8:06:31	1	2500	100	0	0	0	0	0 1.5	0	
	DEPTH ERR: 2 - S3-1S3-11												
	1140P1	2790.000	8:06:40	2	2500	100	0	0	0	0	0 0.8	0	
	1140P1	2789.000	8:06:48	1	2500	100	0	0	0	0	0 0.9	0	
	DEPTH ERR: 1 - S3-11												
	1140P1	2788.000	8:06:56	2	2500	100	0	0	0	0	0 0.5	0	
	1140P1	2787.000	8:07:05	1	2500	100	0	0	0	0	0 0.7	0	
	1140P1	2786.000	8:07:13	2	2500	100	0	0	0	0	0 0.9	0	
	1140P1	2785.000	8:07:21	1	2500	100	0	0	0	0	0 1.2	0	
	1140P1	2784.000	8:07:30	2	2500	100	0	0	0	0	0 1.0	0	
	1140P1	2783.000	8:07:38	1	2500	100	0	0	0	0	0 0.5	0	
	1140P1	2782.000	8:07:46	2	2500	100	0	0	0	0	0 1.1	0	
	1140P1	2781.000	8:07:55	1	2500	100	0	0	0	0	0 0.6	0	
	1140P1	2780.000	8:08:03	2	2500	100	0	0	0	0	0 0.8	0	
	1140P1	2779.000	8:08:11	1	2500	100	0	0	0	0	0 0.8	0	
	1140P1	2778.000	8:08:20	2	2500	100	0	0	0	0	0 0.8	0	
	1140P1	2777.000	8:08:28	1	2500	100	0	0	0	0	0 0.3	0	

GCS90 Log Line 1140P1

Page 3/37

26/10/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2776.000	8:08:37	2	2500	100	0	0	0	0	0 1.2	0
1140P1	2775.000	8:08:45	1	2500	100	0	0	0	0	0 0.9	0
1140P1	2774.000	8:08:53	2	2500	100	0	0	0	0	0 0.6	0
1140P1	2773.000	8:09:02	1	2500	100	0	0	0	0	0 0.8	0
1140P1	2772.000	8:09:10	2	2500	100	0	0	0	0	0 0.9	0
1140P1	2771.000	8:09:19	1	2500	100	0	0	0	0	0 0.6	0
1140P1	2770.000	8:09:27	2	2500	100	0	0	0	0	0 0.4	0
1140P1	2769.000	8:09:35	1	2500	100	0	0	0	0	0 0.8	0
1140P1	2768.000	8:09:44	2	2500	100	0	0	0	0	0 0.9	0
1140P1	2767.000	8:09:52	1	2500	100	0	0	0	0	0 0.5	0
1140P1	2766.000	8:10:00	2	2500	100	0	0	0	0	0 0.7	0
1140P1	2765.000	8:10:09	1	2500	100	0	0	0	0	0 0.9	0
1140P1	2764.000	8:10:17	2	2500	100	0	0	0	0	0 1.0	0
1140P1	2763.000	8:10:26	1	2500	100	0	0	0	0	0 0.3	0
1140P1	2762.000	8:10:34	2	2500	100	0	0	0	0	0 0.6	0
1140P1	2761.000	8:10:42	1	2500	100	0	0	0	0	0 1.1	0
1140P1	2760.000	8:10:51	2	2500	100	0	0	0	0	0 1.1	0
1140P1	2759.000	8:10:59	1	2500	100	0	0	0	0	0 0.6	0
1140P1	2758.000	8:11:08	2	2500	100	0	0	0	0	0 1.4	0
1140P1	2757.000	8:11:16	1	2500	100	0	0	0	0	0 0.6	0
1140P1	2756.000	8:11:25	2	2500	100	0	0	0	0	0 0.8	0
1140P1	2755.000	8:11:33	1	2500	100	0	0	0	0	0 0.7	0
1140P1	2754.000	8:11:41	2	2500	100	0	0	0	0	0 1.4	0
1140P1	2753.000	8:11:50	1	2500	100	0	0	0	0	0 1.2	0
1140P1	2752.000	8:11:58	2	2500	100	0	0	0	0	0 1.5	0
1140P1	2751.000	8:12:07	1	2500	100	0	0	0	0	0 1.5	0
1140P1	2750.000	8:12:15	2	2500	100	0	0	0	0	0 1.1	0
1140P1	2749.000	8:12:24	1	2500	100	0	0	0	0	0 0.7	0
1140P1	2748.000	8:12:32	2	2500	100	0	0	0	0	0 1.9	0
1140P1	2747.000	8:12:40	1	2500	100	0	0	0	0	0 0.8	0
1140P1	2746.000	8:12:49	2	2500	100	0	0	0	0	0 1.3	0
1140P1	2745.000	8:12:57	1	2500	100	0	0	0	0	0 0.7	0
1140P1	2744.000	8:13:05	2	2500	100	0	0	0	0	0 1.8	0
1140P1	2743.000	8:13:14	1	2500	100	0	0	0	0	0 0.8	0
1140P1	2742.000	8:13:22	2	2500	100	0	0	0	0	0 0.7	0
1140P1	2741.000	8:13:30	1	2500	100	0	0	0	0	0 0.7	0
1140P1	2740.000	8:13:39	2	2500	100	0	0	0	0	0 0.6	0
1140P1	2739.000	8:13:47	1	2500	100	0	0	0	0	0 0.8	0
1140P1	2738.000	8:13:55	2	2500	100	0	0	0	0	0 0.7	0
1140P1	2737.000	8:14:04	1	2500	100	0	0	0	0	0 0.7	0
1140P1	2736.000	8:14:12	2	2500	100	0	0	0	0	0 1.1	0
1140P1	2735.000	8:14:20	1	2500	100	0	0	0	0	0 0.9	0
1140P1	2734.000	8:14:28	2	2500	100	0	0	0	0	0 1.0	0
1140P1	2733.000	8:14:37	1	2500	100	0	0	0	0	0 0.7	0
1140P1	2732.000	8:14:45	2	2500	100	0	0	0	0	0 1.3	0
1140P1	2731.000	8:14:53	1	2500	100	0	0	0	0	0 0.6	0
1140P1	2730.000	8:15:02	2	2500	100	0	0	0	0	0 1.2	0
1140P1	2729.000	8:15:10	1	2500	100	0	0	0	0	0 0.7	0
1140P1	2728.000	8:15:18	2	2500	100	0	0	0	0	0 0.8	0
1140P1	2727.000	8:15:26	1	2500	100	0	0	0	0	0 0.8	0
1140P1	2726.000	8:15:35	2	2500	100	0	0	0	0	0 0.7	0
1140P1	2725.000	8:15:43	1	2500	100	0	0	0	0	0 0.7	0
1140P1	2724.000	8:15:51	2	2500	100	0	0	0	0	0 0.9	0
1140P1	2723.000	8:16:00	1	2500	100	0	0	0	0	0 0.5	0
1140P1	2722.000	8:16:08	2	2500	100	0	0	0	0	0 1.4	0
1140P1	2721.000	8:16:16	1	2500	100	0	0	0	0	0 0.6	0
1140P1	2720.000	8:16:24	2	2500	100	0	0	0	0	0 1.0	0

GCS90 Log Line 1140P1

Page 4/37

26/10/03			VOLUME			AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2719.000	8:16:33	1	2500	100	0	0	0	0	0 0.8	0
1140P1	2718.000	8:16:41	2	2500	100	0	0	0	0	0 0.8	0
1140P1	2717.000	8:16:49	1	2500	100	0	0	0	0	0 0.9	0
1140P1	2716.000	8:16:58	2	2500	100	0	0	0	0	0 0.9	0
1140P1	2715.000	8:17:06	1	2500	100	0	0	0	0	0 0.5	0
1140P1	2714.000	8:17:14	2	2500	100	0	0	0	0	0 0.8	0
1140P1	2713.000	8:17:22	1	2500	100	0	0	0	0	0 0.5	0
1140P1	2712.000	8:17:31	2	2500	100	0	0	0	0	0 1.3	0
1140P1	2711.000	8:17:39	1	2500	100	0	0	0	0	0 1.0	0
1140P1	2710.000	8:17:47	2	2500	100	0	0	0	0	0 1.6	0
1140P1	2709.000	8:17:56	1	2500	100	0	0	0	0	0 0.8	0
1140P1	2708.000	8:18:04	2	2500	100	0	0	0	0	0 1.1	0
1140P1	2707.000	8:18:12	1	2500	100	0	0	0	0	0 0.8	0
DEPTH ERR: 1 - S3-1											
1140P1	2706.000	8:18:21	2	2500	100	0	0	0	0	0 0.7	0
1140P1	2705.000	8:18:29	1	2500	100	0	0	0	0	0 1.0	0
1140P1	2704.000	8:18:37	2	2500	100	0	0	0	0	0 1.2	0
1140P1	2703.000	8:18:46	1	2500	100	0	0	0	0	0 0.9	0
1140P1	2702.000	8:18:54	2	2500	100	0	0	0	0	0 0.9	0
1140P1	2701.000	8:19:02	1	2500	100	0	0	0	0	0 0.8	0
1140P1	2700.000	8:19:11	2	2500	100	0	0	0	0	0 0.8	0
1140P1	2699.000	8:19:19	1	2500	100	0	0	0	0	0 0.5	0
1140P1	2698.000	8:19:28	2	2500	100	0	0	0	0	0 0.6	0
1140P1	2697.000	8:19:36	1	2500	100	0	0	0	0	0 0.7	0
1140P1	2696.000	8:19:45	2	2500	100	0	0	0	0	0 0.8	0
1140P1	2695.000	8:19:53	1	2500	100	0	0	0	0	0 0.5	0
1140P1	2694.000	8:20:02	2	2500	100	0	0	0	0	0 0.8	0
1140P1	2693.000	8:20:10	1	2500	100	0	0	0	0	0 0.5	0
1140P1	2692.000	8:20:19	2	2500	100	0	0	0	0	1 2.2E	1
DELTA ERR: 1 - P6-1											
1140P1	2691.000	8:20:27	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2690.000	8:20:36	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2689.000	8:20:44	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2688.000	8:20:52	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2687.000	8:21:01	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2686.000	8:21:09	2	2500	100	0	0	0	0	0 0.6	1
1140P1	2685.000	8:21:18	1	2500	100	0	0	0	0	0 1.3	1
1140P1	2684.000	8:21:26	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2683.000	8:21:35	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2682.000	8:21:44	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2681.000	8:21:52	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2680.000	8:22:00	2	2500	100	0	0	0	0	0 1.7	1
1140P1	2679.000	8:22:09	1	2500	100	0	0	0	0	0 1.1	1
1140P1	2678.000	8:22:17	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2677.000	8:22:26	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2676.000	8:22:34	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2675.000	8:22:43	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2674.000	8:22:51	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2673.000	8:23:00	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2672.000	8:23:08	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2671.000	8:23:17	1	2500	100	0	0	0	0	0 0.8	1
DEPTH ERR: 2 - S3-1S3-11											
1140P1	2670.000	8:23:25	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2669.000	8:23:34	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2668.000	8:23:42	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2667.000	8:23:51	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2666.000	8:23:59	2	2500	100	0	0	0	0	0 1.2	1

GCS90 Log Line 1140P1

Page 5/37

26/10/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2665.000	8:24:07	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2664.000	8:24:16	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2663.000	8:24:24	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2662.000	8:24:33	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2661.000	8:24:41	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2660.000	8:24:49	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2659.000	8:24:58	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2658.000	8:25:06	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2657.000	8:25:15	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2656.000	8:25:23	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2655.000	8:25:32	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2654.000	8:25:40	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2653.000	8:25:49	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2652.000	8:25:57	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2651.000	8:26:05	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2650.000	8:26:14	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2649.000	8:26:22	1	2500	100	0	0	0	0	0 1.4	1
1140P1	2648.000	8:26:31	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2647.000	8:26:39	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2646.000	8:26:48	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2645.000	8:26:56	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2644.000	8:27:05	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2643.000	8:27:13	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2642.000	8:27:22	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2641.000	8:27:30	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2640.000	8:27:38	2	2500	100	0	0	0	0	0 0.5	1
1140P1	2639.000	8:27:47	1	2500	100	0	0	0	0	0 1.1	1
1140P1	2638.000	8:27:55	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2637.000	8:28:04	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2636.000	8:28:12	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2635.000	8:28:21	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2634.000	8:28:29	2	2500	100	0	0	0	0	0 0.6	1
1140P1	2633.000	8:28:38	1	2500	100	0	0	0	0	0 1.4	1
1140P1	2632.000	8:28:46	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2631.000	8:28:55	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2630.000	8:29:04	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2629.000	8:29:12	1	2500	100	0	0	0	0	0 1.2	1
1140P1	2628.000	8:29:21	2	2500	100	0	0	0	0	0 0.5	1
1140P1	2627.000	8:29:29	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2626.000	8:29:38	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2625.000	8:29:46	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2624.000	8:29:55	2	2500	100	0	0	0	0	0 0.6	1
1140P1	2623.000	8:30:03	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2622.000	8:30:12	2	2500	100	0	0	0	0	0 1.6	1
1140P1	2621.000	8:30:20	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2620.000	8:30:29	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2619.000	8:30:37	1	2500	100	0	0	0	0	0 1.4	1
1140P1	2618.000	8:30:46	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2617.000	8:30:54	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2616.000	8:31:03	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2615.000	8:31:11	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2614.000	8:31:19	2	2500	100	0	0	0	0	0 0.5	1
1140P1	2613.000	8:31:28	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2612.000	8:31:36	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2611.000	8:31:45	1	2500	100	0	0	0	0	0 0.3	1
1140P1	2610.000	8:31:53	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2609.000	8:32:02	1	2500	100	0	0	0	0	0 0.7	1

DEPTH ERR: 1 - S3-11

GCS90 Log Line 1140P1

Page 6/37

26/10/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2608.000	8:32:10	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2607.000	8:32:19	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2606.000	8:32:27	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2605.000	8:32:36	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2604.000	8:32:44	2	2500	100	0	0	0	0	0 1.5	1
1140P1	2603.000	8:32:53	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2602.000	8:33:01	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2601.000	8:33:10	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2600.000	8:33:18	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2599.000	8:33:27	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2598.000	8:33:35	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2597.000	8:33:44	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2596.000	8:33:52	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2595.000	8:34:01	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2594.000	8:34:09	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2593.000	8:34:18	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2592.000	8:34:26	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2591.000	8:34:34	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2590.000	8:34:43	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2589.000	8:34:51	1	2500	100	0	0	0	0	0 1.3	1
1140P1	2588.000	8:35:00	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2587.000	8:35:08	1	2500	100	0	0	0	0	0 1.1	1
1140P1	2586.000	8:35:17	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2585.000	8:35:25	1	2500	100	0	0	0	0	0 1.2	1
1140P1	2584.000	8:35:34	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2583.000	8:35:42	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2582.000	8:35:51	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2581.000	8:35:59	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2580.000	8:36:07	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2579.000	8:36:16	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2578.000	8:36:24	2	2500	100	0	0	0	0	0 0.4	1
1140P1	2577.000	8:36:33	1	2500	100	0	0	0	0	0 1.2	1
1140P1	2576.000	8:36:41	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2575.000	8:36:50	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2574.000	8:36:58	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2573.000	8:37:06	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2572.000	8:37:15	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2571.000	8:37:23	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2570.000	8:37:32	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2569.000	8:37:40	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2568.000	8:37:49	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2567.000	8:37:57	1	2500	100	0	0	0	0	0 0.4	1
1140P1	2566.000	8:38:06	2	2500	100	0	0	0	0	0 0.5	1
1140P1	2565.000	8:38:14	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2564.000	8:38:22	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2563.000	8:38:31	1	2500	100	0	0	0	0	0 1.1	1
1140P1	2562.000	8:38:39	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2561.000	8:38:48	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2560.000	8:38:56	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2559.000	8:39:05	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2558.000	8:39:13	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2557.000	8:39:22	1	2500	100	0	0	0	0	0 1.1	1
1140P1	2556.000	8:39:30	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2555.000	8:39:39	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2554.000	8:39:47	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2553.000	8:39:55	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2552.000	8:40:04	2	2500	100	0	0	0	0	0 1.3	1

GCS90 Log Line 1140P1

Page 7/37

26/10/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2551.000	8:40:12	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2550.000	8:40:21	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2549.000	8:40:29	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2548.000	8:40:37	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2547.000	8:40:46	1	2500	100	0	0	0	0	0 1.2	1
1140P1	2546.000	8:40:54	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2545.000	8:41:02	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2544.000	8:41:11	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2543.000	8:41:19	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2542.000	8:41:28	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2541.000	8:41:36	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2540.000	8:41:44	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2539.000	8:41:52	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2538.000	8:42:01	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2537.000	8:42:09	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2536.000	8:42:18	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2535.000	8:42:26	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2534.000	8:42:34	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2533.000	8:42:43	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2532.000	8:42:51	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2531.000	8:43:00	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2530.000	8:43:08	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2529.000	8:43:17	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2528.000	8:43:25	2	2500	100	0	0	0	0	0 2.0	1
1140P1	2527.000	8:43:33	1	2500	100	0	0	0	0	0 1.1	1
1140P1	2526.000	8:43:42	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2525.000	8:43:50	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2524.000	8:43:58	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2523.000	8:44:07	1	2500	100	0	0	0	0	0 0.4	1
1140P1	2522.000	8:44:15	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2521.000	8:44:24	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2520.000	8:44:32	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2519.000	8:44:41	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2518.000	8:44:49	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2517.000	8:44:57	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2516.000	8:45:06	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2515.000	8:45:14	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2514.000	8:45:23	2	2500	100	0	0	0	0	0 1.5	1
1140P1	2513.000	8:45:31	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2512.000	8:45:39	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2511.000	8:45:48	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2510.000	8:45:56	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2509.000	8:46:04	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2508.000	8:46:13	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2507.000	8:46:21	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2506.000	8:46:29	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2505.000	8:46:38	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2504.000	8:46:46	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2503.000	8:46:54	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2502.000	8:47:03	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2501.000	8:47:11	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2500.000	8:47:19	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2499.000	8:47:27	1	2500	100	0	0	0	0	0 1.1	1
1140P1	2498.000	8:47:36	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2497.000	8:47:44	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2496.000	8:47:52	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2495.000	8:48:01	1	2500	100	0	0	0	0	0 1.0	1

GCS90 Log Line 1140P1

Page 8/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2494.000	8:48:09	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2493.000	8:48:17	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2492.000	8:48:25	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2491.000	8:48:34	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2490.000	8:48:42	2	2500	100	0	0	0	0	0 1.6	1
1140P1	2489.000	8:48:50	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2488.000	8:48:59	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2487.000	8:49:07	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2486.000	8:49:16	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2485.000	8:49:24	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2484.000	8:49:33	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2483.000	8:49:41	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2482.000	8:49:50	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2481.000	8:49:58	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2480.000	8:50:06	2	2500	100	0	0	0	0	0 1.7	1
1140P1	2479.000	8:50:15	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2478.000	8:50:23	2	2500	100	0	0	0	0	0 1.7	1
1140P1	2477.000	8:50:31	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2476.000	8:50:39	2	2500	100	0	0	0	0	0 1.5	1
1140P1	2475.000	8:50:48	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2474.000	8:50:56	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2473.000	8:51:04	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2472.000	8:51:13	2	2500	100	0	0	0	0	0 1.5	1
1140P1	2471.000	8:51:21	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2470.000	8:51:29	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2469.000	8:51:38	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2468.000	8:51:46	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2467.000	8:51:54	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2466.000	8:52:03	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2465.000	8:52:11	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2464.000	8:52:19	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2463.000	8:52:28	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2462.000	8:52:36	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2461.000	8:52:45	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2460.000	8:52:53	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2459.000	8:53:02	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2458.000	8:53:10	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2457.000	8:53:19	1	2500	100	0	0	0	0	0 1.5	1
1140P1	2456.000	8:53:27	2	2500	100	0	0	0	0	0 0.6	1
1140P1	2455.000	8:53:36	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2454.000	8:53:44	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2453.000	8:53:53	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2452.000	8:54:01	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2451.000	8:54:09	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2450.000	8:54:17	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2449.000	8:54:26	1	2500	100	0	0	0	0	0 0.4	1
1140P1	2448.000	8:54:34	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2447.000	8:54:42	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2446.000	8:54:51	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2445.000	8:54:59	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2444.000	8:55:08	2	2500	100	0	0	0	0	0 1.6	1
1140P1	2443.000	8:55:16	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2442.000	8:55:24	2	2500	100	0	0	0	0	0 0.6	1
1140P1	2441.000	8:55:32	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2440.000	8:55:41	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2439.000	8:55:49	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2438.000	8:55:58	2	2500	100	0	0	0	0	0 1.3	1

GCS90 Log Line 1140P1

Page 9/37

26/10/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2437.000	8:56:06	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2436.000	8:56:14	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2435.000	8:56:23	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2434.000	8:56:31	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2433.000	8:56:39	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2432.000	8:56:48	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2431.000	8:56:56	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2430.000	8:57:04	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2429.000	8:57:13	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2428.000	8:57:21	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2427.000	8:57:30	1	2500	100	0	0	0	0	0 0.4	1
1140P1	2426.000	8:57:38	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2425.000	8:57:46	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2424.000	8:57:55	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2423.000	8:58:03	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2422.000	8:58:12	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2421.000	8:58:20	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2420.000	8:58:28	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2419.000	8:58:36	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2418.000	8:58:45	2	2500	100	0	0	0	0	0 0.6	1
1140P1	2417.000	8:58:53	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2416.000	8:59:01	2	2500	100	0	0	0	0	0 1.5	1
1140P1	2415.000	8:59:10	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2414.000	8:59:18	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2413.000	8:59:27	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2412.000	8:59:35	2	2500	100	0	0	0	0	0 1.5	1
1140P1	2411.000	8:59:43	1	2500	100	0	0	0	0	0 1.5	1
1140P1	2410.000	8:59:51	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2409.000	9:00:00	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2408.000	9:00:08	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2407.000	9:00:16	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2406.000	9:00:25	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2405.000	9:00:33	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2404.000	9:00:41	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2403.000	9:00:50	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2402.000	9:00:58	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2401.000	9:01:06	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2400.000	9:01:15	2	2500	100	0	0	0	0	0 1.6	1
1140P1	2399.000	9:01:23	1	2500	100	0	0	0	0	0 1.5	1
1140P1	2398.000	9:01:32	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2397.000	9:01:40	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2396.000	9:01:49	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2395.000	9:01:57	1	2500	100	0	0	0	0	0 1.1	1
1140P1	2394.000	9:02:05	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2393.000	9:02:14	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2392.000	9:02:22	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2391.000	9:02:31	1	2500	100	0	0	0	0	0 1.2	1
1140P1	2390.000	9:02:39	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2389.000	9:02:47	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2388.000	9:02:56	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2387.000	9:03:04	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2386.000	9:03:12	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2385.000	9:03:20	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2384.000	9:03:28	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2383.000	9:03:37	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2382.000	9:03:45	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2381.000	9:03:53	1	2500	100	0	0	0	0	0 0.6	1

GCS90 Log Line 1140P1

Page 10/37

26/10/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2380.000	9:04:02	2	2500	100	0	0	0	0	0 0.3	1
1140P1	2379.000	9:04:10	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2378.000	9:04:19	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2377.000	9:04:27	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2376.000	9:04:36	2	2500	100	0	0	0	0	0 0.6	1
1140P1	2375.000	9:04:44	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2374.000	9:04:53	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2373.000	9:05:01	1	2500	100	0	0	0	0	0 1.1	1
1140P1	2372.000	9:05:09	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2371.000	9:05:18	1	2500	100	0	0	0	0	0 0.4	1
1140P1	2370.000	9:05:26	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2369.000	9:05:35	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2368.000	9:05:43	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2367.000	9:05:51	1	2500	100	0	0	0	0	0 0.3	1
1140P1	2366.000	9:06:00	2	2500	100	0	0	0	0	0 1.9	1
1140P1	2365.000	9:06:08	1	2500	100	0	0	0	0	0 0.3	1
1140P1	2364.000	9:06:16	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2363.000	9:06:25	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2362.000	9:06:33	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2361.000	9:06:42	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2360.000	9:06:50	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2359.000	9:06:58	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2358.000	9:07:07	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2357.000	9:07:15	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2356.000	9:07:24	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2355.000	9:07:32	1	2500	100	0	0	0	0	0 1.5	1
1140P1	2354.000	9:07:40	2	2500	100	0	0	0	0	0 1.5	1
1140P1	2353.000	9:07:49	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2352.000	9:07:57	2	2500	100	0	0	0	0	0 1.5	1
1140P1	2351.000	9:08:06	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2350.000	9:08:14	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2349.000	9:08:22	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2348.000	9:08:31	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2347.000	9:08:39	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2346.000	9:08:48	2	2500	100	0	0	0	0	0 1.6	1
1140P1	2345.000	9:08:56	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2344.000	9:09:05	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2343.000	9:09:14	1	2500	100	0	0	0	0	0 1.0	1
1140P1	2342.000	9:09:22	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2341.000	9:09:31	1	2500	100	0	0	0	0	0 0.4	1
1140P1	2340.000	9:09:39	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2339.000	9:09:48	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2338.000	9:09:56	2	2500	100	0	0	0	0	0 0.6	1
1140P1	2337.000	9:10:05	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2336.000	9:10:14	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2335.000	9:10:22	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2334.000	9:10:31	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2333.000	9:10:39	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2332.000	9:10:48	2	2500	100	0	0	0	0	0 0.5	1
1140P1	2331.000	9:10:57	1	2500	100	0	0	0	0	0 1.5	1
1140P1	2330.000	9:11:05	2	2500	100	0	0	0	0	0 0.6	1
1140P1	2329.000	9:11:14	1	2500	100	0	0	0	0	0 1.6	1
1140P1	2328.000	9:11:22	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2327.000	9:11:31	1	2500	100	0	0	0	0	0 1.1	1
1140P1	2326.000	9:11:39	2	2500	100	0	0	0	0	0 1.6	1
1140P1	2325.000	9:11:48	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2324.000	9:11:56	2	2500	100	0	0	0	0	0 0.9	1

GCS90 Log Line 1140P1

Page 11/37

26/10/03		VOLUME					AUTOFIRE TIME-ERROR SPREAD				
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR CNT
1140P1	2323.000	9:12:05	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2322.000	9:12:13	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2321.000	9:12:22	1	2500	100	0	0	0	0	0 0.4	1
1140P1	2320.000	9:12:30	2	2500	100	0	0	0	0	0 1.6	1
1140P1	2319.000	9:12:39	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2318.000	9:12:47	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2317.000	9:12:55	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2316.000	9:13:04	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2315.000	9:13:12	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2314.000	9:13:21	2	2500	100	0	0	0	0	0 1.2	1
1140P1	2313.000	9:13:29	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2312.000	9:13:37	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2311.000	9:13:46	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2310.000	9:13:54	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2309.000	9:14:03	1	2500	100	0	0	0	0	0 1.6	1
1140P1	2308.000	9:14:11	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2307.000	9:14:19	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2306.000	9:14:28	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2305.000	9:14:36	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2304.000	9:14:44	2	2500	100	0	0	0	0	0 0.6	1
1140P1	2303.000	9:14:53	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2302.000	9:15:01	2	2500	100	0	0	0	0	0 1.0	1
1140P1	2301.000	9:15:09	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2300.000	9:15:18	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2299.000	9:15:26	1	2500	100	0	0	0	0	0 0.4	1
1140P1	2298.000	9:15:35	2	2500	100	0	0	0	0	0 1.4	1
1140P1	2297.000	9:15:43	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2296.000	9:15:52	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2295.000	9:16:00	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2294.000	9:16:08	2	2500	100	0	0	0	0	0 0.9	1
1140P1	2293.000	9:16:17	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2292.000	9:16:25	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2291.000	9:16:34	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2290.000	9:16:42	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2289.000	9:16:51	1	2500	100	0	0	0	0	0 0.8	1
1140P1	2288.000	9:16:59	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2287.000	9:17:08	1	2500	100	0	0	0	0	0 0.4	1
1140P1	2286.000	9:17:16	2	2500	100	0	0	0	0	1 1.9	1
DELTA ERR: 1 - P6-1											
1140P1	2285.000	9:17:24	1	2500	100	0	0	0	0	0 0.9	1
1140P1	2284.000	9:17:33	2	2500	100	0	0	0	0	0 0.6	1
1140P1	2283.000	9:17:41	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2282.000	9:17:50	2	2500	100	0	0	0	0	0 0.7	1
1140P1	2281.000	9:17:58	1	2500	100	0	0	0	0	0 0.4	1
1140P1	2280.000	9:18:07	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2279.000	9:18:15	1	2500	100	0	0	0	0	0 0.7	1
1140P1	2278.000	9:18:24	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2277.000	9:18:32	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2276.000	9:18:41	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2275.000	9:18:49	1	2500	100	0	0	0	0	0 0.6	1
1140P1	2274.000	9:18:58	2	2500	100	0	0	0	0	0 1.3	1
1140P1	2273.000	9:19:06	1	2500	100	0	0	0	0	0 0.5	1
1140P1	2272.000	9:19:15	2	2500	100	0	0	0	0	0 1.1	1
1140P1	2271.000	9:19:23	1	2500	100	0	0	0	0	0 1.1	1
1140P1	2270.000	9:19:31	2	2500	100	0	0	0	0	0 0.8	1
1140P1	2269.000	9:19:40	1	2500	100	0	0	0	0	0 0.4	1
1140P1	2268.000	9:19:48	2	2500	100	0	0	0	0	0 0.7	1

GCS90 Log Line 1140P1

Page 12/37

26/10/03				VOLUME			AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2267.000	9:19:56	1	2500	100	0	0	0	0	0	0.9	1
1140P1	2266.000	9:20:05	2	2500	100	0	0	0	0	0	1.8	1
1140P1	2265.000	9:20:13	1	2500	100	0	0	0	0	0	0.8	1
1140P1	2264.000	9:20:21	2	2500	100	0	0	0	0	0	0.9	1
1140P1	2263.000	9:20:30	1	2500	100	0	0	0	0	0	0.9	1
1140P1	2262.000	9:20:38	2	2500	100	0	0	0	0	0	1.0	1
1140P1	2261.000	9:20:46	1	2500	100	0	0	0	0	0	1.1	1
1140P1	2260.000	9:20:55	2	2500	100	0	0	0	0	0	1.1	1
1140P1	2259.000	9:21:03	1	2500	100	0	0	0	0	0	1.1	1
1140P1	2258.000	9:21:11	2	2500	100	0	0	0	0	0	1.0	1
1140P1	2257.000	9:21:20	1	2500	100	0	0	0	0	0	0.6	1
1140P1	2256.000	9:21:28	2	2500	100	0	0	0	0	0	1.0	1
1140P1	2255.000	9:21:36	1	2500	100	0	0	0	0	0	0.8	1
1140P1	2254.000	9:21:45	2	2500	100	0	0	0	0	0	0.6	1
1140P1	2253.000	9:21:53	1	2500	100	0	0	0	0	0	0.9	1
1140P1	2252.000	9:22:01	2	2500	100	0	0	0	0	1	2.3E	2
DELTA ERR: 1 - P6-1												
1140P1	2251.000	9:22:10	1	2500	100	0	0	0	0	0	0.9	2
DEPTH ERR: 1 - S3-11												
1140P1	2250.000	9:22:18	2	2500	100	0	0	0	0	0	1.0	2
1140P1	2249.000	9:22:26	1	2500	100	0	0	0	0	0	1.0	2
1140P1	2248.000	9:22:35	2	2500	100	0	0	0	0	0	0.9	2
1140P1	2247.000	9:22:43	1	2500	100	0	0	0	0	0	0.9	2
1140P1	2246.000	9:22:51	2	2500	100	0	0	0	0	0	0.8	2
1140P1	2245.000	9:23:00	1	2500	100	0	0	0	0	0	0.6	2
1140P1	2244.000	9:23:08	2	2500	100	0	0	0	0	0	1.0	2
1140P1	2243.000	9:23:16	1	2500	100	0	0	0	0	0	0.7	2
1140P1	2242.000	9:23:24	2	2500	100	0	0	0	0	0	0.9	2
1140P1	2241.000	9:23:32	1	2500	100	0	0	0	0	0	0.5	2
1140P1	2240.000	9:23:41	2	2500	100	0	0	0	0	0	0.7	2
1140P1	2239.000	9:23:49	1	2500	100	0	0	0	0	0	0.6	2
1140P1	2238.000	9:23:57	2	2500	100	0	0	0	0	0	0.8	2
1140P1	2237.000	9:24:05	1	2500	100	0	0	0	0	0	1.0	2
1140P1	2236.000	9:24:14	2	2500	100	0	0	0	0	0	0.7	2
1140P1	2235.000	9:24:22	1	2500	100	0	0	0	0	0	0.4	2
1140P1	2234.000	9:24:30	2	2500	100	0	0	0	0	0	1.3	2
1140P1	2233.000	9:24:38	1	2500	100	0	0	0	0	0	0.8	2
1140P1	2232.000	9:24:47	2	2500	100	0	0	0	0	0	0.7	2
1140P1	2231.000	9:24:55	1	2500	100	0	0	0	0	0	0.8	2
1140P1	2230.000	9:25:03	2	2500	100	0	0	0	0	0	1.1	2
1140P1	2229.000	9:25:12	1	2500	100	0	0	0	0	0	1.1	2
1140P1	2228.000	9:25:20	2	2500	100	0	0	0	0	0	0.7	2
1140P1	2227.000	9:25:28	1	2500	100	0	0	0	0	0	1.1	2
1140P1	2226.000	9:25:36	2	2500	100	0	0	0	0	0	1.0	2
1140P1	2225.000	9:25:45	1	2500	100	0	0	0	0	0	0.7	2
1140P1	2224.000	9:25:53	2	2500	100	0	0	0	0	0	0.7	2
1140P1	2223.000	9:26:01	1	2500	100	0	0	0	0	0	1.3	2
1140P1	2222.000	9:26:10	2	2500	100	0	0	0	0	0	1.2	2
1140P1	2221.000	9:26:18	1	2500	100	0	0	0	0	0	0.7	2
1140P1	2220.000	9:26:26	2	2500	100	0	0	0	0	0	1.8	2
1140P1	2219.000	9:26:35	1	2500	100	0	0	0	0	0	0.8	2
1140P1	2218.000	9:26:43	2	2500	100	0	0	0	0	0	0.9	2
1140P1	2217.000	9:26:51	1	2500	100	0	0	0	0	0	0.8	2
1140P1	2216.000	9:27:00	2	2500	100	0	0	0	0	0	1.0	2
1140P1	2215.000	9:27:08	1	2500	100	0	0	0	0	0	0.8	2
1140P1	2214.000	9:27:16	2	2500	100	0	0	0	0	0	1.0	2
1140P1	2213.000	9:27:25	1	2500	100	0	0	0	0	0	0.5	2

GCS90 Log Line 1140P1

Page 13/37

26/10/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2212.000	9:27:33	2	2500	100	0	0	0	0	0 0.7	2
1140P1	2211.000	9:27:41	1	2500	100	0	0	0	0	0 0.7	2
1140P1	2210.000	9:27:49	2	2500	100	0	0	0	0	0 0.6	2
1140P1	2209.000	9:27:58	1	2500	100	0	0	0	0	0 0.5	2
1140P1	2208.000	9:28:06	2	2500	100	0	0	0	0	0 1.6	2
1140P1	2207.000	9:28:14	1	2500	100	0	0	0	0	0 0.5	2
1140P1	2206.000	9:28:22	2	2500	100	0	0	0	0	0 1.1	2
1140P1	2205.000	9:28:31	1	2500	100	0	0	0	0	0 0.5	2
1140P1	2204.000	9:28:39	2	2500	100	0	0	0	0	0 1.7	2
1140P1	2203.000	9:28:47	1	2500	100	0	0	0	0	0 0.4	2
1140P1	2202.000	9:28:55	2	2500	100	0	0	0	0	0 1.3	2
1140P1	2201.000	9:29:04	1	2500	100	0	0	0	0	0 0.6	2
1140P1	2200.000	9:29:12	2	2500	100	0	0	0	0	0 1.0	2
1140P1	2199.000	9:29:20	1	2500	100	0	0	0	0	0 0.5	2
1140P1	2198.000	9:29:28	2	2500	100	0	0	0	0	0 1.2	2
1140P1	2197.000	9:29:37	1	2500	100	0	0	0	0	0 0.6	2
1140P1	2196.000	9:29:45	2	2500	100	0	0	0	0	0 1.3	2
1140P1	2195.000	9:29:53	1	2500	100	0	0	0	0	0 0.4	2
1140P1	2194.000	9:30:01	2	2500	100	0	0	0	0	0 0.9	2
1140P1	2193.000	9:30:10	1	2500	100	0	0	0	0	0 0.5	2
1140P1	2192.000	9:30:18	2	2500	100	0	0	0	0	0 1.0	2
1140P1	2191.000	9:30:26	1	2500	100	0	0	0	0	0 0.4	2
1140P1	2190.000	9:30:35	2	2500	100	0	0	0	0	0 0.6	2
1140P1	2189.000	9:30:43	1	2500	100	0	0	0	0	0 0.7	2
1140P1	2188.000	9:30:52	2	2500	100	0	0	0	0	0 1.1	2
1140P1	2187.000	9:31:00	1	2500	100	0	0	0	0	0 0.6	2
1140P1	2186.000	9:31:08	2	2500	100	0	0	0	0	0 0.9	2
1140P1	2185.000	9:31:17	1	2500	100	0	0	0	0	0 1.6	2
1140P1	2184.000	9:31:25	2	2500	100	0	0	0	0	0 1.0	2
1140P1	2183.000	9:31:33	1	2500	100	0	0	0	0	0 0.9	2
1140P1	2182.000	9:31:41	2	2500	100	0	0	0	0	0 0.9	2
1140P1	2181.000	9:31:50	1	2500	100	0	0	0	0	0 0.6	2
1140P1	2180.000	9:31:58	2	2500	100	0	0	0	0	0 1.1	2
1140P1	2179.000	9:32:07	1	2500	100	0	0	0	0	0 0.7	2
1140P1	2178.000	9:32:15	2	2500	100	0	0	0	0	0 0.9	2
1140P1	2177.000	9:32:23	1	2500	100	0	0	0	0	0 1.3	2
1140P1	2176.000	9:32:32	2	2500	100	0	0	0	0	0 1.1	2
1140P1	2175.000	9:32:40	1	2500	100	0	0	0	0	0 0.8	2
1140P1	2174.000	9:32:48	2	2500	100	0	0	0	0	0 0.9	2
1140P1	2173.000	9:32:57	1	2500	100	0	0	0	0	0 0.9	2
1140P1	2172.000	9:33:05	2	2500	100	0	0	0	0	0 0.9	2
1140P1	2171.000	9:33:13	1	2500	100	0	0	0	0	0 0.4	2
1140P1	2170.000	9:33:22	2	2500	100	0	0	0	0	0 0.8	2
1140P1	2169.000	9:33:30	1	2500	100	0	0	0	0	0 0.6	2
1140P1	2168.000	9:33:38	2	2500	100	0	0	0	0	0 1.0	2
1140P1	2167.000	9:33:47	1	2500	100	0	0	0	0	0 0.8	2
1140P1	2166.000	9:33:55	2	2500	100	0	0	0	0	0 0.8	2
1140P1	2165.000	9:34:03	1	2500	100	0	0	0	0	0 0.5	2
1140P1	2164.000	9:34:12	2	2500	100	0	0	0	0	1 2.0E	3
DELTA ERR: 1 - P6-1											
1140P1	2163.000	9:34:20	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2162.000	9:34:28	2	2500	100	0	0	0	0	0 0.9	3
1140P1	2161.000	9:34:37	1	2500	100	0	0	0	0	0 1.6	3
1140P1	2160.000	9:34:45	2	2500	100	0	0	0	0	0 1.6	3
1140P1	2159.000	9:34:53	1	2500	100	0	0	0	0	0 0.6	3
1140P1	2158.000	9:35:02	2	2500	100	0	0	0	0	0 0.9	3
1140P1	2157.000	9:35:10	1	2500	100	0	0	0	0	0 1.1	3

GCS90 Log Line 1140P1

Page 14/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2156.000	9:35:18	2	2500	100	0	0	0	0	0 0.9	3
1140P1	2155.000	9:35:27	1	2500	100	0	0	0	0	0 0.4	3
1140P1	2154.000	9:35:35	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2153.000	9:35:44	1	2500	100	0	0	0	0	0 0.6	3
1140P1	2152.000	9:35:52	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2151.000	9:36:00	1	2500	100	0	0	0	0	0 0.5	3
1140P1	2150.000	9:36:09	2	2500	100	0	0	0	0	0 0.9	3
1140P1	2149.000	9:36:17	1	2500	100	0	0	0	0	0 0.4	3
1140P1	2148.000	9:36:25	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2147.000	9:36:34	1	2500	100	0	0	0	0	0 0.8	3
1140P1	2146.000	9:36:42	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2145.000	9:36:50	1	2500	100	0	0	0	0	0 1.2	3
1140P1	2144.000	9:36:59	2	2500	100	0	0	0	0	0 1.4	3
1140P1	2143.000	9:37:07	1	2500	100	0	0	0	0	0 1.0	3
1140P1	2142.000	9:37:15	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2141.000	9:37:24	1	2500	100	0	0	0	0	0 1.0	3
1140P1	2140.000	9:37:32	2	2500	100	0	0	0	0	0 1.1	3
1140P1	2139.000	9:37:41	1	2500	100	0	0	0	0	0 0.8	3
1140P1	2138.000	9:37:49	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2137.000	9:37:58	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2136.000	9:38:06	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2135.000	9:38:14	1	2500	100	0	0	0	0	0 0.5	3
1140P1	2134.000	9:38:23	2	2500	100	0	0	0	0	0 0.9	3
1140P1	2133.000	9:38:31	1	2500	100	0	0	0	0	0 1.0	3
1140P1	2132.000	9:38:39	2	2500	100	0	0	0	0	0 0.9	3
1140P1	2131.000	9:38:48	1	2500	100	0	0	0	0	0 0.6	3
1140P1	2130.000	9:38:56	2	2500	100	0	0	0	0	0 0.7	3
1140P1	2129.000	9:39:04	1	2500	100	0	0	0	0	0 0.5	3
1140P1	2128.000	9:39:13	2	2500	100	0	0	0	0	0 1.4	3
1140P1	2127.000	9:39:21	1	2500	100	0	0	0	0	0 0.8	3
1140P1	2126.000	9:39:29	2	2500	100	0	0	0	0	0 1.3	3
1140P1	2125.000	9:39:38	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2124.000	9:39:46	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2123.000	9:39:54	1	2500	100	0	0	0	0	0 0.3	3
1140P1	2122.000	9:40:02	2	2500	100	0	0	0	0	0 0.7	3
1140P1	2121.000	9:40:11	1	2500	100	0	0	0	0	0 1.3	3
1140P1	2120.000	9:40:19	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2119.000	9:40:27	1	2500	100	0	0	0	0	0 1.0	3
1140P1	2118.000	9:40:36	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2117.000	9:40:44	1	2500	100	0	0	0	0	0 0.8	3
1140P1	2116.000	9:40:52	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2115.000	9:41:01	1	2500	100	0	0	0	0	0 1.0	3
1140P1	2114.000	9:41:09	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2113.000	9:41:18	1	2500	100	0	0	0	0	0 0.8	3
1140P1	2112.000	9:41:26	2	2500	100	0	0	0	0	0 0.9	3
1140P1	2111.000	9:41:34	1	2500	100	0	0	0	0	0 0.6	3
1140P1	2110.000	9:41:43	2	2500	100	0	0	0	0	0 1.1	3
1140P1	2109.000	9:41:51	1	2500	100	0	0	0	0	0 1.4	3
1140P1	2108.000	9:42:00	2	2500	100	0	0	0	0	0 1.3	3
1140P1	2107.000	9:42:08	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2106.000	9:42:17	2	2500	100	0	0	0	0	0 0.7	3
1140P1	2105.000	9:42:25	1	2500	100	0	0	0	0	0 1.0	3
1140P1	2104.000	9:42:34	2	2500	100	0	0	0	0	0 0.7	3
1140P1	2103.000	9:42:42	1	2500	100	0	0	0	0	0 0.9	3
1140P1	2102.000	9:42:50	2	2500	100	0	0	0	0	0 1.1	3
1140P1	2101.000	9:42:59	1	2500	100	0	0	0	0	0 0.6	3
1140P1	2100.000	9:43:07	2	2500	100	0	0	0	0	0 0.6	3

GCS90 Log Line 1140P1

Page 15/37

26/10/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2099.000	9:43:16	1	2500	100	0	0	0	0	0 0.6	3
1140P1	2098.000	9:43:24	2	2500	100	0	0	0	0	0 0.7	3
1140P1	2097.000	9:43:32	1	2500	100	0	0	0	0	0 0.9	3
1140P1	2096.000	9:43:41	2	2500	100	0	0	0	0	0 1.3	3
1140P1	2095.000	9:43:49	1	2500	100	0	0	0	0	0 0.5	3
1140P1	2094.000	9:43:58	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2093.000	9:44:07	1	2500	100	0	0	0	0	0 0.8	3
1140P1	2092.000	9:44:15	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2091.000	9:44:23	1	2500	100	0	0	0	0	0 0.8	3
1140P1	2090.000	9:44:32	2	2500	100	0	0	0	0	0 1.3	3
1140P1	2089.000	9:44:40	1	2500	100	0	0	0	0	0 0.5	3
1140P1	2088.000	9:44:49	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2087.000	9:44:57	1	2500	100	0	0	0	0	0 0.4	3
1140P1	2086.000	9:45:06	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2085.000	9:45:14	1	2500	100	0	0	0	0	0 1.0	3
1140P1	2084.000	9:45:22	2	2500	100	0	0	0	0	0 1.4	3
1140P1	2083.000	9:45:31	1	2500	100	0	0	0	0	0 0.5	3
1140P1	2082.000	9:45:39	2	2500	100	0	0	0	0	0 1.1	3
1140P1	2081.000	9:45:47	1	2500	100	0	0	0	0	0 0.4	3
1140P1	2080.000	9:45:56	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2079.000	9:46:04	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2078.000	9:46:13	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2077.000	9:46:21	1	2500	100	0	0	0	0	0 1.1	3
1140P1	2076.000	9:46:30	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2075.000	9:46:38	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2074.000	9:46:47	2	2500	100	0	0	0	0	0 1.3	3
1140P1	2073.000	9:46:55	1	2500	100	0	0	0	0	0 1.7	3
1140P1	2072.000	9:47:04	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2071.000	9:47:12	1	2500	100	0	0	0	0	0 1.1	3
1140P1	2070.000	9:47:21	2	2500	100	0	0	0	0	0 1.4	3
1140P1	2069.000	9:47:29	1	2500	100	0	0	0	0	0 0.9	3
1140P1	2068.000	9:47:38	2	2500	100	0	0	0	0	1 1.9	3
DELTA ERR: 1 - P6-1											
1140P1	2067.000	9:47:46	1	2500	100	0	0	0	0	0 0.8	3
1140P1	2066.000	9:47:55	2	2500	100	0	0	0	0	0 1.5	3
1140P1	2065.000	9:48:03	1	2500	100	0	0	0	0	0 1.2	3
1140P1	2064.000	9:48:12	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2063.000	9:48:20	1	2500	100	0	0	0	0	0 0.9	3
1140P1	2062.000	9:48:28	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2061.000	9:48:37	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2060.000	9:48:45	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2059.000	9:48:54	1	2500	100	0	0	0	0	0 0.6	3
1140P1	2058.000	9:49:02	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2057.000	9:49:10	1	2500	100	0	0	0	0	0 0.6	3
1140P1	2056.000	9:49:19	2	2500	100	0	0	0	0	0 0.9	3
1140P1	2055.000	9:49:27	1	2500	100	0	0	0	0	0 0.5	3
1140P1	2054.000	9:49:35	2	2500	100	0	0	0	0	0 1.1	3
1140P1	2053.000	9:49:44	1	2500	100	0	0	0	0	0 0.4	3
1140P1	2052.000	9:49:52	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2051.000	9:50:01	1	2500	100	0	0	0	0	0 1.2	3
1140P1	2050.000	9:50:09	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2049.000	9:50:17	1	2500	100	0	0	0	0	0 0.5	3
1140P1	2048.000	9:50:26	2	2500	100	0	0	0	0	0 0.6	3
1140P1	2047.000	9:50:34	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2046.000	9:50:43	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2045.000	9:50:51	1	2500	100	0	0	0	0	0 0.4	3
1140P1	2044.000	9:50:59	2	2500	100	0	0	0	0	0 0.6	3

GCS90 Log Line 1140P1

Page 16/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	2043.000	9:51:08	1	2500	100	0	0	0	0	0 0.5	3
1140P1	2042.000	9:51:16	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2041.000	9:51:24	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2040.000	9:51:33	2	2500	100	0	0	0	0	0 1.4	3
1140P1	2039.000	9:51:41	1	2500	100	0	0	0	0	0 1.3	3
1140P1	2038.000	9:51:50	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2037.000	9:51:58	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2036.000	9:52:06	2	2500	100	0	0	0	0	0 0.6	3
1140P1	2035.000	9:52:15	1	2500	100	0	0	0	0	0 0.3	3
1140P1	2034.000	9:52:23	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2033.000	9:52:31	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2032.000	9:52:40	2	2500	100	0	0	0	0	0 1.1	3
1140P1	2031.000	9:52:48	1	2500	100	0	0	0	0	0 0.9	3
1140P1	2030.000	9:52:56	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2029.000	9:53:05	1	2500	100	0	0	0	0	0 0.6	3
1140P1	2028.000	9:53:13	2	2500	100	0	0	0	0	0 0.9	3
1140P1	2027.000	9:53:21	1	2500	100	0	0	0	0	0 0.5	3
1140P1	2026.000	9:53:30	2	2500	100	0	0	0	0	0 0.7	3
1140P1	2025.000	9:53:38	1	2500	100	0	0	0	0	0 0.8	3
1140P1	2024.000	9:53:46	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2023.000	9:53:55	1	2500	100	0	0	0	0	0 1.8	3
1140P1	2022.000	9:54:03	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2021.000	9:54:12	1	2500	100	0	0	0	0	0 0.9	3
1140P1	2020.000	9:54:20	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2019.000	9:54:29	1	2500	100	0	0	0	0	0 1.1	3
1140P1	2018.000	9:54:37	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2017.000	9:54:46	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2016.000	9:54:54	2	2500	100	0	0	0	0	0 1.2	3
1140P1	2015.000	9:55:02	1	2500	100	0	0	0	0	0 0.6	3
1140P1	2014.000	9:55:11	2	2500	100	0	0	0	0	0 1.1	3
1140P1	2013.000	9:55:19	1	2500	100	0	0	0	0	0 0.9	3
1140P1	2012.000	9:55:27	2	2500	100	0	0	0	0	0 1.8	3
1140P1	2011.000	9:55:36	1	2500	100	0	0	0	0	0 1.3	3
1140P1	2010.000	9:55:44	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2009.000	9:55:52	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2008.000	9:56:01	2	2500	100	0	0	0	0	0 1.0	3
1140P1	2007.000	9:56:09	1	2500	100	0	0	0	0	0 0.8	3
1140P1	2006.000	9:56:17	2	2500	100	0	0	0	0	0 1.1	3
1140P1	2005.000	9:56:26	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2004.000	9:56:34	2	2500	100	0	0	0	0	0 0.8	3
1140P1	2003.000	9:56:42	1	2500	100	0	0	0	0	0 0.7	3
1140P1	2002.000	9:56:51	2	2500	100	0	0	0	0	0 0.7	3
1140P1	2001.000	9:56:59	1	2500	100	0	0	0	0	0 0.9	3
1140P1	2000.000	9:57:07	2	2500	100	0	0	0	0	0 1.2	3
1140P1	1999.000	9:57:16	1	2500	100	0	0	0	0	0 1.2	3
1140P1	1998.000	9:57:24	2	2500	100	0	0	0	0	0 1.3	3
1140P1	1997.000	9:57:32	1	2500	100	0	0	0	0	0 0.5	3
1140P1	1996.000	9:57:41	2	2500	100	0	0	0	0	0 0.8	3
1140P1	1995.000	9:57:49	1	2500	100	0	0	0	0	0 1.0	3
1140P1	1994.000	9:57:57	2	2500	100	0	0	0	0	0 0.5	3
1140P1	1993.000	9:58:06	1	2500	100	0	0	0	0	0 1.0	3
1140P1	1992.000	9:58:14	2	2500	100	0	0	0	0	0 1.3	3
1140P1	1991.000	9:58:22	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1990.000	9:58:31	2	2500	100	0	0	0	0	0 0.7	3
1140P1	1989.000	9:58:39	1	2500	100	0	0	0	0	0 1.1	3
1140P1	1988.000	9:58:48	2	2500	100	0	0	0	0	0 0.8	3
1140P1	1987.000	9:58:56	1	2500	100	0	0	0	0	0 0.5	3

GCS90 Log Line 1140P1

Page 17/37

26/10/03			VOLUME				AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1986.000	9:59:05	2	2500	100	0	0	0	0	0	0.6	3
1140P1	1985.000	9:59:13	1	2500	100	0	0	0	0	0	0.7	3
1140P1	1984.000	9:59:21	2	2500	100	0	0	0	0	0	1.3	3
1140P1	1983.000	9:59:29	1	2500	100	0	0	0	0	0	0.5	3
1140P1	1982.000	9:59:38	2	2500	100	0	0	0	0	0	1.3	3
1140P1	1981.000	9:59:46	1	2500	100	0	0	0	0	0	0.7	3
1140P1	1980.000	9:59:55	2	2500	100	0	0	0	0	0	0.6	3
1140P1	1979.000	10:00:03	1	2500	100	0	0	0	0	0	0.6	3
1140P1	1978.000	10:00:12	2	2500	100	0	0	0	0	0	1.0	3
1140P1	1977.000	10:00:20	1	2500	100	0	0	0	0	0	1.0	3
1140P1	1976.000	10:00:28	2	2500	100	0	0	0	0	0	0.9	3
1140P1	1975.000	10:00:37	1	2500	100	0	0	0	0	0	1.2	3
1140P1	1974.000	10:00:46	2	2500	100	0	0	0	0	0	0.9	3
1140P1	1973.000	10:00:54	1	2500	100	0	0	0	0	0	0.9	3
1140P1	1972.000	10:01:03	2	2500	100	0	0	0	0	0	0.8	3
1140P1	1971.000	10:01:11	1	2500	100	0	0	0	0	0	0.5	3
1140P1	1970.000	10:01:20	2	2500	100	0	0	0	0	0	0.8	3
1140P1	1969.000	10:01:28	1	2500	100	0	0	0	0	0	0.9	3
1140P1	1968.000	10:01:37	2	2500	100	0	0	0	0	0	0.6	3
1140P1	1967.000	10:01:45	1	2500	100	0	0	0	0	0	0.5	3
1140P1	1966.000	10:01:54	2	2500	100	0	0	0	0	0	0.8	3
1140P1	1965.000	10:02:02	1	2500	100	0	0	0	0	0	0.5	3
1140P1	1964.000	10:02:10	2	2500	100	0	0	0	0	0	1.3	3
1140P1	1963.000	10:02:19	1	2500	100	0	0	0	0	0	0.9	3
1140P1	1962.000	10:02:27	2	2500	100	0	0	0	0	0	1.1	3
1140P1	1961.000	10:02:35	1	2500	100	0	0	0	0	0	0.6	3
1140P1	1960.000	10:02:43	2	2500	100	0	0	0	0	0	1.5	3
1140P1	1959.000	10:02:52	1	2500	100	0	0	0	0	0	1.2	3
1140P1	1958.000	10:03:00	2	2500	100	0	0	0	0	0	0.9	3
1140P1	1957.000	10:03:08	1	2500	100	0	0	0	0	0	0.9	3
1140P1	1956.000	10:03:17	2	2500	100	0	0	0	0	0	1.0	3
1140P1	1955.000	10:03:25	1	2500	100	0	0	0	0	0	1.0	3
1140P1	1954.000	10:03:33	2	2500	100	0	0	0	0	0	1.2	3
1140P1	1953.000	10:03:42	1	2500	100	0	0	0	0	0	0.6	3
1140P1	1952.000	10:03:50	2	2500	100	0	0	0	0	0	1.4	3
1140P1	1951.000	10:03:58	1	2500	100	0	0	0	0	0	0.4	3
1140P1	1950.000	10:04:07	2	2500	100	0	0	0	0	0	1.1	3
1140P1	1949.000	10:04:15	1	2500	100	0	0	0	0	0	1.2	3
1140P1	1948.000	10:04:23	2	2500	100	0	0	0	0	0	1.4	3
1140P1	1947.000	10:04:32	1	2500	100	0	0	0	0	0	1.7	3
1140P1	1946.000	10:04:40	2	2500	100	0	0	0	0	0	0.9	3
1140P1	1945.000	10:04:48	1	2500	100	0	0	0	0	0	0.8	3
1140P1	1944.000	10:04:57	2	2500	100	0	0	0	0	0	1.3	3
1140P1	1943.000	10:05:05	1	2500	100	0	0	0	0	0	0.6	3
1140P1	1942.000	10:05:13	2	2500	100	0	0	0	0	0	1.7	3
1140P1	1941.000	10:05:21	1	2500	100	0	0	0	0	0	0.9	3
1140P1	1940.000	10:05:30	2	2500	100	0	0	0	0	0	1.8	3
1140P1	1939.000	10:05:38	1	2500	100	0	0	0	0	0	0.7	3
1140P1	1938.000	10:05:47	2	2500	100	0	0	0	0	0	0.9	3
1140P1	1937.000	10:05:55	1	2500	100	0	0	0	0	0	0.5	3
1140P1	1936.000	10:06:03	2	2500	100	0	0	0	0	0	0.8	3
1140P1	1935.000	10:06:12	1	2500	100	0	0	0	0	0	0.7	3
1140P1	1934.000	10:06:20	2	2500	100	0	0	0	0	0	1.4	3
1140P1	1933.000	10:06:28	1	2500	100	0	0	0	0	0	0.4	3
1140P1	1932.000	10:06:37	2	2500	100	0	0	0	0	0	0.6	3
1140P1	1931.000	10:06:45	1	2500	100	0	0	0	0	0	0.9	3
1140P1	1930.000	10:06:53	2	2500	100	0	0	0	0	0	1.0	3

GCS90 Log Line 1140P1

Page 18/37

26/10/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1929.000	10:07:02	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1928.000	10:07:10	2	2500	100	0	0	0	0	0 1.1	3
1140P1	1927.000	10:07:19	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1926.000	10:07:27	2	2500	100	0	0	0	0	0 0.8	3
1140P1	1925.000	10:07:35	1	2500	100	0	0	0	0	0 0.5	3
1140P1	1924.000	10:07:44	2	2500	100	0	0	0	0	0 1.2	3
1140P1	1923.000	10:07:52	1	2500	100	0	0	0	0	0 0.5	3
1140P1	1922.000	10:08:00	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1921.000	10:08:09	1	2500	100	0	0	0	0	0 0.8	3
1140P1	1920.000	10:08:17	2	2500	100	0	0	0	0	0 1.1	3
1140P1	1919.000	10:08:26	1	2500	100	0	0	0	0	0 0.9	3
1140P1	1918.000	10:08:34	2	2500	100	0	0	0	0	0 0.9	3
1140P1	1917.000	10:08:43	1	2500	100	0	0	0	0	0 1.2	3
1140P1	1916.000	10:08:51	2	2500	100	0	0	0	0	0 0.7	3
1140P1	1915.000	10:08:59	1	2500	100	0	0	0	0	0 0.9	3
1140P1	1914.000	10:09:08	2	2500	100	0	0	0	0	0 0.9	3
1140P1	1913.000	10:09:16	1	2500	100	0	0	0	0	0 0.9	3
1140P1	1912.000	10:09:24	2	2500	100	0	0	0	0	0 0.6	3
1140P1	1911.000	10:09:33	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1910.000	10:09:41	2	2500	100	0	0	0	0	0 0.7	3
1140P1	1909.000	10:09:49	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1908.000	10:09:58	2	2500	100	0	0	0	0	0 0.9	3
1140P1	1907.000	10:10:06	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1906.000	10:10:14	2	2500	100	0	0	0	0	0 0.9	3
1140P1	1905.000	10:10:23	1	2500	100	0	0	0	0	0 0.7	3
1140P1	1904.000	10:10:31	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1903.000	10:10:39	1	2500	100	0	0	0	0	0 1.2	3
1140P1	1902.000	10:10:48	2	2500	100	0	0	0	0	0 1.2	3
1140P1	1901.000	10:10:56	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1900.000	10:11:04	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1899.000	10:11:13	1	2500	100	0	0	0	0	0 0.7	3
1140P1	1898.000	10:11:21	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1897.000	10:11:29	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1896.000	10:11:38	2	2500	100	0	0	0	0	0 1.4	3
1140P1	1895.000	10:11:46	1	2500	100	0	0	0	0	0 1.1	3
1140P1	1894.000	10:11:54	2	2500	100	0	0	0	0	0 0.6	3
1140P1	1893.000	10:12:03	1	2500	100	0	0	0	0	0 0.7	3
1140P1	1892.000	10:12:11	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1891.000	10:12:19	1	2500	100	0	0	0	0	0 1.3	3
1140P1	1890.000	10:12:28	2	2500	100	0	0	0	0	0 1.7	3
1140P1	1889.000	10:12:36	1	2500	100	0	0	0	0	0 0.7	3
1140P1	1888.000	10:12:44	2	2500	100	0	0	0	0	0 0.7	3
1140P1	1887.000	10:12:53	1	2500	100	0	0	0	0	0 0.4	3
1140P1	1886.000	10:13:01	2	2500	100	0	0	0	0	0 0.7	3
1140P1	1885.000	10:13:09	1	2500	100	0	0	0	0	0 0.5	3
1140P1	1884.000	10:13:18	2	2500	100	0	0	0	0	0 0.6	3
1140P1	1883.000	10:13:26	1	2500	100	0	0	0	0	0 1.0	3
1140P1	1882.000	10:13:34	2	2500	100	0	0	0	0	0 1.2	3
1140P1	1881.000	10:13:43	1	2500	100	0	0	0	0	0 1.3	3
1140P1	1880.000	10:13:51	2	2500	100	0	0	0	0	0 1.1	3
1140P1	1879.000	10:13:59	1	2500	100	0	0	0	0	0 0.5	3
1140P1	1878.000	10:14:08	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1877.000	10:14:16	1	2500	100	0	0	0	0	0 1.0	3
1140P1	1876.000	10:14:24	2	2500	100	0	0	0	0	0 0.8	3
1140P1	1875.000	10:14:33	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1874.000	10:14:41	2	2500	100	0	0	0	0	0 0.8	3
1140P1	1873.000	10:14:49	1	2500	100	0	0	0	0	0 0.8	3

GCS90 Log Line 1140P1

Page 19/37

26/10/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1872.000	10:14:58	2	2500	100	0	0	0	0	0 0.7	3
1140P1	1871.000	10:15:06	1	2500	100	0	0	0	0	0 0.8	3
1140P1	1870.000	10:15:14	2	2500	100	0	0	0	0	0 0.6	3
1140P1	1869.000	10:15:23	1	2500	100	0	0	0	0	0 1.1	3
1140P1	1868.000	10:15:31	2	2500	100	0	0	0	0	0 1.2	3
1140P1	1867.000	10:15:39	1	2500	100	0	0	0	0	0 1.1	3
1140P1	1866.000	10:15:48	2	2500	100	0	0	0	0	0 1.2	3
1140P1	1865.000	10:15:56	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1864.000	10:16:04	2	2500	100	0	0	0	0	0 0.9	3
1140P1	1863.000	10:16:13	1	2500	100	0	0	0	0	0 0.8	3
1140P1	1862.000	10:16:21	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1861.000	10:16:29	1	2500	100	0	0	0	0	0 1.1	3
1140P1	1860.000	10:16:38	2	2500	100	0	0	0	0	0 0.8	3
1140P1	1859.000	10:16:46	1	2500	100	0	0	0	0	0 0.8	3
1140P1	1858.000	10:16:54	2	2500	100	0	0	0	0	0 1.1	3
1140P1	1857.000	10:17:03	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1856.000	10:17:11	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1855.000	10:17:19	1	2500	100	0	0	0	0	0 0.5	3
1140P1	1854.000	10:17:27	2	2500	100	0	0	0	0	0 1.2	3
1140P1	1853.000	10:17:35	1	2500	100	0	0	0	0	0 0.7	3
1140P1	1852.000	10:17:43	2	2500	100	0	0	0	0	0 0.8	3
1140P1	1851.000	10:17:52	1	2500	100	0	0	0	0	0 0.7	3
1140P1	1850.000	10:18:00	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1849.000	10:18:08	1	2500	100	0	0	0	0	0 1.4	3
1140P1	1848.000	10:18:16	2	2500	100	0	0	0	0	0 1.1	3
1140P1	1847.000	10:18:24	1	2500	100	0	0	0	0	0 1.1	3
1140P1	1846.000	10:18:33	2	2500	100	0	0	0	0	0 0.9	3
1140P1	1845.000	10:18:41	1	2500	100	0	0	0	0	0 0.4	3
1140P1	1844.000	10:18:49	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1843.000	10:18:58	1	2500	100	0	0	0	0	0 0.5	3
1140P1	1842.000	10:19:06	2	2500	100	0	0	0	0	0 1.4	3
1140P1	1841.000	10:19:14	1	2500	100	0	0	0	0	0 0.9	3
1140P1	1840.000	10:19:22	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1839.000	10:19:31	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1838.000	10:19:39	2	2500	100	0	0	0	0	0 0.7	3
1140P1	1837.000	10:19:47	1	2500	100	0	0	0	0	0 0.5	3
1140P1	1836.000	10:19:55	2	2500	100	0	0	0	0	0 0.8	3
1140P1	1835.000	10:20:04	1	2500	100	0	0	0	0	0 1.0	3
1140P1	1834.000	10:20:12	2	2500	100	0	0	0	0	0 1.4	3
1140P1	1833.000	10:20:20	1	2500	100	0	0	0	0	0 0.7	3
1140P1	1832.000	10:20:28	2	2500	100	0	0	0	0	0 1.3	3
1140P1	1831.000	10:20:37	1	2500	100	0	0	0	0	0 0.6	3
1140P1	1830.000	10:20:45	2	2500	100	0	0	0	0	0 1.2	3
1140P1	1829.000	10:20:53	1	2500	100	0	0	0	0	0 0.9	3
1140P1	1828.000	10:21:02	2	2500	100	0	0	0	0	0 0.9	3
1140P1	1827.000	10:21:10	1	2500	100	0	0	0	0	0 0.7	3
1140P1	1826.000	10:21:18	2	2500	100	0	0	0	0	0 0.7	3
1140P1	1825.000	10:21:26	1	2500	100	0	0	0	0	0 0.7	3
1140P1	1824.000	10:21:35	2	2500	100	0	0	0	0	0 0.8	3
1140P1	1823.000	10:21:43	1	2500	100	0	0	0	0	0 0.8	3
1140P1	1822.000	10:21:52	2	2500	100	0	0	0	0	0 0.8	3
1140P1	1821.000	10:22:00	1	2500	100	0	0	0	0	0 0.8	3
1140P1	1820.000	10:22:08	2	2500	100	0	0	0	0	0 1.0	3
1140P1	1819.000	10:22:16	1	2500	100	0	0	0	0	0 0.5	3
1140P1	1818.000	10:22:25	2	2500	100	0	0	0	0	1 2.0	3
DELTA ERR: 1 - P6-1											
1140P1	1817.000	10:22:33	1	2500	100	0	0	0	0	0 1.2	3

GCS90 Log Line 1140P1

Page 20/37

26/10/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD						
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT	
1140P1	1816.000	10:22:41	2	2500	100	0	0	0	0	0 0.9	3	
1140P1	1815.000	10:22:50	1	2500	100	0	0	0	0	0 0.9	3	
1140P1	1814.000	10:22:58	2	2500	100	0	0	0	0	0 1.1	3	
1140P1	1813.000	10:23:06	1	2500	100	0	0	0	0	0 0.7	3	
1140P1	1812.000	10:23:15	2	2500	100	0	0	0	0	0 1.1	3	
1140P1	1811.000	10:23:23	1	2500	100	0	0	0	0	0 0.8	3	
1140P1	1810.000	10:23:31	2	2500	100	0	0	0	0	0 0.7	3	
1140P1	1809.000	10:23:40	1	2500	100	0	0	0	0	0 0.6	3	
1140P1	1808.000	10:23:48	2	2500	100	0	0	0	0	0 1.0	3	
1140P1	1807.000	10:23:56	1	2500	100	0	0	0	0	0 0.5	3	
1140P1	1806.000	10:24:05	2	2500	100	0	0	0	0	0 0.7	3	
1140P1	1805.000	10:24:13	1	2500	100	0	0	0	0	0 0.3	3	
1140P1	1804.000	10:24:21	2	2500	100	0	0	0	0	0 0.7	3	
1140P1	1803.000	10:24:29	1	2500	100	0	0	0	0	0 0.8	3	
1140P1	1802.000	10:24:38	2	2500	100	0	0	0	0	0 0.8	3	
1140P1	1801.000	10:24:46	1	2500	100	0	0	0	0	0 0.4	3	
1140P1	1800.000	10:24:54	2	2500	100	0	0	0	0	0 1.1	3	
1140P1	1799.000	10:25:02	1	2500	100	0	0	0	0	0 1.2	3	
1140P1	1798.000	10:25:10	2	2500	100	0	0	0	0	0 0.6	3	
1140P1	1797.000	10:25:19	1	2500	100	0	0	0	0	0 1.2	3	
1140P1	1796.000	10:25:27	2	2500	100	0	0	0	0	0 0.8	3	
1140P1	1795.000	10:25:35	1	2500	100	0	0	0	0	0 0.5	3	
1140P1	1794.000	10:25:43	2	2500	100	0	0	0	0	0 0.6	3	
1140P1	1793.000	10:25:52	1	2500	100	0	0	0	0	0 1.0	3	
1140P1	1792.000	10:26:00	2	2500	100	0	0	0	0	0 0.8	3	
1140P1	1791.000	10:26:08	1	2500	100	0	0	0	0	0 0.6	3	
1140P1	1790.000	10:26:16	2	2500	100	0	0	0	0	0 1.2	3	
1140P1	1789.000	10:26:24	1	2500	100	0	0	0	0	0 0.5	3	
1140P1	1788.000	10:26:32	2	2500	100	0	0	0	0	0 0.9	3	
1140P1	1787.000	10:26:41	1	2500	100	0	0	0	0	0 0.5	3	
1140P1	1786.000	10:26:49	2	2500	100	0	0	0	0	0 0.9	3	
1140P1	1785.000	10:26:57	1	2500	100	0	0	0	0	0 0.5	3	
1140P1	1784.000	10:27:05	2	2500	100	0	0	0	0	0 1.2	3	
1140P1	1783.000	10:27:14	1	2500	100	0	0	0	0	0 1.0	3	
1140P1	1782.000	10:27:22	2	2500	100	0	0	0	0	0 1.0	3	
1140P1	1781.000	10:27:30	1	2500	100	0	0	0	0	0 0.7	3	
1140P1	1780.000	10:27:39	2	2500	100	0	0	0	0	0 0.9	3	
1140P1	1779.000	10:27:47	1	2500	100	0	0	0	0	0 0.5	3	
1140P1	1778.000	10:27:55	2	2500	100	0	0	0	0	0 0.6	3	
1140P1	1777.000	10:28:04	1	2500	100	0	0	0	0	0 0.7	3	
1140P1	1776.000	10:28:12	2	2500	100	0	0	0	0	0 1.0	3	
1140P1	1775.000	10:28:20	1	2500	100	0	0	0	0	0 0.9	3	
1140P1	1774.000	10:28:29	2	2500	100	0	0	0	0	0 1.4	3	
1140P1	1773.000	10:28:37	1	2500	100	0	0	0	0	0 0.9	3	
1140P1	1772.000	10:28:45	2	2500	100	0	0	0	0	0 0.7	3	
1140P1	1771.000	10:28:53	1	2500	100	0	0	0	0	0 0.6	3	
1140P1	1770.000	10:29:02	2	2500	100	0	0	0	0	0 0.8	3	
1140P1	1769.000	10:29:10	1	2500	100	0	0	0	0	0 0.3	3	
1140P1	1768.000	10:29:18	2	2500	100	0	0	0	0	0 0.8	3	
1140P1	1767.000	10:29:27	1	2500	100	0	0	0	0	0 1.0	3	
1140P1	1766.000	10:29:35	2	2500	100	0	0	0	0	0 0.7	3	
1140P1	1765.000	10:29:43	1	2500	100	0	0	0	0	0 0.6	3	
1140P1	1764.000	10:29:51	2	2500	100	0	0	0	0	0 0.8	3	
1140P1	1763.000	10:30:00	1	2500	100	0	0	0	0	0 0.4	3	
1140P1	1762.000	10:30:08	2	2500	100	0	0	0	0	0 1.0	3	
1140P1	1761.000	10:30:17	1	2500	100	0	0	0	0	0 1.3	3	
1140P1	1760.000	10:30:25	2	2500	100	0	0	0	0	0 0.6	3	

GCS90 Log Line 1140P1

Page 21/37

26/10/03			VOLUME				AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1759.000	10:30:33	1	2500	100	0	0	0	0	0	0.6	3
1140P1	1758.000	10:30:41	2	2500	100	0	0	0	0	0	1.2	3
1140P1	1757.000	10:30:50	1	2500	100	0	0	0	0	0	1.0	3
1140P1	1756.000	10:30:58	2	2500	100	0	0	0	0	0	0.8	3
1140P1	1755.000	10:31:06	1	2500	100	0	0	0	0	0	0.8	3
1140P1	1754.000	10:31:14	2	2500	100	0	0	0	0	0	1.2	3
1140P1	1753.000	10:31:23	1	2500	100	0	0	0	0	0	0.8	3
1140P1	1752.000	10:31:31	2	2500	100	0	0	0	0	0	1.1	3
1140P1	1751.000	10:31:39	1	2500	100	0	0	0	0	0	0.5	3
1140P1	1750.000	10:31:48	2	2500	100	0	0	0	0	0	0.6	3
1140P1	1749.000	10:31:56	1	2500	100	0	0	0	0	0	0.9	3
1140P1	1748.000	10:32:04	2	2500	100	0	0	0	0	0	0.6	3
1140P1	1747.000	10:32:12	1	2500	100	0	0	0	0	0	0.7	3
1140P1	1746.000	10:32:20	2	2500	100	0	0	0	0	0	0.9	3
1140P1	1745.000	10:32:28	1	2500	100	0	0	0	0	0	0.8	3
1140P1	1744.000	10:32:37	2	2500	100	0	0	0	0	0	0.5	3
1140P1	1743.000	10:32:45	1	2500	100	0	0	0	0	0	0.7	3
1140P1	1742.000	10:32:53	2	2500	100	0	0	0	0	0	0.8	3
1140P1	1741.000	10:33:02	1	2500	100	0	0	0	0	0	0.7	3
1140P1	1740.000	10:33:10	2	2500	100	0	0	0	0	0	0.5	3
1140P1	1739.000	10:33:18	1	2500	100	0	0	0	0	0	0.5	3
1140P1	1738.000	10:33:26	2	2500	100	0	0	0	0	0	1.1	3
1140P1	1737.000	10:33:34	1	2500	100	0	0	0	0	0	0.5	3
1140P1	1736.000	10:33:43	2	2500	100	0	0	0	0	0	0.8	3
1140P1	1735.000	10:33:51	1	2500	100	0	0	0	0	0	0.6	3
DEPTH ERR: 1 - S3-11												
1140P1	1734.000	10:33:59	2	2500	100	0	0	0	0	0	0.5	3
1140P1	1733.000	10:34:08	1	2500	100	0	0	0	0	0	0.7	3
1140P1	1732.000	10:34:16	2	2500	100	0	0	0	0	0	1.3	3
1140P1	1731.000	10:34:24	1	2500	100	0	0	0	0	0	0.7	3
1140P1	1730.000	10:34:32	2	2500	100	0	0	0	0	0	1.0	3
1140P1	1729.000	10:34:41	1	2500	100	0	0	0	0	0	1.5	3
1140P1	1728.000	10:34:49	2	2500	100	0	0	0	0	0	1.1	3
1140P1	1727.000	10:34:57	1	2500	100	0	0	0	0	0	0.6	3
1140P1	1726.000	10:35:06	2	2500	100	0	0	0	0	0	0.4	3
1140P1	1725.000	10:35:14	1	2500	100	0	0	0	0	0	1.1	3
1140P1	1724.000	10:35:23	2	2500	100	0	0	0	0	0	0.8	3
1140P1	1723.000	10:35:31	1	2500	100	0	0	0	0	0	0.5	3
1140P1	1722.000	10:35:40	2	2500	100	0	0	0	0	0	0.7	3
1140P1	1721.000	10:35:48	1	2500	100	0	0	0	0	0	0.6	3
1140P1	1720.000	10:35:57	2	2500	100	0	0	0	0	1	1.9	3
DELTA ERR: 1 - P6-1												
1140P1	1719.000	10:36:05	1	2500	100	0	0	0	0	0	1.0	3
1140P1	1718.000	10:36:14	2	2500	100	0	0	0	0	0	1.9	3
1140P1	1717.000	10:36:22	1	2500	100	0	0	0	0	0	0.7	3
1140P1	1716.000	10:36:30	2	2500	100	0	0	0	0	0	1.2	3
1140P1	1715.000	10:36:39	1	2500	100	0	0	0	0	0	0.8	3
1140P1	1714.000	10:36:47	2	2500	100	0	0	0	0	0	1.2	3
1140P1	1713.000	10:36:55	1	2500	100	0	0	0	0	0	1.3	3
1140P1	1712.000	10:37:04	2	2500	100	0	0	0	0	0	1.7	3
1140P1	1711.000	10:37:12	1	2500	100	0	0	0	0	0	0.7	3
1140P1	1710.000	10:37:20	2	2500	100	0	0	0	0	0	1.4	3
1140P1	1709.000	10:37:28	1	2500	100	0	0	0	0	0	0.6	3
1140P1	1708.000	10:37:37	2	2500	100	0	0	0	0	0	1.4	3
1140P1	1707.000	10:37:45	1	2500	100	0	0	0	0	0	0.5	3
1140P1	1706.000	10:37:53	2	2500	100	0	0	0	0	0	1.1	3
1140P1	1705.000	10:38:02	1	2500	100	0	0	0	0	0	0.5	3

GCS90 Log Line 1140P1

Page 22/37

26/10/03				VOLUME			AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1704.000	10:38:10	2	2500	100	0	0	0	0	0	0.9	3
1140P1	1703.000	10:38:18	1	2500	100	0	0	0	0	0	0.4	3
DEPTH ERR: 1 - S3-11												
1140P1	1702.000	10:38:27	2	2500	100	0	0	0	0	0	0.9	3
1140P1	1701.000	10:38:35	1	2500	100	0	0	0	0	0	0.5	3
1140P1	1700.000	10:38:43	2	2500	100	0	0	0	0	1	2.2E	4
DELTA ERR: 1 - P6-1												
1140P1	1699.000	10:38:52	1	2500	100	0	0	0	0	0	0.7	4
1140P1	1698.000	10:39:00	2	2500	100	0	0	0	0	0	0.7	4
1140P1	1697.000	10:39:08	1	2500	100	0	0	0	0	0	0.9	4
1140P1	1696.000	10:39:17	2	2500	100	0	0	0	0	0	1.3	4
1140P1	1695.000	10:39:25	1	2500	100	0	0	0	0	0	0.8	4
1140P1	1694.000	10:39:33	2	2500	100	0	0	0	0	0	0.7	4
1140P1	1693.000	10:39:42	1	2500	100	0	0	0	0	0	0.8	4
1140P1	1692.000	10:39:50	2	2500	100	0	0	0	0	0	0.9	4
1140P1	1691.000	10:39:58	1	2500	100	0	0	0	0	0	0.5	4
1140P1	1690.000	10:40:07	2	2500	100	0	0	0	0	0	0.7	4
1140P1	1689.000	10:40:15	1	2500	100	0	0	0	0	0	0.6	4
1140P1	1688.000	10:40:23	2	2500	100	0	0	0	0	0	1.1	4
1140P1	1687.000	10:40:32	1	2500	100	0	0	0	0	0	0.7	4
1140P1	1686.000	10:40:40	2	2500	100	0	0	0	0	0	1.0	4
1140P1	1685.000	10:40:48	1	2500	100	0	0	0	0	0	1.1	4
1140P1	1684.000	10:40:57	2	2500	100	0	0	0	0	0	1.2	4
1140P1	1683.000	10:41:05	1	2500	100	0	0	0	0	0	0.7	4
1140P1	1682.000	10:41:14	2	2500	100	0	0	0	0	1	1.8	4
DELTA ERR: 1 - P6-1												
1140P1	1681.000	10:41:22	1	2500	100	0	0	0	0	0	1.1	4
1140P1	1680.000	10:41:31	2	2500	100	0	0	0	0	0	1.0	4
1140P1	1679.000	10:41:39	1	2500	100	0	0	0	0	0	0.8	4
1140P1	1678.000	10:41:47	2	2500	100	0	0	0	0	0	2.3E	5
1140P1	1677.000	10:41:56	1	2500	100	0	0	0	0	0	1.2	5
1140P1	1676.000	10:42:04	2	2500	100	0	0	0	0	0	1.1	5
1140P1	1675.000	10:42:12	1	2500	100	0	0	0	0	0	1.3	5
1140P1	1674.000	10:42:21	2	2500	100	0	0	0	0	0	1.2	5
1140P1	1673.000	10:42:29	1	2500	100	0	0	0	0	0	1.1	5
1140P1	1672.000	10:42:37	2	2500	100	0	0	0	0	0	1.5	5
1140P1	1671.000	10:42:46	1	2500	100	0	0	0	0	0	1.2	5
1140P1	1670.000	10:42:54	2	2500	100	0	0	0	0	0	1.2	5
1140P1	1669.000	10:43:03	1	2500	100	0	0	0	0	0	0.4	5
1140P1	1668.000	10:43:11	2	2500	100	0	0	0	0	0	0.4	5
1140P1	1667.000	10:43:19	1	2500	100	0	0	0	0	0	0.7	5
1140P1	1666.000	10:43:28	2	2500	100	0	0	0	0	0	1.0	5
1140P1	1665.000	10:43:36	1	2500	100	0	0	0	0	0	1.4	5
1140P1	1664.000	10:43:44	2	2500	100	0	0	0	0	0	0.7	5
1140P1	1663.000	10:43:53	1	2500	100	0	0	0	0	0	0.9	5
1140P1	1662.000	10:44:01	2	2500	100	0	0	0	0	0	1.0	5
1140P1	1661.000	10:44:10	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1660.000	10:44:18	2	2500	100	0	0	0	0	0	0.8	5
1140P1	1659.000	10:44:26	1	2500	100	0	0	0	0	0	0.5	5
1140P1	1658.000	10:44:35	2	2500	100	0	0	0	0	0	1.0	5
1140P1	1657.000	10:44:43	1	2500	100	0	0	0	0	0	0.8	5
1140P1	1656.000	10:44:51	2	2500	100	0	0	0	0	0	0.6	5
1140P1	1655.000	10:45:00	1	2500	100	0	0	0	0	0	0.7	5
1140P1	1654.000	10:45:08	2	2500	100	0	0	0	0	0	1.7	5
1140P1	1653.000	10:45:16	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1652.000	10:45:25	2	2500	100	0	0	0	0	0	1.1	5
1140P1	1651.000	10:45:33	1	2500	100	0	0	0	0	0	0.9	5

GCS90 Log Line 1140P1

Page 23/37

26/10/03			VOLUME			AUTOFIRE TIME-ERROR SPREAD						
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT	
1140P1	1650.000	10:45:41	2	2500	100	0	0	0	0	0 1.3	5	
1140P1	1649.000	10:45:50	1	2500	100	0	0	0	0	0 1.2	5	
1140P1	1648.000	10:45:58	2	2500	100	0	0	0	0	1 1.5	5	
DELTA ERR: 1 - P6-1												
1140P1	1647.000	10:46:06	1	2500	100	0	0	0	0	0 0.6	5	
1140P1	1646.000	10:46:15	2	2500	100	0	0	0	0	0 0.8	5	
1140P1	1645.000	10:46:23	1	2500	100	0	0	0	0	0 0.6	5	
1140P1	1644.000	10:46:32	2	2500	100	0	0	0	0	0 0.8	5	
1140P1	1643.000	10:46:40	1	2500	100	0	0	0	0	0 0.4	5	
1140P1	1642.000	10:46:48	2	2500	100	0	0	0	0	0 1.0	5	
1140P1	1641.000	10:46:56	1	2500	100	0	0	0	0	0 0.7	5	
1140P1	1640.000	10:47:05	2	2500	100	0	0	0	0	0 1.4	5	
1140P1	1639.000	10:47:13	1	2500	100	0	0	0	0	0 0.4	5	
1140P1	1638.000	10:47:21	2	2500	100	0	0	0	0	0 1.3	5	
1140P1	1637.000	10:47:30	1	2500	100	0	0	0	0	0 1.1	5	
1140P1	1636.000	10:47:38	2	2500	100	0	0	0	0	0 1.4	5	
1140P1	1635.000	10:47:46	1	2500	100	0	0	0	0	0 0.8	5	
1140P1	1634.000	10:47:55	2	2500	100	0	0	0	0	0 1.5	5	
1140P1	1633.000	10:48:03	1	2500	100	0	0	0	0	0 1.0	5	
1140P1	1632.000	10:48:11	2	2500	100	0	0	0	0	0 1.7	5	
1140P1	1631.000	10:48:20	1	2500	100	0	0	0	0	0 0.7	5	
1140P1	1630.000	10:48:28	2	2500	100	0	0	0	0	0 1.2	5	
1140P1	1629.000	10:48:36	1	2500	100	0	0	0	0	0 0.7	5	
1140P1	1628.000	10:48:44	2	2500	100	0	0	0	0	0 1.0	5	
1140P1	1627.000	10:48:53	1	2500	100	0	0	0	0	0 0.5	5	
1140P1	1626.000	10:49:01	2	2500	100	0	0	0	0	0 0.7	5	
1140P1	1625.000	10:49:09	1	2500	100	0	0	0	0	0 0.8	5	
1140P1	1624.000	10:49:18	2	2500	100	0	0	0	0	0 0.3	5	
1140P1	1623.000	10:49:26	1	2500	100	0	0	0	0	0 0.9	5	
1140P1	1622.000	10:49:34	2	2500	100	0	0	0	0	0 1.4	5	
1140P1	1621.000	10:49:43	1	2500	100	0	0	0	0	0 0.6	5	
1140P1	1620.000	10:49:51	2	2500	100	0	0	0	0	0 0.8	5	
1140P1	1619.000	10:49:59	1	2500	100	0	0	0	0	0 0.9	5	
1140P1	1618.000	10:50:08	2	2500	100	0	0	0	0	0 0.7	5	
1140P1	1617.000	10:50:16	1	2500	100	0	0	0	0	0 0.5	5	
1140P1	1616.000	10:50:24	2	2500	100	0	0	0	0	0 0.6	5	
1140P1	1615.000	10:50:33	1	2500	100	0	0	0	0	0 0.6	5	
1140P1	1614.000	10:50:41	2	2500	100	0	0	0	0	0 1.4	5	
1140P1	1613.000	10:50:50	1	2500	100	0	0	0	0	0 0.7	5	
1140P1	1612.000	10:50:58	2	2500	100	0	0	0	0	0 1.0	5	
1140P1	1611.000	10:51:06	1	2500	100	0	0	0	0	0 1.0	5	
1140P1	1610.000	10:51:15	2	2500	100	0	0	0	0	0 1.4	5	
1140P1	1609.000	10:51:23	1	2500	100	0	0	0	0	0 0.8	5	
1140P1	1608.000	10:51:32	2	2500	100	0	0	0	0	0 0.9	5	
1140P1	1607.000	10:51:40	1	2500	100	0	0	0	0	0 0.5	5	
1140P1	1606.000	10:51:48	2	2500	100	0	0	0	0	0 1.0	5	
1140P1	1605.000	10:51:57	1	2500	100	0	0	0	0	0 0.9	5	
1140P1	1604.000	10:52:05	2	2500	100	0	0	0	0	0 1.3	5	
1140P1	1603.000	10:52:13	1	2500	100	0	0	0	0	0 1.0	5	
1140P1	1602.000	10:52:22	2	2500	100	0	0	0	0	0 1.2	5	
1140P1	1601.000	10:52:30	1	2500	100	0	0	0	0	0 1.0	5	
1140P1	1600.000	10:52:38	2	2500	100	0	0	0	0	0 0.8	5	
1140P1	1599.000	10:52:46	1	2500	100	0	0	0	0	0 0.9	5	
1140P1	1598.000	10:52:54	2	2500	100	0	0	0	0	0 0.5	5	
1140P1	1597.000	10:53:03	1	2500	100	0	0	0	0	0 0.7	5	
1140P1	1596.000	10:53:11	2	2500	100	0	0	0	0	0 0.6	5	
1140P1	1595.000	10:53:19	1	2500	100	0	0	0	0	0 0.7	5	

GCS90 Log Line 1140P1

Page 24/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1594.000	10:53:27	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1593.000	10:53:35	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1592.000	10:53:44	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1591.000	10:53:52	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1590.000	10:54:01	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1589.000	10:54:09	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1588.000	10:54:17	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1587.000	10:54:26	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1586.000	10:54:34	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1585.000	10:54:42	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1584.000	10:54:51	2	2500	100	0	0	0	0	0 1.7	5
1140P1	1583.000	10:54:59	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1582.000	10:55:07	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1581.000	10:55:16	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1580.000	10:55:24	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1579.000	10:55:32	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1578.000	10:55:40	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1577.000	10:55:49	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1576.000	10:55:57	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1575.000	10:56:05	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1574.000	10:56:13	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1573.000	10:56:22	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1572.000	10:56:30	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1571.000	10:56:38	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1570.000	10:56:46	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1569.000	10:56:54	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1568.000	10:57:03	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1567.000	10:57:11	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1566.000	10:57:19	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1565.000	10:57:27	1	2500	100	0	0	0	0	0 1.1	5
1140P1	1564.000	10:57:36	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1563.000	10:57:44	1	2500	100	0	0	0	0	0 1.1	5
1140P1	1562.000	10:57:52	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1561.000	10:58:01	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1560.000	10:58:09	2	2500	100	0	0	0	0	0 1.5	5
1140P1	1559.000	10:58:17	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1558.000	10:58:25	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1557.000	10:58:34	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1556.000	10:58:42	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1555.000	10:58:51	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1554.000	10:58:59	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1553.000	10:59:07	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1552.000	10:59:16	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1551.000	10:59:24	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1550.000	10:59:32	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1549.000	10:59:40	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1548.000	10:59:49	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1547.000	10:59:57	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1546.000	11:00:05	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1545.000	11:00:14	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1544.000	11:00:22	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1543.000	11:00:30	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1542.000	11:00:38	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1541.000	11:00:47	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1540.000	11:00:55	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1539.000	11:01:03	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1538.000	11:01:11	2	2500	100	0	0	0	0	0 0.6	5

GCS90 Log Line 1140P1

Page 25/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1537.000	11:01:20	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1536.000	11:01:28	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1535.000	11:01:36	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1534.000	11:01:45	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1533.000	11:01:53	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1532.000	11:02:01	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1531.000	11:02:10	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1530.000	11:02:18	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1529.000	11:02:26	1	2500	100	0	0	0	0	0 1.1	5
1140P1	1528.000	11:02:34	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1527.000	11:02:43	1	2500	100	0	0	0	0	0 1.6	5
1140P1	1526.000	11:02:51	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1525.000	11:02:59	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1524.000	11:03:08	2	2500	100	0	0	0	0	0 1.5	5
1140P1	1523.000	11:03:16	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1522.000	11:03:24	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1521.000	11:03:32	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1520.000	11:03:40	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1519.000	11:03:49	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1518.000	11:03:57	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1517.000	11:04:05	1	2500	100	0	0	0	0	0 1.6	5
1140P1	1516.000	11:04:14	2	2500	100	0	0	0	0	0 1.5	5
1140P1	1515.000	11:04:22	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1514.000	11:04:30	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1513.000	11:04:38	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1512.000	11:04:46	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1511.000	11:04:54	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1510.000	11:05:02	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1509.000	11:05:11	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1508.000	11:05:19	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1507.000	11:05:27	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1506.000	11:05:35	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1505.000	11:05:43	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1504.000	11:05:51	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1503.000	11:06:00	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1502.000	11:06:08	2	2500	100	0	0	0	0	0 0.4	5
1140P1	1501.000	11:06:16	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1500.000	11:06:24	2	2500	100	0	0	0	0	0 0.5	5
1140P1	1499.000	11:06:33	1	2500	100	0	0	0	0	0 1.1	5
1140P1	1498.000	11:06:41	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1497.000	11:06:49	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1496.000	11:06:57	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1495.000	11:07:05	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1494.000	11:07:13	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1493.000	11:07:22	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1492.000	11:07:30	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1491.000	11:07:38	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1490.000	11:07:46	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1489.000	11:07:54	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1488.000	11:08:02	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1487.000	11:08:11	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1486.000	11:08:19	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1485.000	11:08:27	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1484.000	11:08:35	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1483.000	11:08:44	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1482.000	11:08:52	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1481.000	11:09:00	1	2500	100	0	0	0	0	0 0.6	5

GCS90 Log Line 1140P1

Page 26/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1480.000	11:09:08	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1479.000	11:09:16	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1478.000	11:09:24	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1477.000	11:09:33	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1476.000	11:09:41	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1475.000	11:09:49	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1474.000	11:09:57	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1473.000	11:10:05	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1472.000	11:10:14	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1471.000	11:10:22	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1470.000	11:10:30	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1469.000	11:10:38	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1468.000	11:10:46	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1467.000	11:10:55	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1466.000	11:11:03	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1465.000	11:11:11	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1464.000	11:11:19	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1463.000	11:11:27	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1462.000	11:11:36	2	2500	100	0	0	0	0	0 0.4	5
1140P1	1461.000	11:11:44	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1460.000	11:11:52	2	2500	100	0	0	0	0	0 1.5	5
1140P1	1459.000	11:12:00	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1458.000	11:12:08	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1457.000	11:12:16	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1456.000	11:12:24	2	2500	100	0	0	0	0	0 0.4	5
1140P1	1455.000	11:12:32	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1454.000	11:12:41	2	2500	100	0	0	0	0	0 0.5	5
1140P1	1453.000	11:12:49	1	2500	100	0	0	0	0	0 1.1	5
1140P1	1452.000	11:12:57	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1451.000	11:13:05	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1450.000	11:13:13	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1449.000	11:13:21	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1448.000	11:13:29	2	2500	100	0	0	0	0	0 1.9	5
1140P1	1447.000	11:13:37	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1446.000	11:13:45	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1445.000	11:13:53	1	2500	100	0	0	0	0	0 1.1	5
1140P1	1444.000	11:14:02	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1443.000	11:14:10	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1442.000	11:14:18	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1441.000	11:14:26	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1440.000	11:14:34	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1439.000	11:14:42	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1438.000	11:14:50	2	2500	100	0	0	0	0	0 1.5	5
1140P1	1437.000	11:14:58	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1436.000	11:15:06	2	2500	100	0	0	0	0	0 1.6	5
1140P1	1435.000	11:15:14	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1434.000	11:15:22	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1433.000	11:15:30	1	2500	100	0	0	0	0	0 1.3	5
1140P1	1432.000	11:15:38	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1431.000	11:15:46	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1430.000	11:15:55	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1429.000	11:16:03	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1428.000	11:16:11	2	2500	100	0	0	0	0	0 0.5	5
1140P1	1427.000	11:16:19	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1426.000	11:16:27	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1425.000	11:16:35	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1424.000	11:16:44	2	2500	100	0	0	0	0	0 1.4	5

GCS90 Log Line 1140P1

Page 27/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1423.000	11:16:52	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1422.000	11:17:00	2	2500	100	0	0	0	0	0 1.5	5
1140P1	1421.000	11:17:08	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1420.000	11:17:16	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1419.000	11:17:24	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1418.000	11:17:32	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1417.000	11:17:40	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1416.000	11:17:48	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1415.000	11:17:57	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1414.000	11:18:05	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1413.000	11:18:13	1	2500	100	0	0	0	0	0 0.3	5
1140P1	1412.000	11:18:21	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1411.000	11:18:29	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1410.000	11:18:37	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1409.000	11:18:45	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1408.000	11:18:53	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1407.000	11:19:01	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1406.000	11:19:09	2	2500	100	0	0	0	0	0 1.7	5
1140P1	1405.000	11:19:18	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1404.000	11:19:26	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1403.000	11:19:34	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1402.000	11:19:42	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1401.000	11:19:50	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1400.000	11:19:58	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1399.000	11:20:06	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1398.000	11:20:14	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1397.000	11:20:22	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1396.000	11:20:30	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1395.000	11:20:38	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1394.000	11:20:46	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1393.000	11:20:54	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1392.000	11:21:02	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1391.000	11:21:10	1	2500	100	0	0	0	0	0 0.5	5
DEPTH ERR: 1 - S3-11											
1140P1	1390.000	11:21:18	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1389.000	11:21:26	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1388.000	11:21:34	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1387.000	11:21:43	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1386.000	11:21:51	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1385.000	11:21:59	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1384.000	11:22:07	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1383.000	11:22:15	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1382.000	11:22:23	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1381.000	11:22:31	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1380.000	11:22:39	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1379.000	11:22:47	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1378.000	11:22:55	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1377.000	11:23:03	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1376.000	11:23:11	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1375.000	11:23:19	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1374.000	11:23:27	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1373.000	11:23:35	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1372.000	11:23:43	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1371.000	11:23:51	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1370.000	11:24:00	2	2500	100	0	0	0	0	0 1.5	5
1140P1	1369.000	11:24:08	1	2500	100	0	0	0	0	0 1.1	5
1140P1	1368.000	11:24:16	2	2500	100	0	0	0	0	0 0.5	5

GCS90 Log Line 1140P1

Page 28/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1367.000	11:24:24	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1366.000	11:24:32	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1365.000	11:24:39	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1364.000	11:24:47	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1363.000	11:24:55	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1362.000	11:25:03	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1361.000	11:25:12	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1360.000	11:25:20	2	2500	100	0	0	0	0	0 1.6	5
1140P1	1359.000	11:25:28	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1358.000	11:25:35	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1357.000	11:25:43	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1356.000	11:25:51	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1355.000	11:25:59	1	2500	100	0	0	0	0	0 1.4	5
1140P1	1354.000	11:26:07	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1353.000	11:26:16	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1352.000	11:26:24	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1351.000	11:26:32	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1350.000	11:26:39	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1349.000	11:26:48	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1348.000	11:26:55	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1347.000	11:27:04	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1346.000	11:27:12	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1345.000	11:27:20	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1344.000	11:27:28	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1343.000	11:27:36	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1342.000	11:27:44	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1341.000	11:27:52	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1340.000	11:28:00	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1339.000	11:28:08	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1338.000	11:28:16	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1337.000	11:28:24	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1336.000	11:28:32	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1335.000	11:28:40	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1334.000	11:28:48	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1333.000	11:28:56	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1332.000	11:29:05	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1331.000	11:29:13	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1330.000	11:29:21	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1329.000	11:29:29	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1328.000	11:29:37	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1327.000	11:29:45	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1326.000	11:29:53	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1325.000	11:30:01	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1324.000	11:30:09	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1323.000	11:30:17	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1322.000	11:30:25	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1321.000	11:30:33	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1320.000	11:30:41	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1319.000	11:30:49	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1318.000	11:30:57	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1317.000	11:31:05	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1316.000	11:31:13	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1315.000	11:31:22	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1314.000	11:31:30	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1313.000	11:31:38	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1312.000	11:31:46	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1311.000	11:31:54	1	2500	100	0	0	0	0	0 0.5	5

GCS90 Log Line 1140P1

Page 29/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1310.000	11:32:02	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1309.000	11:32:10	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1308.000	11:32:18	2	2500	100	0	0	0	0	0 0.5	5
1140P1	1307.000	11:32:26	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1306.000	11:32:34	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1305.000	11:32:42	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1304.000	11:32:50	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1303.000	11:32:58	1	2500	100	0	0	0	0	0 1.2	5
1140P1	1302.000	11:33:06	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1301.000	11:33:14	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1300.000	11:33:22	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1299.000	11:33:30	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1298.000	11:33:38	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1297.000	11:33:46	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1296.000	11:33:54	2	2500	100	0	0	0	0	0 1.9	5
1140P1	1295.000	11:34:02	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1294.000	11:34:10	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1293.000	11:34:19	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1292.000	11:34:27	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1291.000	11:34:35	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1290.000	11:34:43	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1289.000	11:34:51	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1288.000	11:34:59	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1287.000	11:35:07	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1286.000	11:35:14	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1285.000	11:35:22	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1284.000	11:35:30	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1283.000	11:35:38	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1282.000	11:35:46	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1281.000	11:35:55	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1280.000	11:36:03	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1279.000	11:36:11	1	2500	100	0	0	0	0	0 1.2	5
1140P1	1278.000	11:36:19	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1277.000	11:36:27	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1276.000	11:36:35	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1275.000	11:36:43	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1274.000	11:36:51	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1273.000	11:36:59	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1272.000	11:37:07	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1271.000	11:37:15	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1270.000	11:37:23	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1269.000	11:37:31	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1268.000	11:37:39	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1267.000	11:37:47	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1266.000	11:37:55	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1265.000	11:38:03	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1264.000	11:38:11	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1263.000	11:38:19	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1262.000	11:38:27	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1261.000	11:38:35	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1260.000	11:38:43	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1259.000	11:38:51	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1258.000	11:39:00	2	2500	100	0	0	0	0	0 1.5	5
1140P1	1257.000	11:39:08	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1256.000	11:39:16	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1255.000	11:39:24	1	2500	100	0	0	0	0	0 0.3	5
1140P1	1254.000	11:39:31	2	2500	100	0	0	0	0	0 0.9	5

GCS90 Log Line 1140P1

Page 30/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1253.000	11:39:39	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1252.000	11:39:47	2	2500	100	0	0	0	0	0 0.5	5
1140P1	1251.000	11:39:55	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1250.000	11:40:03	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1249.000	11:40:11	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1248.000	11:40:19	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1247.000	11:40:27	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1246.000	11:40:35	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1245.000	11:40:43	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1244.000	11:40:51	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1243.000	11:40:59	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1242.000	11:41:07	2	2500	100	0	0	0	0	0 1.5	5
1140P1	1241.000	11:41:15	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1240.000	11:41:23	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1239.000	11:41:31	1	2500	100	0	0	0	0	0 1.3	5
1140P1	1238.000	11:41:39	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1237.000	11:41:47	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1236.000	11:41:55	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1235.000	11:42:02	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1234.000	11:42:10	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1233.000	11:42:18	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1232.000	11:42:26	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1231.000	11:42:34	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1230.000	11:42:42	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1229.000	11:42:50	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1228.000	11:42:58	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1227.000	11:43:06	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1226.000	11:43:14	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1225.000	11:43:22	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1224.000	11:43:30	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1223.000	11:43:38	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1222.000	11:43:46	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1221.000	11:43:54	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1220.000	11:44:02	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1219.000	11:44:10	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1218.000	11:44:18	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1217.000	11:44:26	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1216.000	11:44:34	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1215.000	11:44:42	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1214.000	11:44:49	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1213.000	11:44:57	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1212.000	11:45:05	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1211.000	11:45:13	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1210.000	11:45:21	2	2500	100	0	0	0	0	0 1.7	5
1140P1	1209.000	11:45:29	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1208.000	11:45:37	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1207.000	11:45:45	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1206.000	11:45:53	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1205.000	11:46:01	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1204.000	11:46:09	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1203.000	11:46:17	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1202.000	11:46:25	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1201.000	11:46:33	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1200.000	11:46:41	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1199.000	11:46:49	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1198.000	11:46:57	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1197.000	11:47:05	1	2500	100	0	0	0	0	0 1.0	5

GCS90 Log Line 1140P1

Page 31/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1196.000	11:47:13	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1195.000	11:47:21	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1194.000	11:47:29	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1193.000	11:47:37	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1192.000	11:47:45	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1191.000	11:47:53	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1190.000	11:48:01	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1189.000	11:48:09	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1188.000	11:48:17	2	2500	100	0	0	0	0	0 1.3	5
1140P1	1187.000	11:48:25	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1186.000	11:48:33	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1185.000	11:48:41	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1184.000	11:48:49	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1183.000	11:48:57	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1182.000	11:49:05	2	2500	100	0	0	0	0	0 2.0	5
1140P1	1181.000	11:49:13	1	2500	100	0	0	0	0	0 1.2	5
1140P1	1180.000	11:49:21	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1179.000	11:49:29	1	2500	100	0	0	0	0	0 0.3	5
1140P1	1178.000	11:49:37	2	2500	100	0	0	0	0	0 1.7	5
1140P1	1177.000	11:49:45	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1176.000	11:49:54	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1175.000	11:50:01	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1174.000	11:50:09	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1173.000	11:50:17	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1172.000	11:50:25	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1171.000	11:50:33	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1170.000	11:50:41	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1169.000	11:50:49	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1168.000	11:50:57	2	2500	100	0	0	0	0	0 1.5	5
1140P1	1167.000	11:51:05	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1166.000	11:51:13	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1165.000	11:51:21	1	2500	100	0	0	0	0	0 1.1	5
1140P1	1164.000	11:51:29	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1163.000	11:51:37	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1162.000	11:51:45	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1161.000	11:51:53	1	2500	100	0	0	0	0	0 1.1	5
1140P1	1160.000	11:52:01	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1159.000	11:52:09	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1158.000	11:52:17	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1157.000	11:52:25	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1156.000	11:52:33	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1155.000	11:52:41	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1154.000	11:52:49	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1153.000	11:52:57	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1152.000	11:53:05	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1151.000	11:53:13	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1150.000	11:53:21	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1149.000	11:53:29	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1148.000	11:53:37	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1147.000	11:53:45	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1146.000	11:53:53	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1145.000	11:54:02	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1144.000	11:54:10	2	2500	100	0	0	0	0	0 1.4	5
1140P1	1143.000	11:54:18	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1142.000	11:54:26	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1141.000	11:54:34	1	2500	100	0	0	0	0	0 1.1	5
1140P1	1140.000	11:54:42	2	2500	100	0	0	0	0	0 1.1	5

GCS90 Log Line 1140P1

Page 32/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1139.000	11:54:50	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1138.000	11:54:58	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1137.000	11:55:06	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1136.000	11:55:14	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1135.000	11:55:22	1	2500	100	0	0	0	0	0 0.3	5
1140P1	1134.000	11:55:30	2	2500	100	0	0	0	0	0 0.5	5
1140P1	1133.000	11:55:38	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1132.000	11:55:46	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1131.000	11:55:54	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1130.000	11:56:02	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1129.000	11:56:10	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1128.000	11:56:18	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1127.000	11:56:26	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1126.000	11:56:34	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1125.000	11:56:42	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1124.000	11:56:50	2	2500	100	0	0	0	0	0 0.5	5
1140P1	1123.000	11:56:58	1	2500	100	0	0	0	0	0 0.3	5
1140P1	1122.000	11:57:06	2	2500	100	0	0	0	0	0 1.7	5
1140P1	1121.000	11:57:14	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1120.000	11:57:22	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1119.000	11:57:30	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1118.000	11:57:38	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1117.000	11:57:46	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1116.000	11:57:54	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1115.000	11:58:02	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1114.000	11:58:10	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1113.000	11:58:18	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1112.000	11:58:25	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1111.000	11:58:33	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1110.000	11:58:41	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1109.000	11:58:49	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1108.000	11:58:57	2	2500	100	0	0	0	0	0 1.2	5
1140P1	1107.000	11:59:05	1	2500	100	0	0	0	0	0 1.0	5
1140P1	1106.000	11:59:13	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1105.000	11:59:21	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1104.000	11:59:29	2	2500	100	0	0	0	0	0 1.1	5
1140P1	1103.000	11:59:37	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1102.000	11:59:45	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1101.000	11:59:53	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1100.000	12:00:01	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1099.000	12:00:09	1	2500	100	0	0	0	0	0 0.4	5
1140P1	1098.000	12:00:17	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1097.000	12:00:25	1	2500	100	0	0	0	0	0 0.9	5
1140P1	1096.000	12:00:33	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1095.000	12:00:41	1	2500	100	0	0	0	0	0 1.2	5
1140P1	1094.000	12:00:49	2	2500	100	0	0	0	0	0 0.8	5
1140P1	1093.000	12:00:57	1	2500	100	0	0	0	0	0 0.6	5
1140P1	1092.000	12:01:05	2	2500	100	0	0	0	0	0 0.9	5
1140P1	1091.000	12:01:13	1	2500	100	0	0	0	0	0 0.8	5
1140P1	1090.000	12:01:21	2	2500	100	0	0	0	0	0 0.7	5
1140P1	1089.000	12:01:29	1	2500	100	0	0	0	0	0 0.7	5
1140P1	1088.000	12:01:37	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1087.000	12:01:45	1	2500	100	0	0	0	0	0 1.3	5
1140P1	1086.000	12:01:53	2	2500	100	0	0	0	0	0 1.0	5
1140P1	1085.000	12:02:01	1	2500	100	0	0	0	0	0 0.5	5
1140P1	1084.000	12:02:09	2	2500	100	0	0	0	0	0 0.6	5
1140P1	1083.000	12:02:17	1	2500	100	0	0	0	0	0 0.3	5

GCS90 Log Line 1140P1

Page 33/37

26/10/03				VOLUME			AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1082.000	12:02:25	2	2500	100	0	0	0	0	0	0.6	5
1140P1	1081.000	12:02:33	1	2500	100	0	0	0	0	0	0.5	5
1140P1	1080.000	12:02:41	2	2500	100	0	0	0	0	0	1.2	5
1140P1	1079.000	12:02:49	1	2500	100	0	0	0	0	0	0.4	5
1140P1	1078.000	12:02:57	2	2500	100	0	0	0	0	0	0.7	5
1140P1	1077.000	12:03:05	1	2500	100	0	0	0	0	0	0.7	5
1140P1	1076.000	12:03:13	2	2500	100	0	0	0	0	0	0.9	5
1140P1	1075.000	12:03:21	1	2500	100	0	0	0	0	0	0.5	5
1140P1	1074.000	12:03:29	2	2500	100	0	0	0	0	0	1.1	5
1140P1	1073.000	12:03:37	1	2500	100	0	0	0	0	0	0.8	5
1140P1	1072.000	12:03:45	2	2500	100	0	0	0	0	0	1.1	5
1140P1	1071.000	12:03:53	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1070.000	12:04:01	2	2500	100	0	0	0	0	0	1.1	5
1140P1	1069.000	12:04:09	1	2500	100	0	0	0	0	0	1.0	5
1140P1	1068.000	12:04:17	2	2500	100	0	0	0	0	0	0.6	5
1140P1	1067.000	12:04:26	1	2500	100	0	0	0	0	0	0.7	5
1140P1	1066.000	12:04:34	2	2500	100	0	0	0	0	0	0.9	5
1140P1	1065.000	12:04:41	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1064.000	12:04:49	2	2500	100	0	0	0	0	0	0.7	5
1140P1	1063.000	12:04:57	1	2500	100	0	0	0	0	0	0.9	5
1140P1	1062.000	12:05:05	2	2500	100	0	0	0	0	0	0.9	5
1140P1	1061.000	12:05:14	1	2500	100	0	0	0	0	0	0.9	5
1140P1	1060.000	12:05:21	2	2500	100	0	0	0	0	0	1.5	5
1140P1	1059.000	12:05:29	1	2500	100	0	0	0	0	0	0.8	5
1140P1	1058.000	12:05:37	2	2500	100	0	0	0	0	0	0.9	5
1140P1	1057.000	12:05:45	1	2500	100	0	0	0	0	0	1.2	5
1140P1	1056.000	12:05:54	2	2500	100	0	0	0	0	0	1.1	5
1140P1	1055.000	12:06:02	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1054.000	12:06:10	2	2500	100	0	0	0	0	0	0.9	5
1140P1	1053.000	12:06:18	1	2500	100	0	0	0	0	0	0.7	5
1140P1	1052.000	12:06:26	2	2500	100	0	0	0	0	0	0.5	5
1140P1	1051.000	12:06:34	1	2500	100	0	0	0	0	0	0.9	5
1140P1	1050.000	12:06:42	2	2500	100	0	0	0	0	0	1.6	5
1140P1	1049.000	12:06:50	1	2500	100	0	0	0	0	0	1.0	5
1140P1	1048.000	12:06:59	2	2500	100	0	0	0	0	0	1.2	5
1140P1	1047.000	12:07:07	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1046.000	12:07:15	2	2500	100	0	0	0	0	0	0.7	5
1140P1	1045.000	12:07:23	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1044.000	12:07:31	2	2500	100	0	0	0	0	0	1.4	5
1140P1	1043.000	12:07:39	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1042.000	12:07:47	2	2500	100	0	0	0	0	0	1.1	5
1140P1	1041.000	12:07:55	1	2500	100	0	0	0	0	0	0.7	5
1140P1	1040.000	12:08:03	2	2500	100	0	0	0	0	0	1.0	5
1140P1	1039.000	12:08:11	1	2500	100	0	0	0	0	0	0.9	5
1140P1	1038.000	12:08:19	2	2500	100	0	0	0	0	0	0.6	5
1140P1	1037.000	12:08:28	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1036.000	12:08:36	2	2500	100	0	0	0	0	0	0.9	5
1140P1	1035.000	12:08:44	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1034.000	12:08:52	2	2500	100	0	0	0	0	0	0.7	5
1140P1	1033.000	12:09:00	1	2500	100	0	0	0	0	0	0.4	5
1140P1	1032.000	12:09:08	2	2500	100	0	0	0	0	0	1.0	5
1140P1	1031.000	12:09:16	1	2500	100	0	0	0	0	0	1.5	5
1140P1	1030.000	12:09:24	2	2500	100	0	0	0	0	0	0.8	5
1140P1	1029.000	12:09:33	1	2500	100	0	0	0	0	0	0.8	5
1140P1	1028.000	12:09:41	2	2500	100	0	0	0	0	0	1.1	5
1140P1	1027.000	12:09:49	1	2500	100	0	0	0	0	0	0.8	5
1140P1	1026.000	12:09:57	2	2500	100	0	0	0	0	0	0.6	5

GCS90 Log Line 1140P1

Page 34/37

26/10/03			VOLUME				AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	1025.000	12:10:05	1	2500	100	0	0	0	0	0	0.7	5
1140P1	1024.000	12:10:13	2	2500	100	0	0	0	0	0	1.0	5
1140P1	1023.000	12:10:21	1	2500	100	0	0	0	0	0	1.1	5
1140P1	1022.000	12:10:29	2	2500	100	0	0	0	0	0	0.7	5
1140P1	1021.000	12:10:37	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1020.000	12:10:45	2	2500	100	0	0	0	0	0	1.3	5
1140P1	1019.000	12:10:53	1	2500	100	0	0	0	0	0	0.7	5
1140P1	1018.000	12:11:01	2	2500	100	0	0	0	0	0	1.3	5
1140P1	1017.000	12:11:10	1	2500	100	0	0	0	0	0	0.7	5
1140P1	1016.000	12:11:18	2	2500	100	0	0	0	0	0	1.2	5
1140P1	1015.000	12:11:26	1	2500	100	0	0	0	0	0	0.8	5
1140P1	1014.000	12:11:34	2	2500	100	0	0	0	0	0	1.0	5
1140P1	1013.000	12:11:42	1	2500	100	0	0	0	0	0	0.5	5
1140P1	1012.000	12:11:50	2	2500	100	0	0	0	0	0	0.9	5
1140P1	1011.000	12:11:58	1	2500	100	0	0	0	0	0	0.4	5
1140P1	1010.000	12:12:06	2	2500	100	0	0	0	0	0	0.7	5
1140P1	1009.000	12:12:14	1	2500	100	0	0	0	0	0	0.6	5
1140P1	1008.000	12:12:22	2	2500	100	0	0	0	0	0	1.3	5
1140P1	1007.000	12:12:30	1	2500	100	0	0	0	0	0	0.7	5
1140P1	1006.000	12:12:39	2	2500	100	0	0	0	0	0	0.6	5
1140P1	1005.000	12:12:47	1	2500	100	0	0	0	0	0	0.7	5
1140P1	1004.000	12:12:55	2	2500	100	0	0	0	0	0	0.9	5
1140P1	1003.000	12:13:03	1	2500	100	0	0	0	0	0	0.5	5
1140P1	1002.000	12:13:11	2	2500	100	0	0	0	0	0	1.0	5
1140P1	1001.000	12:13:19	1	2500	100	0	0	0	0	0	0.8	5
1140P1	1000.000	12:13:27	2	2500	100	0	0	0	0	0	1.3	5
1140P1	999.000	12:13:35	1	2500	100	0	0	0	0	0	0.7	5
1140P1	998.000	12:13:43	2	2500	100	0	0	0	0	0	0.6	5
1140P1	997.000	12:13:51	1	2500	100	0	0	0	0	0	0.6	5
1140P1	996.000	12:13:59	2	2500	100	0	0	0	0	0	0.6	5
1140P1	995.000	12:14:07	1	2500	100	0	0	0	0	0	0.7	5
1140P1	994.000	12:14:15	2	2500	100	0	0	0	0	0	0.8	5
1140P1	993.000	12:14:23	1	2500	100	0	0	0	0	0	0.4	5
1140P1	992.000	12:14:31	2	2500	100	0	0	0	0	0	0.8	5
1140P1	991.000	12:14:40	1	2500	100	0	0	0	0	0	0.7	5
1140P1	990.000	12:14:48	2	2500	100	0	0	0	0	0	0.8	5
1140P1	989.000	12:14:56	1	2500	100	0	0	0	0	0	0.9	5
1140P1	988.000	12:15:04	2	2500	100	0	0	0	0	0	1.0	5
1140P1	987.000	12:15:12	1	2500	100	0	0	0	0	0	0.7	5
1140P1	986.000	12:15:20	2	2500	100	0	0	0	0	0	1.1	5
1140P1	985.000	12:15:28	1	2500	100	0	0	0	0	0	1.0	5
1140P1	984.000	12:15:37	2	2500	100	0	0	0	0	0	1.0	5
1140P1	983.000	12:15:45	1	2500	100	0	0	0	0	0	0.6	5
1140P1	982.000	12:15:53	2	2500	100	0	0	0	0	0	0.5	5
1140P1	981.000	12:16:01	1	2500	100	0	0	0	0	0	0.6	5
1140P1	980.000	12:16:09	2	2500	100	0	0	0	0	0	1.0	5
1140P1	979.000	12:16:17	1	2500	100	0	0	0	0	0	0.9	5
1140P1	978.000	12:16:26	2	2500	100	0	0	0	0	0	1.1	5
1140P1	977.000	12:16:34	1	2500	100	0	0	0	0	0	0.3	5
1140P1	976.000	12:16:42	2	2500	100	0	0	0	0	0	0.8	5
1140P1	975.000	12:16:50	1	2500	100	0	0	0	0	0	0.7	5
1140P1	974.000	12:16:58	2	2500	100	0	0	0	0	0	1.1	5
1140P1	973.000	12:17:07	1	2500	100	0	0	0	0	0	0.8	5
1140P1	972.000	12:17:15	2	2500	100	0	0	0	0	0	0.6	5
1140P1	971.000	12:17:23	1	2500	100	0	0	0	0	0	0.6	5
1140P1	970.000	12:17:31	2	2500	100	0	0	0	0	0	1.1	5
1140P1	969.000	12:17:39	1	2500	100	0	0	0	0	0	0.7	5

GCS90 Log Line 1140P1

Page 35/37

26/10/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	968.000	12:17:47	2	2500	100	0	0	0	0	1.1	5
1140P1	967.000	12:17:55	1	2500	100	0	0	0	0	0.6	5
1140P1	966.000	12:18:04	2	2500	100	0	0	0	0	0.6	5
1140P1	965.000	12:18:12	1	2500	100	0	0	0	0	0.5	5
1140P1	964.000	12:18:20	2	2500	100	0	0	0	0	0.9	5
1140P1	963.000	12:18:28	1	2500	100	0	0	0	0	0.9	5
1140P1	962.000	12:18:36	2	2500	100	0	0	0	0	0.8	5
1140P1	961.000	12:18:44	1	2500	100	0	0	0	0	0.5	5
1140P1	960.000	12:18:52	2	2500	100	0	0	0	0	1.1	5
1140P1	959.000	12:19:00	1	2500	100	0	0	0	0	0.8	5
1140P1	958.000	12:19:09	2	2500	100	0	0	0	0	0.9	5
1140P1	957.000	12:19:17	1	2500	100	0	0	0	0	0.5	5
1140P1	956.000	12:19:25	2	2500	100	0	0	0	0	1.1	5
1140P1	955.000	12:19:33	1	2500	100	0	0	0	0	0.7	5
1140P1	954.000	12:19:41	2	2500	100	0	0	0	0	0.6	5
1140P1	953.000	12:19:49	1	2500	100	0	0	0	0	0.5	5
1140P1	952.000	12:19:57	2	2500	100	0	0	0	0	0.8	5
1140P1	951.000	12:20:05	1	2500	100	0	0	0	0	0.9	5
1140P1	950.000	12:20:13	2	2500	100	0	0	0	0	1.3	5
1140P1	949.000	12:20:22	1	2500	100	0	0	0	0	1.1	5
1140P1	948.000	12:20:30	2	2500	100	0	0	0	0	0.7	5
1140P1	947.000	12:20:38	1	2500	100	0	0	0	0	0.5	5
1140P1	946.000	12:20:46	2	2500	100	0	0	0	0	0.5	5
1140P1	945.000	12:20:54	1	2500	100	0	0	0	0	0.7	5
1140P1	944.000	12:21:02	2	2500	100	0	0	0	0	0.9	5
1140P1	943.000	12:21:11	1	2500	100	0	0	0	0	0.8	5
1140P1	942.000	12:21:19	2	2500	100	0	0	0	0	0.8	5
1140P1	941.000	12:21:27	1	2500	100	0	0	0	0	0.9	5
1140P1	940.000	12:21:35	2	2500	100	0	0	0	0	0.9	5
1140P1	939.000	12:21:43	1	2500	100	0	0	0	0	1.1	5
1140P1	938.000	12:21:51	2	2500	100	0	0	0	0	1.3	5
1140P1	937.000	12:21:59	1	2500	100	0	0	0	0	0.6	5
1140P1	936.000	12:22:07	2	2500	100	0	0	0	0	1.4	5
1140P1	935.000	12:22:15	1	2500	100	0	0	0	0	0.9	5
1140P1	934.000	12:22:24	2	2500	100	0	0	0	0	0.6	5
1140P1	933.000	12:22:32	1	2500	100	0	0	0	0	1.2	5
1140P1	932.000	12:22:40	2	2500	100	0	0	0	0	1.9	5
DELTA ERR: 1 - P6-1											
1140P1	931.000	12:22:48	1	2500	100	0	0	0	0	0.5	5
1140P1	930.000	12:22:56	2	2500	100	0	0	0	0	0.8	5
1140P1	929.000	12:23:04	1	2500	100	0	0	0	0	0.7	5
1140P1	928.000	12:23:12	2	2500	100	0	0	0	0	0.9	5
1140P1	927.000	12:23:21	1	2500	100	0	0	0	0	0.4	5
1140P1	926.000	12:23:29	2	2500	100	0	0	0	0	1.0	5
1140P1	925.000	12:23:37	1	2500	100	0	0	0	0	0.7	5
1140P1	924.000	12:23:45	2	2500	100	0	0	0	0	1.1	5
1140P1	923.000	12:23:53	1	2500	100	0	0	0	0	1.4	5
1140P1	922.000	12:24:01	2	2500	100	0	0	0	0	0.6	5
1140P1	921.000	12:24:09	1	2500	100	0	0	0	0	0.7	5
1140P1	920.000	12:24:18	2	2500	100	0	0	0	0	0.7	5
1140P1	919.000	12:24:26	1	2500	100	0	0	0	0	0.8	5
1140P1	918.000	12:24:34	2	2500	100	0	0	0	0	1.2	5
1140P1	917.000	12:24:42	1	2500	100	0	0	0	0	0.4	5
1140P1	916.000	12:24:50	2	2500	100	0	0	0	0	1.0	5
1140P1	915.000	12:24:59	1	2500	100	0	0	0	0	1.1	5
1140P1	914.000	12:25:07	2	2500	100	0	0	0	0	0.5	5
1140P1	913.000	12:25:15	1	2500	100	0	0	0	0	0.9	5

Page 36/37

26/10/03				VOLUME			AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1140P1	912.000	12:25:23	2	2500	100	0	0	0	0	0	1.1	5
1140P1	911.000	12:25:31	1	2500	100	0	0	0	0	0	0.6	5
1140P1	910.000	12:25:39	2	2500	100	0	0	0	0	0	0.9	5
1140P1	909.000	12:25:48	1	2500	100	0	0	0	0	0	0.5	5
1140P1	908.000	12:25:56	2	2500	100	0	0	0	0	1	2.1E	6
DELTA ERR: 1 - P6-1												
1140P1	907.000	12:26:04	1	2500	100	0	0	0	0	0	0.4	6
1140P1	906.000	12:26:12	2	2500	100	0	0	0	0	0	0.8	6
1140P1	905.000	12:26:20	1	2500	100	0	0	0	0	0	1.1	6
1140P1	904.000	12:26:28	2	2500	100	0	0	0	0	0	1.0	6
1140P1	903.000	12:26:36	1	2500	100	0	0	0	0	0	0.7	6
1140P1	902.000	12:26:45	2	2500	100	0	0	0	0	0	1.2	6
1140P1	901.000	12:26:53	1	2500	100	0	0	0	0	0	0.7	6
1140P1	900.000	12:27:01	2	2500	100	0	0	0	0	0	1.5	6
1140P1	899.000	12:27:09	1	2500	100	0	0	0	0	0	0.5	6
1140P1	898.000	12:27:17	2	2500	100	0	0	0	0	0	1.0	6
1140P1	897.000	12:27:25	1	2500	100	0	0	0	0	0	0.4	6
1140P1	896.000	12:27:33	2	2500	100	0	0	0	0	0	0.9	6
1140P1	895.000	12:27:42	1	2500	100	0	0	0	0	0	1.2	6
1140P1	894.000	12:27:50	2	2500	100	0	0	0	0	0	1.5	6
1140P1	893.000	12:27:58	1	2500	100	0	0	0	0	0	1.2	6
1140P1	892.000	12:28:06	2	2500	100	0	0	0	0	0	0.7	6
1140P1	891.000	12:28:14	1	2500	100	0	0	0	0	0	1.5	6
1140P1	890.000	12:28:22	2	2500	100	0	0	0	0	0	0.6	6
1140P1	889.000	12:28:30	1	2500	100	0	0	0	0	0	0.8	6

GCS90 Log Line 1140P1

Page 37/37

STATISTICS SUMMARY LINE:1140P1 SHOT: 888.000 12:28:30 26/10/03

ARRAY	SUB	GUN	TOTAL	DELT	MISS	AUTO	BAD	HCOUNT	2*QC	DELTA VARIATION		>QC	>2*QC	LOW	DEPTH	
										QC	OK				HIGH	
Port	6	1	999	13	0	0	1.3	438748	0	13	986	0	0	0	0	0
Port	6	2	999	0	0	0	0.0	434522	0	0	999	0	0	0	0	0
Port	6	3	999	0	0	0	0.0	439396	0	0	999	0	0	0	0	0
Port	6	4	0	0	0	0	0.0	8982	0	0	0	0	0	0	0	0
Port	6	5	0	0	0	0	0.0	280496	0	0	0	0	0	0	0	0
Port	6	6	999	0	0	0	0.0	439639	0	0	999	0	0	0	0	0
Port	6	7	999	0	0	0	0.0	439462	0	0	999	0	0	0	0	0
Port	6	8	0	0	0	0	0.0	282433	0	0	0	0	0	0	0	0
Port	6	9	999	0	0	0	0.0	436676	0	0	999	0	0	0	0	0
Port	6	10	999	0	0	0	0.0	437515	0	0	999	0	0	0	0	0
Port	6	11	999	0	0	0	0.0	437270	0	0	999	0	0	0	0	0
Port	5	1	999	0	0	0	0.0	438773	0	0	999	0	0	0	0	0
Port	5	2	999	0	0	0	0.0	439144	0	0	999	0	0	0	0	0
Port	5	3	0	0	0	0	0.0	279644	0	0	0	0	0	0	0	0
Port	5	4	999	0	0	0	0.0	73644	0	0	999	0	0	0	0	0
Port	5	5	999	0	0	0	0.0	439324	0	0	999	0	0	0	0	0
Port	5	6	999	0	0	0	0.0	440553	0	0	999	0	0	0	0	0
Port	5	8	999	0	0	0	0.0	439449	0	0	999	0	0	0	0	0
Port	5	9	0	0	0	0	0.0	677	0	0	0	0	0	0	0	0
Port	5	10	0	0	0	0	0.0	279435	0	0	0	0	0	0	0	0
Port	5	11	0	0	0	0	0.0	6936	0	0	0	0	0	0	0	0
Port	4	1	999	0	0	0	0.0	436340	0	0	999	0	0	0	0	0
Port	4	2	0	0	0	0	0.0	283920	0	0	0	0	0	0	0	0
Port	4	3	999	0	0	0	0.0	435486	0	0	999	0	0	0	0	0
Port	4	4	999	0	0	0	0.0	438955	0	0	999	0	0	0	0	0
Port	4	5	999	0	0	0	0.0	438980	0	0	999	0	0	0	0	0
Port	4	6	999	0	0	0	0.0	435665	0	0	999	0	0	0	0	0
Port	4	7	0	0	0	0	0.0	280463	0	0	0	0	0	0	0	0
Port	4	8	0	0	0	0	0.0	257261	0	0	0	0	0	0	0	0
Port	4	9	999	0	0	0	0.0	183750	0	0	999	0	0	0	0	0
Port	4	10	999	0	0	0	0.0	439381	0	0	999	0	0	0	0	0
Port	4	11	999	0	0	0	0.0	437850	0	0	999	0	0	0	0	0
Starboard	3	1	999	0	0	0	0.0	239901	0	0	999	0	0	4	0	0
Starboard	3	2	999	0	0	0	0.0	240989	0	0	999	0	0	0	0	0
Starboard	3	3	999	0	0	0	0.0	241452	0	0	999	0	0	0	0	0
Starboard	3	4	0	0	0	0	0.0	3515	0	0	0	0	0	0	0	0
Starboard	3	5	0	0	0	0	0.0	213487	0	0	0	0	0	0	0	0
Starboard	3	6	999	0	0	0	0.0	241523	0	0	999	0	0	0	0	0
Starboard	3	7	999	0	0	0	0.0	240140	0	0	999	0	0	0	0	0
Starboard	3	8	0	0	0	0	0.0	213619	0	0	0	0	0	0	0	0
Starboard	3	9	999	0	0	0	0.0	241495	0	0	999	0	0	0	0	0
Starboard	3	10	999	0	0	0	0.0	240706	0	0	999	0	0	0	0	0
Starboard	3	11	999	0	0	0	0.0	241065	0	0	999	0	0	8	0	0
Starboard	2	1	999	0	0	0	0.0	249768	0	0	999	0	0	0	0	0
Starboard	2	2	999	0	0	0	0.0	250310	0	0	999	0	0	0	0	0
Starboard	2	3	0	0	0	0	0.0	222256	0	0	0	0	0	0	0	0
Starboard	2	4	0	0	0	0	0.0	9576	0	0	0	0	0	0	0	0
Starboard	2	5	999	0	0	0	0.0	250198	0	0	999	0	0	0	0	0
Starboard	2	6	999	0	0	0	0.0	250918	0	0	999	0	0	0	0	0
Starboard	2	7	999	0	0	0	0.0	250363	0	0	999	0	0	0	0	0
Starboard	2	8	999	0	0	0	0.0	250035	0	0	999	0	0	0	0	0
Starboard	2	9	0	0	0	0	0.0	9706	0	0	0	0	0	0	0	0
Starboard	2	10	0	0	0	0	0.0	221328	0	0	0	0	0	0	0	0
Starboard	2	11	0	0	0	0	0.0	12488	0	0	0	0	0	0	0	0
Starboard	1	1	999	0	0	0	0.0	266475	0	0	999	0	0	0	0	0
Starboard	1	2	0	0	0	0	0.0	237653	0	0	0	0	0	0	0	0
Starboard	1	3	999	0	0	0	0.0	266328	0	0	999	0	0	0	0	0
Starboard	1	4	999	0	0	0	0.0	80387	0	0	999	0	0	0	0	0
Starboard	1	5	999	0	0	0	0.0	266635	0	0	999	0	0	0	0	0
Starboard	1	6	999	0	0	0	0.0	266805	0	0	999	0	0	0	0	0
Starboard	1	7	0	0	0	0	0.0	238606	0	0	0	0	0	0	0	0
Starboard	1	8	0	0	0	0	0.0	240998	0	0	0	0	0	0	0	0
Starboard	1	9	999	0	0	0	0.0	48259	0	0	999	0	0	0	0	0
Starboard	1	10	999	0	0	0	0.0	262377	0	0	999	0	0	0	0	0
Starboard	1	11	999	0	0	0	0.0	261641	0	0	999	0	0	0	0	0

SOURCE STATISTICS

SOURCE	SHOTS	DELTA	VOL	AUTO	BAD
1	999	0	0	0	0.0
2	999	0	0	0	0.0