

GCS90 Log Line 1212P2

Page 1/6

10/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1212P2	1988.000	6:39:41	2	2500	100	0	0	0	0	0 0.6	0
1212P2	1987.000	6:39:49	1	2500	100	0	0	0	0	0 1.3	0
1212P2	1986.000	6:39:58	2	2500	100	0	0	0	0	0 1.0	0
1212P2	1985.000	6:40:06	1	2500	100	0	0	0	0	0 1.1	0
1212P2	1984.000	6:40:15	2	2500	100	0	0	0	0	0 0.9	0
1212P2	1983.000	6:40:24	1	2500	100	0	0	0	0	0 0.9	0
1212P2	1982.000	6:40:32	2	2500	100	0	0	0	0	0 0.7	0
1212P2	1981.000	6:40:41	1	2500	100	0	0	0	0	0 0.8	0
1212P2	1980.000	6:40:49	2	2500	100	0	0	0	0	0 0.9	0
1212P2	1979.000	6:40:58	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1978.000	6:41:07	2	2500	100	0	0	0	0	0 0.9	0
1212P2	1977.000	6:41:15	1	2500	100	0	0	0	0	0 1.3	0
1212P2	1976.000	6:41:24	2	2500	100	0	0	0	0	0 0.6	0
1212P2	1975.000	6:41:32	1	2500	100	0	0	0	0	0 1.1	0
1212P2	1974.000	6:41:41	2	2500	100	0	0	0	0	0 1.4	0
1212P2	1973.000	6:41:49	1	2500	100	0	0	0	0	0 1.0	0
1212P2	1972.000	6:41:58	2	2500	100	0	0	0	0	0 1.3	0
1212P2	1971.000	6:42:07	1	2500	100	0	0	0	0	0 1.2	0
1212P2	1970.000	6:42:15	2	2500	100	0	0	0	0	0 1.0	0
1212P2	1969.000	6:42:24	1	2500	100	0	0	0	0	0 0.4	0
1212P2	1968.000	6:42:32	2	2500	100	0	0	0	0	0 0.9	0
1212P2	1967.000	6:42:41	1	2500	100	0	0	0	0	0 0.9	0
1212P2	1966.000	6:42:50	2	2500	100	0	0	0	0	0 0.9	0
1212P2	1965.000	6:42:58	1	2500	100	0	0	0	0	0 0.6	0
1212P2	1964.000	6:43:07	2	2500	100	0	0	0	0	0 1.3	0
1212P2	1963.000	6:43:15	1	2500	100	0	0	0	0	0 0.5	0
1212P2	1962.000	6:43:24	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1961.000	6:43:33	1	2500	100	0	0	0	0	0 1.0	0
1212P2	1960.000	6:43:41	2	2500	100	0	0	0	0	0 0.6	0
1212P2	1959.000	6:43:50	1	2500	100	0	0	0	0	0 1.4	0
1212P2	1958.000	6:43:58	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1957.000	6:44:07	1	2500	100	0	0	0	0	0 1.4	0
1212P2	1956.000	6:44:15	2	2500	100	0	0	0	0	0 1.2	0
1212P2	1955.000	6:44:24	1	2500	100	0	0	0	0	0 0.6	0
1212P2	1954.000	6:44:33	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1953.000	6:44:41	1	2500	100	0	0	0	0	0 1.5	0
1212P2	1952.000	6:44:50	2	2500	100	0	0	0	0	0 0.7	0
1212P2	1951.000	6:44:59	1	2500	100	0	0	0	0	0 1.2	0
1212P2	1950.000	6:45:07	2	2500	100	0	0	0	0	0 1.1	0
1212P2	1949.000	6:45:16	1	2500	100	0	0	0	0	0 0.9	0
1212P2	1948.000	6:45:24	2	2500	100	0	0	0	0	0 1.4	0
1212P2	1947.000	6:45:33	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1946.000	6:45:42	2	2500	100	0	0	0	0	0 0.6	0
1212P2	1945.000	6:45:50	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1944.000	6:45:59	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1943.000	6:46:08	1	2500	100	0	0	0	0	0 0.6	0
1212P2	1942.000	6:46:16	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1941.000	6:46:25	1	2500	100	0	0	0	0	0 0.5	0
1212P2	1940.000	6:46:34	2	2500	100	0	0	0	0	0 1.1	0
1212P2	1939.000	6:46:42	1	2500	100	0	0	0	0	0 0.8	0
1212P2	1938.000	6:46:51	2	2500	100	0	0	0	0	0 0.7	0
1212P2	1937.000	6:47:00	1	2500	100	0	0	0	0	0 0.4	0
1212P2	1936.000	6:47:09	2	2500	100	0	0	0	0	0 1.0	0
1212P2	1935.000	6:47:17	1	2500	100	0	0	0	0	0 1.3	0
1212P2	1934.000	6:47:26	2	2500	100	0	0	0	0	0 0.9	0
1212P2	1933.000	6:47:35	1	2500	100	0	0	0	0	0 1.1	0
1212P2	1932.000	6:47:43	2	2500	100	0	0	0	0	0 1.1	0

GCS90 Log Line 1212P2

Page 2/6

10/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1212P2	1931.000	6:47:52	1	2500	100	0	0	0	0	0 1.1	0
1212P2	1930.000	6:48:01	2	2500	100	0	0	0	0	0 0.7	0
1212P2	1929.000	6:48:09	1	2500	100	0	0	0	0	0 0.9	0
1212P2	1928.000	6:48:18	2	2500	100	0	0	0	0	0 0.6	0
1212P2	1927.000	6:48:27	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1926.000	6:48:35	2	2500	100	0	0	0	0	0 0.6	0
1212P2	1925.000	6:48:44	1	2500	100	0	0	0	0	0 0.9	0
1212P2	1924.000	6:48:53	2	2500	100	0	0	0	0	0 1.1	0
1212P2	1923.000	6:49:01	1	2500	100	0	0	0	0	0 0.9	0
1212P2	1922.000	6:49:10	2	2500	100	0	0	0	0	0 1.1	0
1212P2	1921.000	6:49:19	1	2500	100	0	0	0	0	0 1.2	0
1212P2	1920.000	6:49:27	2	2500	100	0	0	0	0	0 0.6	0
1212P2	1919.000	6:49:36	1	2500	100	0	0	0	0	0 1.3	0
1212P2	1918.000	6:49:45	2	2500	100	0	0	0	0	0 0.9	0
1212P2	1917.000	6:49:53	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1916.000	6:50:02	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1915.000	6:50:11	1	2500	100	0	0	0	0	0 1.0	0
1212P2	1914.000	6:50:19	2	2500	100	0	0	0	0	0 1.1	0
1212P2	1913.000	6:50:28	1	2500	100	0	0	0	0	0 0.8	0
1212P2	1912.000	6:50:37	2	2500	100	0	0	0	0	0 1.2	0
1212P2	1911.000	6:50:46	1	2500	100	0	0	0	0	0 0.9	0
1212P2	1910.000	6:50:55	2	2500	100	0	0	0	0	0 1.0	0
1212P2	1909.000	6:51:03	1	2500	100	0	0	0	0	0 1.2	0
1212P2	1908.000	6:51:12	2	2500	100	0	0	0	0	0 0.7	0
1212P2	1907.000	6:51:21	1	2500	100	0	0	0	0	0 1.1	0
1212P2	1906.000	6:51:30	2	2500	100	0	0	0	0	0 0.9	0
1212P2	1905.000	6:51:38	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1904.000	6:51:47	2	2500	100	0	0	0	0	0 0.7	0
1212P2	1903.000	6:51:56	1	2500	100	0	0	0	0	0 0.9	0
1212P2	1902.000	6:52:04	2	2500	100	0	0	0	0	0 1.1	0
1212P2	1901.000	6:52:13	1	2500	100	0	0	0	0	0 0.6	0
1212P2	1900.000	6:52:22	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1899.000	6:52:30	1	2500	100	0	0	0	0	0 1.0	0
1212P2	1898.000	6:52:39	2	2500	100	0	0	0	0	0 1.1	0
1212P2	1897.000	6:52:48	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1896.000	6:52:56	2	2500	100	0	0	0	0	0 0.6	0
1212P2	1895.000	6:53:05	1	2500	100	0	0	0	0	0 0.9	0
1212P2	1894.000	6:53:14	2	2500	100	0	0	0	0	0 0.9	0
1212P2	1893.000	6:53:22	1	2500	100	0	0	0	0	0 1.1	0
1212P2	1892.000	6:53:31	2	2500	100	0	0	0	0	0 0.7	0
1212P2	1891.000	6:53:40	1	2500	100	0	0	0	0	0 0.5	0
1212P2	1890.000	6:53:48	2	2500	100	0	0	0	0	0 0.5	0
1212P2	1889.000	6:53:57	1	2500	100	0	0	0	0	0 1.3	0
1212P2	1888.000	6:54:06	2	2500	100	0	0	0	0	0 0.6	0
1212P2	1887.000	6:54:15	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1886.000	6:54:23	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1885.000	6:54:32	1	2500	100	0	0	0	0	0 1.1	0
1212P2	1884.000	6:54:41	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1883.000	6:54:50	1	2500	100	0	0	0	0	0 0.8	0
1212P2	1882.000	6:54:58	2	2500	100	0	0	0	0	0 1.3	0
1212P2	1881.000	6:55:07	1	2500	100	0	0	0	0	0 1.0	0
1212P2	1880.000	6:55:16	2	2500	100	0	0	0	0	0 0.9	0
1212P2	1879.000	6:55:25	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1878.000	6:55:33	2	2500	100	0	0	0	0	0 0.7	0
1212P2	1877.000	6:55:42	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1876.000	6:55:51	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1875.000	6:56:00	1	2500	100	0	0	0	0	0 1.2	0

GCS90 Log Line 1212P2

Page 3/6

10/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1212P2	1874.000	6:56:08	2	2500	100	0	0	0	0	0 0.5	0
1212P2	1873.000	6:56:17	1	2500	100	0	0	0	0	0 1.2	0
1212P2	1872.000	6:56:26	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1871.000	6:56:35	1	2500	100	0	0	0	0	0 0.6	0
1212P2	1870.000	6:56:44	2	2500	100	0	0	0	0	0 1.1	0
1212P2	1869.000	6:56:52	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1868.000	6:57:01	2	2500	100	0	0	0	0	0 0.5	0
1212P2	1867.000	6:57:10	1	2500	100	0	0	0	0	0 1.3	0
1212P2	1866.000	6:57:19	2	2500	100	0	0	0	0	0 0.7	0
1212P2	1865.000	6:57:27	1	2500	100	0	0	0	0	0 1.2	0
1212P2	1864.000	6:57:36	2	2500	100	0	0	0	0	0 1.3	0
1212P2	1863.000	6:57:45	1	2500	100	0	0	0	0	0 0.9	0
1212P2	1862.000	6:57:53	2	2500	100	0	0	0	0	0 1.0	0
1212P2	1861.000	6:58:02	1	2500	100	0	0	0	0	0 0.6	0
1212P2	1860.000	6:58:11	2	2500	100	0	0	0	0	0 0.7	0
1212P2	1859.000	6:58:19	1	2500	100	0	0	0	0	0 0.9	0
1212P2	1858.000	6:58:28	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1857.000	6:58:37	1	2500	100	0	0	0	0	0 1.6	0
1212P2	1856.000	6:58:46	2	2500	100	0	0	0	0	0 0.7	0
1212P2	1855.000	6:58:55	1	2500	100	0	0	0	0	0 0.8	0
1212P2	1854.000	6:59:03	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1853.000	6:59:12	1	2500	100	0	0	0	0	0 0.8	0
1212P2	1852.000	6:59:21	2	2500	100	0	0	0	0	0 0.9	0
1212P2	1851.000	6:59:30	1	2500	100	0	0	0	0	0 1.3	0
1212P2	1850.000	6:59:39	2	2500	100	0	0	0	0	0 0.8	0
1212P2	1849.000	6:59:47	1	2500	100	0	0	0	0	0 0.7	0
1212P2	1848.000	6:59:56	2	2500	100	0	0	0	0	1 2.1E	1
DELTA ERR: 1 - P6-1											
1212P2	1847.000	7:00:05	1	2500	100	0	0	0	0	0 1.1	1
1212P2	1846.000	7:00:14	2	2500	100	0	0	0	0	0 1.1	1
1212P2	1845.000	7:00:22	1	2500	100	0	0	0	0	0 1.0	1
1212P2	1844.000	7:00:31	2	2500	100	0	0	0	0	0 1.4	1
1212P2	1843.000	7:00:40	1	2500	100	0	0	0	0	0 0.5	1
1212P2	1842.000	7:00:49	2	2500	100	0	0	0	0	0 1.0	1
1212P2	1841.000	7:00:57	1	2500	100	0	0	0	0	0 0.7	1
1212P2	1840.000	7:01:06	2	2500	100	0	0	0	0	0 0.6	1
1212P2	1839.000	7:01:15	1	2500	100	0	0	0	0	0 1.0	1
1212P2	1838.000	7:01:24	2	2500	100	0	0	0	0	0 0.6	1
1212P2	1837.000	7:01:33	1	2500	100	0	0	0	0	0 0.8	1
1212P2	1836.000	7:01:41	2	2500	100	0	0	0	0	0 0.5	1
1212P2	1835.000	7:01:50	1	2500	100	0	0	0	0	0 0.8	1
1212P2	1834.000	7:01:59	2	2500	100	0	0	0	0	0 1.0	1
1212P2	1833.000	7:02:07	1	2500	100	0	0	0	0	0 0.5	1
1212P2	1832.000	7:02:16	2	2500	100	0	0	0	0	0 1.2	1
1212P2	1831.000	7:02:25	1	2500	100	0	0	0	0	0 1.0	1
1212P2	1830.000	7:02:33	2	2500	100	0	0	0	0	0 1.0	1
1212P2	1829.000	7:02:42	1	2500	100	0	0	0	0	0 1.0	1
1212P2	1828.000	7:02:51	2	2500	100	0	0	0	0	0 0.8	1
1212P2	1827.000	7:03:00	1	2500	100	0	0	0	0	0 1.0	1
1212P2	1826.000	7:03:08	2	2500	100	0	0	0	0	0 0.9	1
1212P2	1825.000	7:03:17	1	2500	100	0	0	0	0	0 0.6	1
1212P2	1824.000	7:03:26	2	2500	100	0	0	0	0	0 1.2	1
1212P2	1823.000	7:03:35	1	2500	100	0	0	0	0	0 0.5	1
1212P2	1822.000	7:03:43	2	2500	100	0	0	0	0	0 1.2	1
1212P2	1821.000	7:03:52	1	2500	100	0	0	0	0	0 0.8	1
1212P2	1820.000	7:04:01	2	2500	100	0	0	0	0	0 0.5	1
1212P2	1819.000	7:04:10	1	2500	100	0	0	0	0	0 0.7	1

GCS90 Log Line 1212P2

Page 4/6

10/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1212P2	1818.000	7:04:18	2	2500	100	0	0	0	0	0 0.6	1
1212P2	1817.000	7:04:27	1	2500	100	0	0	0	0	0 0.5	1
1212P2	1816.000	7:04:36	2	2500	100	0	0	0	0	0 0.8	1
1212P2	1815.000	7:04:45	1	2500	100	0	0	0	0	0 0.9	1
1212P2	1814.000	7:04:53	2	2500	100	0	0	0	0	0 0.8	1
1212P2	1813.000	7:05:02	1	2500	100	0	0	0	0	0 0.9	1
1212P2	1812.000	7:05:11	2	2500	100	0	0	0	0	0 0.9	1
1212P2	1811.000	7:05:20	1	2500	100	0	0	0	0	0 0.4	1
1212P2	1810.000	7:05:29	2	2500	100	0	0	0	0	0 0.7	1
1212P2	1809.000	7:05:37	1	2500	100	0	0	0	0	0 0.4	1
1212P2	1808.000	7:05:46	2	2500	100	0	0	0	0	0 0.9	1
1212P2	1807.000	7:05:55	1	2500	100	0	0	0	0	0 0.8	1
1212P2	1806.000	7:06:04	2	2500	100	0	0	0	0	0 0.9	1
1212P2	1805.000	7:06:13	1	2500	100	0	0	0	0	0 0.6	1
1212P2	1804.000	7:06:22	2	2500	100	0	0	0	0	0 0.5	1
1212P2	1803.000	7:06:30	1	2500	100	0	0	0	0	0 0.5	1
1212P2	1802.000	7:06:39	2	2500	100	0	0	0	0	0 1.3	1
1212P2	1801.000	7:06:48	1	2500	100	0	0	0	0	0 1.3	1
1212P2	1800.000	7:06:57	2	2500	100	0	0	0	0	0 0.7	1
1212P2	1799.000	7:07:06	1	2500	100	0	0	0	0	0 1.2	1
1212P2	1798.000	7:07:15	2	2500	100	0	0	0	0	0 1.0	1
1212P2	1797.000	7:07:24	1	2500	100	0	0	0	0	0 1.1	1
1212P2	1796.000	7:07:32	2	2500	100	0	0	0	0	0 0.4	1
1212P2	1795.000	7:07:41	1	2500	100	0	0	0	0	0 0.7	1
1212P2	1794.000	7:07:50	2	2500	100	0	0	0	0	0 0.9	1
1212P2	1793.000	7:07:59	1	2500	100	0	0	0	0	0 0.5	1
1212P2	1792.000	7:08:08	2	2500	100	0	0	0	0	0 0.8	1
1212P2	1791.000	7:08:16	1	2500	100	0	0	0	0	0 1.3	1
1212P2	1790.000	7:08:25	2	2500	100	0	0	0	0	0 0.7	1
1212P2	1789.000	7:08:34	1	2500	100	0	0	0	0	0 1.7	1
1212P2	1788.000	7:08:43	2	2500	100	0	0	0	0	0 0.8	1
1212P2	1787.000	7:08:51	1	2500	100	0	0	0	0	0 0.9	1
1212P2	1786.000	7:09:00	2	2500	100	0	0	0	0	0 1.1	1
1212P2	1785.000	7:09:09	1	2500	100	0	0	0	0	0 1.4	1
1212P2	1784.000	7:09:18	2	2500	100	0	0	0	0	0 0.4	1
1212P2	1783.000	7:09:26	1	2500	100	0	0	0	0	0 1.0	1
1212P2	1782.000	7:09:35	2	2500	100	0	0	0	0	0 1.4	1
1212P2	1781.000	7:09:44	1	2500	100	0	0	0	0	0 1.0	1
1212P2	1780.000	7:09:52	2	2500	100	0	0	0	0	0 1.0	1
1212P2	1779.000	7:10:01	1	2500	100	0	0	0	0	0 0.8	1
1212P2	1778.000	7:10:10	2	2500	100	0	0	0	0	0 1.1	1
1212P2	1777.000	7:10:19	1	2500	100	0	0	0	0	0 1.0	1
1212P2	1776.000	7:10:28	2	2500	100	0	0	0	0	0 1.3	1
1212P2	1775.000	7:10:36	1	2500	100	0	0	0	0	0 0.8	1
1212P2	1774.000	7:10:45	2	2500	100	0	0	0	0	0 0.9	1
1212P2	1773.000	7:10:54	1	2500	100	0	0	0	0	0 1.2	1
1212P2	1772.000	7:11:03	2	2500	100	0	0	0	0	0 0.5	1
1212P2	1771.000	7:11:12	1	2500	100	0	0	0	0	0 1.4	1
1212P2	1770.000	7:11:20	2	2500	100	0	0	0	0	0 0.8	1
1212P2	1769.000	7:11:29	1	2500	100	0	0	0	0	0 1.1	1
1212P2	1768.000	7:11:38	2	2500	100	0	0	0	0	0 0.8	1
1212P2	1767.000	7:11:47	1	2500	100	0	0	0	0	0 1.4	1
1212P2	1766.000	7:11:56	2	2500	100	0	0	0	0	0 1.3	1
1212P2	1765.000	7:12:05	1	2500	100	0	0	0	0	0 0.7	1
1212P2	1764.000	7:12:14	2	2500	100	0	0	0	0	0 1.3	1
1212P2	1763.000	7:12:23	1	2500	100	0	0	0	0	0 1.0	1
1212P2	1762.000	7:12:32	2	2500	100	0	0	0	0	0 0.4	1

GCS90 Log Line 1212P2

10/11/03					VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT	
1212P2	1761.000	7:12:40	1	2500	100	0	0	0	0	0 0.8	1	
1212P2	1760.000	7:12:49	2	2500	100	0	0	0	0	0 0.7	1	
1212P2	1759.000	7:12:58	1	2500	100	0	0	0	0	0 1.3	1	
1212P2	1758.000	7:13:07	2	2500	100	0	0	0	0	0 0.9	1	

GCS90 Log Line 1212P2

Page 6/6

STATISTICS SUMMARY LINE:1212P2 SHOT: 1757.000 7:13:07 10/11/03

ARRAY	SUB	GUN	TOTAL	DELT	MISS	AUTO	BAD	HCOUNT	2*QC	DELTA VARIATION				DEPTH	
										QC	OK	>QC	>2*QC	LOW	HIGH
Port	6	1	116	1	0	0	0.9	467737	0	1	115	0	0	0	0
Port	6	2	116	0	0	0	0.0	463511	0	0	116	0	0	0	0
Port	6	3	116	0	0	0	0.0	468385	0	0	116	0	0	0	0
Port	6	4	0	0	0	0	0.0	10032	0	0	0	0	0	0	0
Port	6	5	0	0	0	0	0.0	280547	0	0	0	0	0	0	0
Port	6	6	116	0	0	0	0.0	468628	0	0	116	0	0	0	0
Port	6	7	116	0	0	0	0.0	468451	0	0	116	0	0	0	0
Port	6	8	0	0	0	0	0.0	282484	0	0	0	0	0	0	0
Port	6	9	116	0	0	0	0.0	465665	0	0	116	0	0	0	0
Port	6	10	116	0	0	0	0.0	466504	0	0	116	0	0	0	0
Port	6	11	116	0	0	0	0.0	466259	0	0	116	0	0	0	0
Port	5	1	116	0	0	0	0.0	467762	0	0	116	0	0	0	0
Port	5	2	116	0	0	0	0.0	468133	0	0	116	0	0	0	0
Port	5	3	0	0	0	0	0.0	279644	0	0	0	0	0	0	0
Port	5	4	116	0	0	0	0.0	102633	0	0	116	0	0	0	0
Port	5	5	116	0	0	0	0.0	468313	0	0	116	0	0	0	0
Port	5	6	116	0	0	0	0.0	469542	0	0	116	0	0	0	0
Port	5	8	116	0	0	0	0.0	468438	0	0	116	0	0	0	0
Port	5	9	0	0	0	0	0.0	677	0	0	0	0	0	0	0
Port	5	10	0	0	0	0	0.0	279486	0	0	0	0	0	0	0
Port	5	11	0	0	0	0	0.0	6986	0	0	0	0	0	0	0
Port	4	1	116	0	0	0	0.0	465329	0	0	116	0	0	0	0
Port	4	2	0	0	0	0	0.0	283971	0	0	0	0	0	0	0
Port	4	3	116	0	0	0	0.0	463476	0	0	116	0	0	0	0
Port	4	4	116	0	0	0	0.0	467944	0	0	116	0	0	0	0
Port	4	5	116	0	0	0	0.0	467969	0	0	116	0	0	0	0
Port	4	6	116	0	0	0	0.0	464654	0	0	116	0	0	0	0
Port	4	7	0	0	0	0	0.0	280514	0	0	0	0	0	0	0
Port	4	8	0	0	0	0	0.0	257312	0	0	0	0	0	0	0
Port	4	9	116	0	0	0	0.0	212739	0	0	116	0	0	0	0
Port	4	10	116	0	0	0	0.0	468370	0	0	116	0	0	0	0
Port	4	11	116	0	0	0	0.0	466839	0	0	116	0	0	0	0
Starboard	3	1	115	0	0	0	0.0	268890	0	0	115	0	0	0	0
Starboard	3	2	115	0	0	0	0.0	269978	0	0	115	0	0	0	0
Starboard	3	3	115	0	0	0	0.0	270441	0	0	115	0	0	0	0
Starboard	3	4	0	0	0	0	0.0	3610	0	0	0	0	0	0	0
Starboard	3	5	0	0	0	0	0.0	213558	0	0	0	0	0	0	0
Starboard	3	6	115	0	0	0	0.0	270512	0	0	115	0	0	0	0
Starboard	3	7	115	0	0	0	0.0	269129	0	0	115	0	0	0	0
Starboard	3	8	0	0	0	0	0.0	213670	0	0	0	0	0	0	0
Starboard	3	9	115	0	0	0	0.0	270484	0	0	115	0	0	0	0
Starboard	3	10	115	0	0	0	0.0	269695	0	0	115	0	0	0	0
Starboard	3	11	115	0	0	0	0.0	270054	0	0	115	0	0	0	0
Starboard	2	1	115	0	0	0	0.0	278757	0	0	115	0	0	0	0
Starboard	2	2	115	0	0	0	0.0	279255	0	0	115	0	0	0	0
Starboard	2	3	0	0	0	0	0.0	222256	0	0	0	0	0	0	0
Starboard	2	4	0	0	0	0	0.0	9576	0	0	0	0	0	0	0
Starboard	2	5	115	0	0	0	0.0	279187	0	0	115	0	0	0	0
Starboard	2	6	115	0	0	0	0.0	279907	0	0	115	0	0	0	0
Starboard	2	7	115	0	0	0	0.0	279352	0	0	115	0	0	0	0
Starboard	2	8	115	0	0	0	0.0	279024	0	0	115	0	0	0	0
Starboard	2	9	0	0	0	0	0.0	9706	0	0	0	0	0	0	0
Starboard	2	10	0	0	0	0	0.0	221379	0	0	0	0	0	0	0
Starboard	2	11	0	0	0	0	0.0	12539	0	0	0	0	0	0	0
Starboard	1	1	115	0	0	0	0.0	295464	0	0	115	0	0	0	0
Starboard	1	2	0	0	0	0	0.0	237704	0	0	0	0	0	0	0
Starboard	1	3	115	0	0	0	0.0	295317	0	0	115	0	0	0	0
Starboard	1	4	115	0	0	0	0.0	109376	0	0	115	0	0	0	0
Starboard	1	5	115	0	0	0	0.0	295604	0	0	115	0	0	0	0
Starboard	1	6	115	0	0	0	0.0	295794	0	0	115	0	0	0	0
Starboard	1	7	0	0	0	0	0.0	238657	0	0	0	0	0	0	0
Starboard	1	8	0	0	0	0	0.0	242517	0	0	0	0	0	0	0
Starboard	1	9	115	0	0	0	0.0	77248	0	0	115	0	0	0	0
Starboard	1	10	115	0	0	0	0.0	291366	0	0	115	0	0	0	0
Starboard	1	11	115	0	0	0	0.0	289161	0	0	115	0	0	0	0

SOURCE STATISTICS

SOURCE	SHOTS	DELTA	VOL	AUTO	BAD
1	115	0	0	0	0.0
2	116	0	0	0	0.0