

GCS90 Log Line 1084I1

Page 1/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	951.000	19:20:53	1	2500	100	0	0	0	0	0 1.0	0
1084I1	952.000	19:21:02	2	2500	100	0	0	0	0	0 0.9	0
1084I1	953.000	19:21:11	1	2500	100	0	0	0	0	0 1.1	0
1084I1	954.000	19:21:19	2	2500	100	0	0	0	0	0 1.3	0
1084I1	955.000	19:21:28	1	2500	100	0	0	0	0	0 1.1	0
1084I1	956.000	19:21:37	2	2500	100	0	0	0	0	0 1.2	0
1084I1	957.000	19:21:45	1	2500	100	0	0	0	0	0 0.6	0
1084I1	958.000	19:21:54	2	2500	100	0	0	0	0	0 1.1	0
1084I1	959.000	19:22:02	1	2500	100	0	0	0	0	0 1.5	0
1084I1	960.000	19:22:11	2	2500	100	0	0	0	0	0 0.9	0
1084I1	961.000	19:22:20	1	2500	100	0	0	0	0	0 0.8	0
1084I1	962.000	19:22:28	2	2500	100	0	0	0	0	0 0.7	0
1084I1	963.000	19:22:37	1	2500	100	0	0	0	0	0 0.7	0
1084I1	964.000	19:22:45	2	2500	100	0	0	0	0	0 1.4	0
1084I1	965.000	19:22:54	1	2500	100	0	0	0	0	0 0.8	0
1084I1	966.000	19:23:03	2	2500	100	0	0	0	0	0 1.0	0
1084I1	967.000	19:23:11	1	2500	100	0	0	0	0	0 1.0	0
1084I1	968.000	19:23:20	2	2500	100	0	0	0	0	0 1.3	0
1084I1	969.000	19:23:28	1	2500	100	0	0	0	0	0 0.8	0
1084I1	970.000	19:23:37	2	2500	100	0	0	0	0	0 0.7	0
1084I1	971.000	19:23:46	1	2500	100	0	0	0	0	0 1.3	0
1084I1	972.000	19:23:54	2	2500	100	0	0	0	0	0 1.1	0
1084I1	973.000	19:24:03	1	2500	100	0	0	0	0	0 0.7	0
1084I1	974.000	19:24:12	2	2500	100	0	0	0	0	0 1.2	0
1084I1	975.000	19:24:20	1	2500	100	0	0	0	0	0 1.1	0
1084I1	976.000	19:24:29	2	2500	100	0	0	0	0	0 1.2	0
1084I1	977.000	19:24:38	1	2500	100	0	0	0	0	0 1.1	0
1084I1	978.000	19:24:46	2	2500	100	0	0	0	0	0 1.1	0
1084I1	979.000	19:24:55	1	2500	100	0	0	0	0	0 1.0	0
1084I1	980.000	19:25:04	2	2500	100	0	0	0	0	0 0.7	0
1084I1	981.000	19:25:12	1	2500	100	0	0	0	0	0 0.8	0
1084I1	982.000	19:25:21	2	2500	100	0	0	0	0	0 0.6	0
1084I1	983.000	19:25:30	1	2500	100	0	0	0	0	0 0.9	0
1084I1	984.000	19:25:38	2	2500	100	0	0	0	0	0 0.8	0
1084I1	985.000	19:25:47	1	2500	100	0	0	0	0	0 1.8	0
1084I1	986.000	19:25:56	2	2500	100	0	0	0	0	0 0.9	0
1084I1	987.000	19:26:04	1	2500	100	0	0	0	0	0 0.9	0
1084I1	988.000	19:26:13	2	2500	100	0	0	0	0	0 1.3	0
1084I1	989.000	19:26:21	1	2500	100	0	0	0	0	0 0.7	0
1084I1	990.000	19:26:30	2	2500	100	0	0	0	0	0 0.9	0
1084I1	991.000	19:26:38	1	2500	100	0	0	0	0	0 0.7	0
1084I1	992.000	19:26:47	2	2500	100	0	0	0	0	0 0.7	0
1084I1	993.000	19:26:56	1	2500	100	0	0	0	0	0 1.0	0
1084I1	994.000	19:27:04	2	2500	100	0	0	0	0	0 1.3	0
1084I1	995.000	19:27:13	1	2500	100	0	0	0	0	0 1.2	0
1084I1	996.000	19:27:21	2	2500	100	0	0	0	0	0 2.0E	1
1084I1	997.000	19:27:30	1	2500	100	0	0	0	0	0 0.4	1
1084I1	998.000	19:27:39	2	2500	100	0	0	0	0	0 0.7	1
1084I1	999.000	19:27:47	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1000.000	19:27:56	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1001.000	19:28:05	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1002.000	19:28:13	2	2500	100	0	0	0	0	0 1.5	1
1084I1	1003.000	19:28:22	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1004.000	19:28:30	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1005.000	19:28:39	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1006.000	19:28:47	2	2500	100	0	0	0	0	0 1.2	1
1084I1	1007.000	19:28:56	1	2500	100	0	0	0	0	1 1.8	1

DELTA ERR: 1 - S3-3

GCS90 Log Line 1084I1

Page 2/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1008.000	19:29:05	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1009.000	19:29:13	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1010.000	19:29:22	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1011.000	19:29:31	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1012.000	19:29:39	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1013.000	19:29:48	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1014.000	19:29:56	2	2500	100	0	0	0	0	0 0.5	1
1084I1	1015.000	19:30:05	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1016.000	19:30:13	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1017.000	19:30:22	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1018.000	19:30:30	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1019.000	19:30:39	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1020.000	19:30:48	2	2500	100	0	0	0	0	0 0.5	1
1084I1	1021.000	19:30:56	1	2500	100	0	0	0	0	0 1.2	1
1084I1	1022.000	19:31:05	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1023.000	19:31:13	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1024.000	19:31:22	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1025.000	19:31:30	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1026.000	19:31:39	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1027.000	19:31:47	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1028.000	19:31:56	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1029.000	19:32:05	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1030.000	19:32:13	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1031.000	19:32:22	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1032.000	19:32:30	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1033.000	19:32:39	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1034.000	19:32:48	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1035.000	19:32:56	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1036.000	19:33:05	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1037.000	19:33:14	1	2500	100	0	0	0	0	0 1.3	1
1084I1	1038.000	19:33:22	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1039.000	19:33:31	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1040.000	19:33:40	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1041.000	19:33:48	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1042.000	19:33:57	2	2500	100	0	0	0	0	0 1.3	1
1084I1	1043.000	19:34:06	1	2500	100	0	0	0	0	0 1.2	1
1084I1	1044.000	19:34:14	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1045.000	19:34:23	1	2500	100	0	0	0	0	0 1.5	1
1084I1	1046.000	19:34:32	2	2500	100	0	0	0	0	0 1.2	1
1084I1	1047.000	19:34:40	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1048.000	19:34:49	2	2500	100	0	0	0	0	0 1.2	1
1084I1	1049.000	19:34:57	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1050.000	19:35:06	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1051.000	19:35:15	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1052.000	19:35:23	2	2500	100	0	0	0	0	0 1.2	1
1084I1	1053.000	19:35:32	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1054.000	19:35:40	2	2500	100	0	0	0	0	0 1.3	1
1084I1	1055.000	19:35:49	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1056.000	19:35:58	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1057.000	19:36:06	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1058.000	19:36:15	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1059.000	19:36:24	1	2500	100	0	0	0	0	0 1.8	1
1084I1	1060.000	19:36:32	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1061.000	19:36:41	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1062.000	19:36:50	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1063.000	19:36:58	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1064.000	19:37:07	2	2500	100	0	0	0	0	0 1.2	1

GCS90 Log Line 1084I1

Page 3/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1065.000	19:37:15	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1066.000	19:37:24	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1067.000	19:37:33	1	2500	100	0	0	0	0	0 1.3	1
1084I1	1068.000	19:37:41	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1069.000	19:37:50	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1070.000	19:37:58	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1071.000	19:38:07	1	2500	100	0	0	0	0	0 1.2	1
1084I1	1072.000	19:38:15	2	2500	100	0	0	0	0	0 1.1	1
1084I1	1073.000	19:38:24	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1074.000	19:38:32	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1075.000	19:38:41	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1076.000	19:38:50	2	2500	100	0	0	0	0	0 1.2	1
1084I1	1077.000	19:38:58	1	2500	100	0	0	0	0	0 1.3	1
1084I1	1078.000	19:39:07	2	2500	100	0	0	0	0	0 1.5	1
1084I1	1079.000	19:39:15	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1080.000	19:39:24	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1081.000	19:39:32	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1082.000	19:39:41	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1083.000	19:39:50	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1084.000	19:39:58	2	2500	100	0	0	0	0	0 1.3	1
1084I1	1085.000	19:40:07	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1086.000	19:40:15	2	2500	100	0	0	0	0	0 1.1	1
1084I1	1087.000	19:40:24	1	2500	100	0	0	0	0	0 1.2	1
1084I1	1088.000	19:40:32	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1089.000	19:40:41	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1090.000	19:40:50	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1091.000	19:40:58	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1092.000	19:41:07	2	2500	100	0	0	0	0	0 1.3	1
1084I1	1093.000	19:41:15	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1094.000	19:41:24	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1095.000	19:41:33	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1096.000	19:41:41	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1097.000	19:41:50	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1098.000	19:41:58	2	2500	100	0	0	0	0	0 1.3	1
1084I1	1099.000	19:42:07	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1100.000	19:42:15	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1101.000	19:42:24	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1102.000	19:42:32	2	2500	100	0	0	0	0	0 1.2	1
1084I1	1103.000	19:42:41	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1104.000	19:42:49	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1105.000	19:42:58	1	2500	100	0	0	0	0	0 1.3	1
1084I1	1106.000	19:43:07	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1107.000	19:43:15	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1108.000	19:43:24	2	2500	100	0	0	0	0	0 1.2	1
1084I1	1109.000	19:43:33	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1110.000	19:43:41	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1111.000	19:43:49	1	2500	100	0	0	0	0	0 1.0	1
1084I1	1112.000	19:43:58	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1113.000	19:44:07	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1114.000	19:44:15	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1115.000	19:44:24	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1116.000	19:44:32	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1117.000	19:44:41	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1118.000	19:44:49	2	2500	100	0	0	0	0	0 1.4	1
1084I1	1119.000	19:44:58	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1120.000	19:45:07	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1121.000	19:45:15	1	2500	100	0	0	0	0	0 0.5	1

GCS90 Log Line 1084I1

Page 4/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1122.000	19:45:24	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1123.000	19:45:32	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1124.000	19:45:41	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1125.000	19:45:50	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1126.000	19:45:58	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1127.000	19:46:07	1	2500	100	0	0	0	0	0 1.2	1
1084I1	1128.000	19:46:15	2	2500	100	0	0	0	0	0 1.1	1
1084I1	1129.000	19:46:24	1	2500	100	0	0	0	0	0 1.2	1
1084I1	1130.000	19:46:32	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1131.000	19:46:41	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1132.000	19:46:50	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1133.000	19:46:58	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1134.000	19:47:07	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1135.000	19:47:15	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1136.000	19:47:24	2	2500	100	0	0	0	0	0 0.5	1
1084I1	1137.000	19:47:32	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1138.000	19:47:41	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1139.000	19:47:49	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1140.000	19:47:58	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1141.000	19:48:06	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1142.000	19:48:15	2	2500	100	0	0	0	0	0 1.2	1
1084I1	1143.000	19:48:23	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1144.000	19:48:32	2	2500	100	0	0	0	0	0 0.5	1
1084I1	1145.000	19:48:40	1	2500	100	0	0	0	0	0 1.4	1
1084I1	1146.000	19:48:49	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1147.000	19:48:57	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1148.000	19:49:06	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1149.000	19:49:14	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1150.000	19:49:23	2	2500	100	0	0	0	0	0 1.8	1
1084I1	1151.000	19:49:31	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1152.000	19:49:40	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1153.000	19:49:48	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1154.000	19:49:57	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1155.000	19:50:05	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1156.000	19:50:14	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1157.000	19:50:22	1	2500	100	0	0	0	0	0 1.0	1
1084I1	1158.000	19:50:31	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1159.000	19:50:40	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1160.000	19:50:48	2	2500	100	0	0	0	0	0 1.4	1
1084I1	1161.000	19:50:57	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1162.000	19:51:05	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1163.000	19:51:14	1	2500	100	0	0	0	0	0 1.4	1
1084I1	1164.000	19:51:22	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1165.000	19:51:31	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1166.000	19:51:39	2	2500	100	0	0	0	0	0 1.3	1
1084I1	1167.000	19:51:48	1	2500	100	0	0	0	0	0 1.0	1
1084I1	1168.000	19:51:56	2	2500	100	0	0	0	0	0 0.5	1
1084I1	1169.000	19:52:05	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1170.000	19:52:13	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1171.000	19:52:22	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1172.000	19:52:31	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1173.000	19:52:39	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1174.000	19:52:48	2	2500	100	0	0	0	0	0 1.6	1
1084I1	1175.000	19:52:56	1	2500	100	0	0	0	0	0 1.5	1
1084I1	1176.000	19:53:05	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1177.000	19:53:13	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1178.000	19:53:22	2	2500	100	0	0	0	0	0 0.6	1

GCS90 Log Line 1084I1

Page 5/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1179.000	19:53:30	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1180.000	19:53:39	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1181.000	19:53:47	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1182.000	19:53:56	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1183.000	19:54:04	1	2500	100	0	0	0	0	0 0.4	1
1084I1	1184.000	19:54:13	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1185.000	19:54:22	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1186.000	19:54:30	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1187.000	19:54:39	1	2500	100	0	0	0	0	0 1.0	1
1084I1	1188.000	19:54:47	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1189.000	19:54:55	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1190.000	19:55:04	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1191.000	19:55:12	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1192.000	19:55:21	2	2500	100	0	0	0	0	0 0.5	1
1084I1	1193.000	19:55:29	1	2500	100	0	0	0	0	0 1.0	1
1084I1	1194.000	19:55:38	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1195.000	19:55:46	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1196.000	19:55:55	2	2500	100	0	0	0	0	0 1.1	1
1084I1	1197.000	19:56:03	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1198.000	19:56:12	2	2500	100	0	0	0	0	0 1.5	1
1084I1	1199.000	19:56:21	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1200.000	19:56:29	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1201.000	19:56:38	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1202.000	19:56:46	2	2500	100	0	0	0	0	0 1.4	1
1084I1	1203.000	19:56:55	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1204.000	19:57:03	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1205.000	19:57:12	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1206.000	19:57:21	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1207.000	19:57:29	1	2500	100	0	0	0	0	0 1.3	1
1084I1	1208.000	19:57:38	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1209.000	19:57:46	1	2500	100	0	0	0	0	0 1.0	1
1084I1	1210.000	19:57:55	2	2500	100	0	0	0	0	0 1.4	1
1084I1	1211.000	19:58:04	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1212.000	19:58:12	2	2500	100	0	0	0	0	0 0.7	1
1084I1	1213.000	19:58:20	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1214.000	19:58:29	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1215.000	19:58:37	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1216.000	19:58:46	2	2500	100	0	0	0	0	0 1.1	1
1084I1	1217.000	19:58:55	1	2500	100	0	0	0	0	0 1.3	1
1084I1	1218.000	19:59:03	2	2500	100	0	0	0	0	0 1.2	1
1084I1	1219.000	19:59:12	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1220.000	19:59:20	2	2500	100	0	0	0	0	0 0.5	1
1084I1	1221.000	19:59:28	1	2500	100	0	0	0	0	0 1.2	1
1084I1	1222.000	19:59:37	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1223.000	19:59:46	1	2500	100	0	0	0	0	0 0.9	1
1084I1	1224.000	19:59:54	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1225.000	20:00:02	1	2500	100	0	0	0	0	0 1.2	1
1084I1	1226.000	20:00:11	2	2500	100	0	0	0	0	0 1.3	1
1084I1	1227.000	20:00:19	1	2500	100	0	0	0	0	0 1.0	1
1084I1	1228.000	20:00:28	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1229.000	20:00:36	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1230.000	20:00:45	2	2500	100	0	0	0	0	0 0.5	1
1084I1	1231.000	20:00:53	1	2500	100	0	0	0	0	0 1.0	1
1084I1	1232.000	20:01:02	2	2500	100	0	0	0	0	0 1.5	1
1084I1	1233.000	20:01:10	1	2500	100	0	0	0	0	0 1.0	1
1084I1	1234.000	20:01:19	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1235.000	20:01:27	1	2500	100	0	0	0	0	0 0.5	1

GCS90 Log Line 1084I1

Page 6/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1236.000	20:01:35	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1237.000	20:01:44	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1238.000	20:01:52	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1239.000	20:02:01	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1240.000	20:02:09	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1241.000	20:02:18	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1242.000	20:02:26	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1243.000	20:02:35	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1244.000	20:02:43	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1245.000	20:02:52	1	2500	100	0	0	0	0	0 1.0	1
1084I1	1246.000	20:03:00	2	2500	100	0	0	0	0	0 0.3	1
1084I1	1247.000	20:03:08	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1248.000	20:03:17	2	2500	100	0	0	0	0	0 0.5	1
1084I1	1249.000	20:03:25	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1250.000	20:03:34	2	2500	100	0	0	0	0	0 1.3	1
1084I1	1251.000	20:03:42	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1252.000	20:03:50	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1253.000	20:03:59	1	2500	100	0	0	0	0	0 0.5	1
1084I1	1254.000	20:04:07	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1255.000	20:04:16	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1256.000	20:04:24	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1257.000	20:04:32	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1258.000	20:04:41	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1259.000	20:04:49	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1260.000	20:04:58	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1261.000	20:05:06	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1262.000	20:05:14	2	2500	100	0	0	0	0	0 1.1	1
1084I1	1263.000	20:05:23	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1264.000	20:05:31	2	2500	100	0	0	0	0	0 1.3	1
1084I1	1265.000	20:05:40	1	2500	100	0	0	0	0	0 1.1	1
1084I1	1266.000	20:05:48	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1267.000	20:05:56	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1268.000	20:06:05	2	2500	100	0	0	0	0	0 1.4	1
1084I1	1269.000	20:06:13	1	2500	100	0	0	0	0	0 1.8	1
1084I1	1270.000	20:06:22	2	2500	100	0	0	0	0	0 1.6	1
1084I1	1271.000	20:06:30	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1272.000	20:06:38	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1273.000	20:06:47	1	2500	100	0	0	0	0	0 0.6	1
1084I1	1274.000	20:06:55	2	2500	100	0	0	0	0	0 1.3	1
1084I1	1275.000	20:07:04	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1276.000	20:07:12	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1277.000	20:07:21	1	2500	100	0	0	0	0	0 0.4	1
1084I1	1278.000	20:07:29	2	2500	100	0	0	0	0	0 0.8	1
1084I1	1279.000	20:07:37	1	2500	100	0	0	0	0	0 0.8	1
1084I1	1280.000	20:07:46	2	2500	100	0	0	0	0	0 0.6	1
1084I1	1281.000	20:07:54	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1282.000	20:08:03	2	2500	100	0	0	0	0	0 1.0	1
1084I1	1283.000	20:08:11	1	2500	100	0	0	0	0	0 0.7	1
1084I1	1284.000	20:08:20	2	2500	100	0	0	0	0	0 0.9	1
1084I1	1285.000	20:08:28	1	2500	100	0	0	0	0	1 2.1E	2
DELTA ERR: 1 - S3-3											
1084I1	1286.000	20:08:37	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1287.000	20:08:45	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1288.000	20:08:54	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1289.000	20:09:02	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1290.000	20:09:11	2	2500	100	0	0	0	0	0 1.4	2
1084I1	1291.000	20:09:19	1	2500	100	0	0	0	0	0 1.5	2

GCS90 Log Line 1084I1

Page 7/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1292.000	20:09:28	2	2500	100	0	0	0	0	0 0.3	2
1084I1	1293.000	20:09:36	1	2500	100	0	0	0	0	0 1.1	2
1084I1	1294.000	20:09:44	2	2500	100	0	0	0	0	0 1.6	2
1084I1	1295.000	20:09:53	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1296.000	20:10:01	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1297.000	20:10:10	1	2500	100	0	0	0	0	0 1.3	2
1084I1	1298.000	20:10:18	2	2500	100	0	0	0	0	0 1.4	2
1084I1	1299.000	20:10:26	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1300.000	20:10:35	2	2500	100	0	0	0	0	0 1.2	2
1084I1	1301.000	20:10:43	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1302.000	20:10:52	2	2500	100	0	0	0	0	0 1.1	2
1084I1	1303.000	20:11:00	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1304.000	20:11:09	2	2500	100	0	0	0	0	0 1.1	2
1084I1	1305.000	20:11:17	1	2500	100	0	0	0	0	0 1.1	2
1084I1	1306.000	20:11:26	2	2500	100	0	0	0	0	0 1.1	2
1084I1	1307.000	20:11:34	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1308.000	20:11:43	2	2500	100	0	0	0	0	0 0.6	2
1084I1	1309.000	20:11:51	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1310.000	20:11:59	2	2500	100	0	0	0	0	0 0.6	2
1084I1	1311.000	20:12:08	1	2500	100	0	0	0	0	0 1.0	2
1084I1	1312.000	20:12:16	2	2500	100	0	0	0	0	0 1.2	2
1084I1	1313.000	20:12:25	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1314.000	20:12:33	2	2500	100	0	0	0	0	0 1.1	2
1084I1	1315.000	20:12:42	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1316.000	20:12:50	2	2500	100	0	0	0	0	0 1.6	2
1084I1	1317.000	20:12:59	1	2500	100	0	0	0	0	0 0.5	2
1084I1	1318.000	20:13:07	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1319.000	20:13:15	1	2500	100	0	0	0	0	0 0.3	2
1084I1	1320.000	20:13:24	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1321.000	20:13:32	1	2500	100	0	0	0	0	0 1.1	2
1084I1	1322.000	20:13:41	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1323.000	20:13:49	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1324.000	20:13:58	2	2500	100	0	0	0	0	0 0.5	2
1084I1	1325.000	20:14:06	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1326.000	20:14:15	2	2500	100	0	0	0	0	0 1.6	2
1084I1	1327.000	20:14:23	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1328.000	20:14:32	2	2500	100	0	0	0	0	0 1.2	2
1084I1	1329.000	20:14:40	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1330.000	20:14:48	2	2500	100	0	0	0	0	0 0.7	2
1084I1	1331.000	20:14:57	1	2500	100	0	0	0	0	0 1.0	2
1084I1	1332.000	20:15:05	2	2500	100	0	0	0	0	0 0.7	2
1084I1	1333.000	20:15:14	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1334.000	20:15:22	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1335.000	20:15:31	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1336.000	20:15:39	2	2500	100	0	0	0	0	0 1.7	2
1084I1	1337.000	20:15:48	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1338.000	20:15:56	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1339.000	20:16:05	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1340.000	20:16:13	2	2500	100	0	0	0	0	0 0.7	2
1084I1	1341.000	20:16:22	1	2500	100	0	0	0	0	0 1.3	2
1084I1	1342.000	20:16:30	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1343.000	20:16:39	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1344.000	20:16:47	2	2500	100	0	0	0	0	0 1.2	2
1084I1	1345.000	20:16:56	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1346.000	20:17:04	2	2500	100	0	0	0	0	0 0.6	2
1084I1	1347.000	20:17:12	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1348.000	20:17:21	2	2500	100	0	0	0	0	0 0.9	2

GCS90 Log Line 1084I1

Page 8/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1349.000	20:17:29	1	2500	100	0	0	0	0	0 1.1	2
1084I1	1350.000	20:17:38	2	2500	100	0	0	0	0	0 0.7	2
1084I1	1351.000	20:17:46	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1352.000	20:17:55	2	2500	100	0	0	0	0	0 1.1	2
1084I1	1353.000	20:18:03	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1354.000	20:18:12	2	2500	100	0	0	0	0	0 1.7	2
1084I1	1355.000	20:18:20	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1356.000	20:18:29	2	2500	100	0	0	0	0	0 1.0	2
1084I1	1357.000	20:18:37	1	2500	100	0	0	0	0	0 0.4	2
1084I1	1358.000	20:18:45	2	2500	100	0	0	0	0	0 1.4	2
1084I1	1359.000	20:18:54	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1360.000	20:19:02	2	2500	100	0	0	0	0	0 0.7	2
1084I1	1361.000	20:19:11	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1362.000	20:19:19	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1363.000	20:19:28	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1364.000	20:19:36	2	2500	100	0	0	0	0	0 1.6	2
1084I1	1365.000	20:19:45	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1366.000	20:19:53	2	2500	100	0	0	0	0	0 1.4	2
1084I1	1367.000	20:20:02	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1368.000	20:20:10	2	2500	100	0	0	0	0	0 1.0	2
1084I1	1369.000	20:20:19	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1370.000	20:20:27	2	2500	100	0	0	0	0	0 1.7	2
1084I1	1371.000	20:20:36	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1372.000	20:20:44	2	2500	100	0	0	0	0	0 1.7	2
1084I1	1373.000	20:20:52	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1374.000	20:21:01	2	2500	100	0	0	0	0	0 1.0	2
1084I1	1375.000	20:21:10	1	2500	100	0	0	0	0	0 1.1	2
1084I1	1376.000	20:21:18	2	2500	100	0	0	0	0	0 0.7	2
1084I1	1377.000	20:21:26	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1378.000	20:21:35	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1379.000	20:21:43	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1380.000	20:21:52	2	2500	100	0	0	0	0	0 0.7	2
1084I1	1381.000	20:22:00	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1382.000	20:22:09	2	2500	100	0	0	0	0	0 0.6	2
1084I1	1383.000	20:22:17	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1384.000	20:22:26	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1385.000	20:22:34	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1386.000	20:22:43	2	2500	100	0	0	0	0	0 1.4	2
1084I1	1387.000	20:22:51	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1388.000	20:23:00	2	2500	100	0	0	0	0	0 0.4	2
1084I1	1389.000	20:23:08	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1390.000	20:23:16	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1391.000	20:23:25	1	2500	100	0	0	0	0	0 0.5	2
1084I1	1392.000	20:23:33	2	2500	100	0	0	0	0	0 1.2	2
1084I1	1393.000	20:23:42	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1394.000	20:23:50	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1395.000	20:23:59	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1396.000	20:24:07	2	2500	100	0	0	0	0	0 1.0	2
1084I1	1397.000	20:24:15	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1398.000	20:24:24	2	2500	100	0	0	0	0	0 0.7	2
1084I1	1399.000	20:24:32	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1400.000	20:24:41	2	2500	100	0	0	0	0	0 1.1	2
1084I1	1401.000	20:24:49	1	2500	100	0	0	0	0	0 0.5	2
1084I1	1402.000	20:24:58	2	2500	100	0	0	0	0	0 1.1	2
1084I1	1403.000	20:25:06	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1404.000	20:25:15	2	2500	100	0	0	0	0	0 0.6	2
1084I1	1405.000	20:25:23	1	2500	100	0	0	0	0	0 0.6	2

GCS90 Log Line 1084I1

Page 9/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1406.000	20:25:32	2	2500	100	0	0	0	0	0 0.6	2
1084I1	1407.000	20:25:41	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1408.000	20:25:49	2	2500	100	0	0	0	0	0 1.3	2
1084I1	1409.000	20:25:57	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1410.000	20:26:06	2	2500	100	0	0	0	0	0 1.1	2
1084I1	1411.000	20:26:15	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1412.000	20:26:23	2	2500	100	0	0	0	0	0 1.4	2
1084I1	1413.000	20:26:32	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1414.000	20:26:40	2	2500	100	0	0	0	0	0 1.3	2
1084I1	1415.000	20:26:49	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1416.000	20:26:57	2	2500	100	0	0	0	0	0 1.4	2
1084I1	1417.000	20:27:06	1	2500	100	0	0	0	0	0 1.3	2
1084I1	1418.000	20:27:14	2	2500	100	0	0	0	0	0 1.6	2
1084I1	1419.000	20:27:23	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1420.000	20:27:31	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1421.000	20:27:40	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1422.000	20:27:48	2	2500	100	0	0	0	0	0 0.7	2
1084I1	1423.000	20:27:57	1	2500	100	0	0	0	0	0 1.1	2
1084I1	1424.000	20:28:05	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1425.000	20:28:13	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1426.000	20:28:22	2	2500	100	0	0	0	0	0 0.6	2
1084I1	1427.000	20:28:30	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1428.000	20:28:39	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1429.000	20:28:47	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1430.000	20:28:56	2	2500	100	0	0	0	0	0 0.7	2
1084I1	1431.000	20:29:04	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1432.000	20:29:13	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1433.000	20:29:21	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1434.000	20:29:30	2	2500	100	0	0	0	0	0 1.2	2
1084I1	1435.000	20:29:38	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1436.000	20:29:46	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1437.000	20:29:55	1	2500	100	0	0	0	0	0 0.4	2
1084I1	1438.000	20:30:03	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1439.000	20:30:12	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1440.000	20:30:20	2	2500	100	0	0	0	0	0 0.5	2
1084I1	1441.000	20:30:29	1	2500	100	0	0	0	0	0 0.5	2
1084I1	1442.000	20:30:37	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1443.000	20:30:46	1	2500	100	0	0	0	0	0 1.1	2
1084I1	1444.000	20:30:54	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1445.000	20:31:03	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1446.000	20:31:11	2	2500	100	0	0	0	0	0 1.6	2
1084I1	1447.000	20:31:19	1	2500	100	0	0	0	0	0 0.7	2
1084I1	1448.000	20:31:28	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1449.000	20:31:36	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1450.000	20:31:45	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1451.000	20:31:53	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1452.000	20:32:02	2	2500	100	0	0	0	0	0 1.0	2
1084I1	1453.000	20:32:10	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1454.000	20:32:19	2	2500	100	0	0	0	0	0 0.8	2
1084I1	1455.000	20:32:27	1	2500	100	0	0	0	0	0 0.5	2
1084I1	1456.000	20:32:35	2	2500	100	0	0	0	0	0 1.6	2
1084I1	1457.000	20:32:44	1	2500	100	0	0	0	0	0 0.5	2
1084I1	1458.000	20:32:52	2	2500	100	0	0	0	0	0 1.1	2
1084I1	1459.000	20:33:01	1	2500	100	0	0	0	0	0 1.0	2
1084I1	1460.000	20:33:09	2	2500	100	0	0	0	0	0 0.9	2
1084I1	1461.000	20:33:18	1	2500	100	0	0	0	0	0 0.8	2
1084I1	1462.000	20:33:26	2	2500	100	0	0	0	0	0 0.8	2

GCS90 Log Line 1084I1

Page 10/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1463.000	20:33:35	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1464.000	20:33:44	2	2500	100	0	0	0	0	0 0.6	2
1084I1	1465.000	20:33:52	1	2500	100	0	0	0	0	0 0.4	2
1084I1	1466.000	20:34:00	2	2500	100	0	0	0	0	0 1.8	2
1084I1	1467.000	20:34:09	1	2500	100	0	0	0	0	0 0.6	2
1084I1	1468.000	20:34:17	2	2500	100	0	0	0	0	0 1.2	2
1084I1	1469.000	20:34:26	1	2500	100	0	0	0	0	0 0.9	2
1084I1	1470.000	20:34:34	2	2500	100	0	0	0	0	0 2.0E	3
1084I1	1471.000	20:34:43	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1472.000	20:34:51	2	2500	100	0	0	0	0	0 0.5	3
1084I1	1473.000	20:34:59	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1474.000	20:35:08	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1475.000	20:35:16	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1476.000	20:35:25	2	2500	100	0	0	0	0	0 1.6	3
1084I1	1477.000	20:35:33	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1478.000	20:35:42	2	2500	100	0	0	0	0	0 1.5	3
1084I1	1479.000	20:35:50	1	2500	100	0	0	0	0	0 0.4	3
1084I1	1480.000	20:35:58	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1481.000	20:36:07	1	2500	100	0	0	0	0	0 1.2	3
1084I1	1482.000	20:36:15	2	2500	100	0	0	0	0	0 1.4	3
1084I1	1483.000	20:36:24	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1484.000	20:36:32	2	2500	100	0	0	0	0	0 1.3	3
1084I1	1485.000	20:36:41	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1486.000	20:36:49	2	2500	100	0	0	0	0	0 0.5	3
1084I1	1487.000	20:36:58	1	2500	100	0	0	0	0	0 0.3	3
1084I1	1488.000	20:37:06	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1489.000	20:37:15	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1490.000	20:37:23	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1491.000	20:37:32	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1492.000	20:37:40	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1493.000	20:37:49	1	2500	100	0	0	0	0	0 0.3	3
1084I1	1494.000	20:37:57	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1495.000	20:38:06	1	2500	100	0	0	0	0	0 0.4	3
1084I1	1496.000	20:38:14	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1497.000	20:38:23	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1498.000	20:38:31	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1499.000	20:38:40	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1500.000	20:38:48	2	2500	100	0	0	0	0	0 0.6	3
1084I1	1501.000	20:38:57	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1502.000	20:39:05	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1503.000	20:39:14	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1504.000	20:39:22	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1505.000	20:39:31	1	2500	100	0	0	0	0	0 1.2	3
1084I1	1506.000	20:39:39	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1507.000	20:39:48	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1508.000	20:39:56	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1509.000	20:40:05	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1510.000	20:40:13	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1511.000	20:40:22	1	2500	100	0	0	0	0	0 0.4	3
1084I1	1512.000	20:40:30	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1513.000	20:40:39	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1514.000	20:40:47	2	2500	100	0	0	0	0	0 1.3	3
1084I1	1515.000	20:40:56	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1516.000	20:41:04	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1517.000	20:41:13	1	2500	100	0	0	0	0	0 1.4	3
1084I1	1518.000	20:41:21	2	2500	100	0	0	0	0	0 1.5	3
1084I1	1519.000	20:41:30	1	2500	100	0	0	0	0	0 0.8	3

GCS90 Log Line 1084I1

Page 11/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1520.000	20:41:38	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1521.000	20:41:47	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1522.000	20:41:55	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1523.000	20:42:04	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1524.000	20:42:12	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1525.000	20:42:21	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1526.000	20:42:29	2	2500	100	0	0	0	0	0 0.6	3
1084I1	1527.000	20:42:37	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1528.000	20:42:46	2	2500	100	0	0	0	0	0 1.3	3
1084I1	1529.000	20:42:54	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1530.000	20:43:03	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1531.000	20:43:11	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1532.000	20:43:20	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1533.000	20:43:28	1	2500	100	0	0	0	0	0 1.1	3
1084I1	1534.000	20:43:36	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1535.000	20:43:45	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1536.000	20:43:53	2	2500	100	0	0	0	0	0 0.6	3
1084I1	1537.000	20:44:02	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1538.000	20:44:10	2	2500	100	0	0	0	0	0 1.3	3
1084I1	1539.000	20:44:19	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1540.000	20:44:27	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1541.000	20:44:36	1	2500	100	0	0	0	0	0 1.1	3
1084I1	1542.000	20:44:44	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1543.000	20:44:52	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1544.000	20:45:01	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1545.000	20:45:09	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1546.000	20:45:18	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1547.000	20:45:26	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1548.000	20:45:35	2	2500	100	0	0	0	0	0 0.6	3
1084I1	1549.000	20:45:43	1	2500	100	0	0	0	0	0 1.1	3
1084I1	1550.000	20:45:52	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1551.000	20:46:00	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1552.000	20:46:09	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1553.000	20:46:17	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1554.000	20:46:26	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1555.000	20:46:34	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1556.000	20:46:42	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1557.000	20:46:51	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1558.000	20:46:59	2	2500	100	0	0	0	0	0 1.5	3
1084I1	1559.000	20:47:08	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1560.000	20:47:16	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1561.000	20:47:25	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1562.000	20:47:33	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1563.000	20:47:41	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1564.000	20:47:50	2	2500	100	0	0	0	0	0 0.5	3
1084I1	1565.000	20:47:58	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1566.000	20:48:07	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1567.000	20:48:15	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1568.000	20:48:23	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1569.000	20:48:32	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1570.000	20:48:40	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1571.000	20:48:49	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1572.000	20:48:57	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1573.000	20:49:06	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1574.000	20:49:15	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1575.000	20:49:23	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1576.000	20:49:32	2	2500	100	0	0	0	0	0 0.5	3

GCS90 Log Line 1084I1

Page 12/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1577.000	20:49:40	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1578.000	20:49:49	2	2500	100	0	0	0	0	0 1.5	3
1084I1	1579.000	20:49:57	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1580.000	20:50:06	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1581.000	20:50:14	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1582.000	20:50:23	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1583.000	20:50:31	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1584.000	20:50:40	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1585.000	20:50:48	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1586.000	20:50:57	2	2500	100	0	0	0	0	0 0.6	3
1084I1	1587.000	20:51:05	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1588.000	20:51:14	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1589.000	20:51:22	1	2500	100	0	0	0	0	1 1.8	3
DELTA ERR: 1 - S3-3											
1084I1	1590.000	20:51:31	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1591.000	20:51:39	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1592.000	20:51:48	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1593.000	20:51:56	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1594.000	20:52:05	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1595.000	20:52:13	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1596.000	20:52:22	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1597.000	20:52:31	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1598.000	20:52:39	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1599.000	20:52:48	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1600.000	20:52:56	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1601.000	20:53:05	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1602.000	20:53:13	2	2500	100	0	0	0	0	0 0.6	3
1084I1	1603.000	20:53:22	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1604.000	20:53:31	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1605.000	20:53:39	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1606.000	20:53:47	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1607.000	20:53:56	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1608.000	20:54:05	2	2500	100	0	0	0	0	0 0.6	3
1084I1	1609.000	20:54:13	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1610.000	20:54:21	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1611.000	20:54:30	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1612.000	20:54:38	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1613.000	20:54:47	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1614.000	20:54:55	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1615.000	20:55:04	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1616.000	20:55:12	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1617.000	20:55:21	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1618.000	20:55:29	2	2500	100	0	0	0	0	0 1.4	3
1084I1	1619.000	20:55:38	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1620.000	20:55:46	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1621.000	20:55:55	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1622.000	20:56:03	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1623.000	20:56:12	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1624.000	20:56:20	2	2500	100	0	0	0	0	0 1.9	3
1084I1	1625.000	20:56:29	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1626.000	20:56:37	2	2500	100	0	0	0	0	0 1.3	3
1084I1	1627.000	20:56:46	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1628.000	20:56:54	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1629.000	20:57:02	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1630.000	20:57:11	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1631.000	20:57:19	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1632.000	20:57:28	2	2500	100	0	0	0	0	0 1.3	3

GCS90 Log Line 1084I1

Page 13/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1633.000	20:57:36	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1634.000	20:57:45	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1635.000	20:57:53	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1636.000	20:58:02	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1637.000	20:58:10	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1638.000	20:58:19	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1639.000	20:58:27	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1640.000	20:58:36	2	2500	100	0	0	0	0	0 1.6	3
1084I1	1641.000	20:58:44	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1642.000	20:58:53	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1643.000	20:59:01	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1644.000	20:59:10	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1645.000	20:59:18	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1646.000	20:59:27	2	2500	100	0	0	0	0	0 0.6	3
1084I1	1647.000	20:59:35	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1648.000	20:59:44	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1649.000	20:59:53	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1650.000	21:00:01	2	2500	100	0	0	0	0	0 1.7	3
1084I1	1651.000	21:00:09	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1652.000	21:00:18	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1653.000	21:00:26	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1654.000	21:00:35	2	2500	100	0	0	0	0	0 1.4	3
1084I1	1655.000	21:00:43	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1656.000	21:00:52	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1657.000	21:01:00	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1658.000	21:01:09	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1659.000	21:01:17	1	2500	100	0	0	0	0	0 0.4	3
1084I1	1660.000	21:01:26	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1661.000	21:01:34	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1662.000	21:01:43	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1663.000	21:01:51	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1664.000	21:02:00	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1665.000	21:02:08	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1666.000	21:02:17	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1667.000	21:02:25	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1668.000	21:02:34	2	2500	100	0	0	0	0	0 0.5	3
1084I1	1669.000	21:02:42	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1670.000	21:02:51	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1671.000	21:02:59	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1672.000	21:03:08	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1673.000	21:03:16	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1674.000	21:03:25	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1675.000	21:03:33	1	2500	100	0	0	0	0	0 1.0	3
1084I1	1676.000	21:03:41	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1677.000	21:03:50	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1678.000	21:03:58	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1679.000	21:04:07	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1680.000	21:04:15	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1681.000	21:04:24	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1682.000	21:04:32	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1683.000	21:04:40	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1684.000	21:04:49	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1685.000	21:04:57	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1686.000	21:05:05	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1687.000	21:05:14	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1688.000	21:05:22	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1689.000	21:05:31	1	2500	100	0	0	0	0	0 0.7	3

GCS90 Log Line 1084I1

Page 14/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1690.000	21:05:39	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1691.000	21:05:48	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1692.000	21:05:56	2	2500	100	0	0	0	0	0 0.5	3
1084I1	1693.000	21:06:05	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1694.000	21:06:13	2	2500	100	0	0	0	0	0 0.5	3
1084I1	1695.000	21:06:21	1	2500	100	0	0	0	0	0 1.4	3
1084I1	1696.000	21:06:30	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1697.000	21:06:38	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1698.000	21:06:47	2	2500	100	0	0	0	0	0 0.6	3
1084I1	1699.000	21:06:55	1	2500	100	0	0	0	0	0 1.3	3
1084I1	1700.000	21:07:04	2	2500	100	0	0	0	0	0 0.5	3
1084I1	1701.000	21:07:12	1	2500	100	0	0	0	0	0 1.4	3
1084I1	1702.000	21:07:21	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1703.000	21:07:29	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1704.000	21:07:38	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1705.000	21:07:46	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1706.000	21:07:55	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1707.000	21:08:03	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1708.000	21:08:12	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1709.000	21:08:20	1	2500	100	0	0	0	0	0 0.9	3
1084I1	1710.000	21:08:29	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1711.000	21:08:37	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1712.000	21:08:46	2	2500	100	0	0	0	0	0 0.5	3
1084I1	1713.000	21:08:54	1	2500	100	0	0	0	0	1 1.8	3
DELTA ERR: 1 - S3-3											
1084I1	1714.000	21:09:03	2	2500	100	0	0	0	0	0 1.2	3
1084I1	1715.000	21:09:11	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1716.000	21:09:20	2	2500	100	0	0	0	0	0 1.4	3
1084I1	1717.000	21:09:28	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1718.000	21:09:36	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1719.000	21:09:45	1	2500	100	0	0	0	0	0 1.3	3
1084I1	1720.000	21:09:53	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1721.000	21:10:02	1	2500	100	0	0	0	0	0 1.1	3
1084I1	1722.000	21:10:10	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1723.000	21:10:19	1	2500	100	0	0	0	0	0 1.4	3
1084I1	1724.000	21:10:27	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1725.000	21:10:36	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1726.000	21:10:44	2	2500	100	0	0	0	0	0 1.1	3
1084I1	1727.000	21:10:53	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1728.000	21:11:01	2	2500	100	0	0	0	0	0 0.9	3
1084I1	1729.000	21:11:10	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1730.000	21:11:18	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1731.000	21:11:26	1	2500	100	0	0	0	0	0 0.8	3
1084I1	1732.000	21:11:35	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1733.000	21:11:43	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1734.000	21:11:51	2	2500	100	0	0	0	0	0 1.3	3
1084I1	1735.000	21:12:00	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1736.000	21:12:08	2	2500	100	0	0	0	0	0 1.0	3
1084I1	1737.000	21:12:17	1	2500	100	0	0	0	0	0 0.7	3
1084I1	1738.000	21:12:25	2	2500	100	0	0	0	0	0 0.8	3
1084I1	1739.000	21:12:33	1	2500	100	0	0	0	0	0 0.5	3
1084I1	1740.000	21:12:42	2	2500	100	0	0	0	0	0 0.5	3
1084I1	1741.000	21:12:50	1	2500	100	0	0	0	0	0 0.6	3
1084I1	1742.000	21:12:59	2	2500	100	0	0	0	0	0 0.7	3
1084I1	1743.000	21:13:07	1	2500	100	0	0	0	0	0 1.3	3
1084I1	1744.000	21:13:15	2	2500	100	0	0	0	0	0 1.3	3
1084I1	1745.000	21:13:24	1	2500	100	0	0	0	0	0 1.1	3

GCS90 Log Line 1084I1

Page 15/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1746.000	21:13:33	2	2500	100	0	0	0	0	1.1	3
1084I1	1747.000	21:13:41	1	2500	100	0	0	0	0	1.1	3
1084I1	1748.000	21:13:50	2	2500	100	0	0	0	0	0.9	3
1084I1	1749.000	21:13:58	1	2500	100	0	0	0	0	1.1	3
1084I1	1750.000	21:14:07	2	2500	100	0	0	0	0	0.9	3
1084I1	1751.000	21:14:15	1	2500	100	0	0	0	0	0.7	3
1084I1	1752.000	21:14:24	2	2500	100	0	0	0	0	1.0	3
1084I1	1753.000	21:14:32	1	2500	100	0	0	0	0	0.7	3
1084I1	1754.000	21:14:41	2	2500	100	0	0	0	0	0.9	3
1084I1	1755.000	21:14:49	1	2500	100	0	0	0	0	1.0	3
1084I1	1756.000	21:14:57	2	2500	100	0	0	0	0	0.7	3
1084I1	1757.000	21:15:06	1	2500	100	0	0	0	0	2.5E	4
DELTA ERR: 1 - S3-3											
1084I1	1758.000	21:15:14	2	2500	100	0	0	0	0	0.6	4
1084I1	1759.000	21:15:23	1	2500	100	0	0	0	0	0.8	4
1084I1	1760.000	21:15:31	2	2500	100	0	0	0	0	1.1	4
1084I1	1761.000	21:15:39	1	2500	100	0	0	0	0	0.5	4
1084I1	1762.000	21:15:48	2	2500	100	0	0	0	0	0.7	4
1084I1	1763.000	21:15:56	1	2500	100	0	0	0	0	0.5	4
1084I1	1764.000	21:16:05	2	2500	100	0	0	0	0	1.4	4
1084I1	1765.000	21:16:13	1	2500	100	0	0	0	0	0.6	4
1084I1	1766.000	21:16:22	2	2500	100	0	0	0	0	1.2	4
1084I1	1767.000	21:16:30	1	2500	100	0	0	0	0	0.8	4
1084I1	1768.000	21:16:39	2	2500	100	0	0	0	0	1.6	4
1084I1	1769.000	21:16:47	1	2500	100	0	0	0	0	0.7	4
1084I1	1770.000	21:16:56	2	2500	100	0	0	0	0	0.8	4
1084I1	1771.000	21:17:04	1	2500	100	0	0	0	0	0.6	4
1084I1	1772.000	21:17:13	2	2500	100	0	0	0	0	0.6	4
1084I1	1773.000	21:17:21	1	2500	100	0	0	0	0	0.9	4
1084I1	1774.000	21:17:29	2	2500	100	0	0	0	0	0.9	4
1084I1	1775.000	21:17:38	1	2500	100	0	0	0	0	1.1	4
1084I1	1776.000	21:17:46	2	2500	100	0	0	0	0	1.2	4
1084I1	1777.000	21:17:55	1	2500	100	0	0	0	0	0.5	4
1084I1	1778.000	21:18:03	2	2500	100	0	0	0	0	0.7	4
1084I1	1779.000	21:18:12	1	2500	100	0	0	0	0	1.0	4
1084I1	1780.000	21:18:20	2	2500	100	0	0	0	0	0.7	4
1084I1	1781.000	21:18:29	1	2500	100	0	0	0	0	0.5	4
1084I1	1782.000	21:18:37	2	2500	100	0	0	0	0	0.7	4
1084I1	1783.000	21:18:46	1	2500	100	0	0	0	0	0.6	4
1084I1	1784.000	21:18:54	2	2500	100	0	0	0	0	1.1	4
1084I1	1785.000	21:19:03	1	2500	100	0	0	0	0	0.4	4
1084I1	1786.000	21:19:11	2	2500	100	0	0	0	0	0.6	4
1084I1	1787.000	21:19:20	1	2500	100	0	0	0	0	0.6	4
1084I1	1788.000	21:19:28	2	2500	100	0	0	0	0	0.7	4
1084I1	1789.000	21:19:36	1	2500	100	0	0	0	0	0.9	4
1084I1	1790.000	21:19:45	2	2500	100	0	0	0	0	1.1	4
1084I1	1791.000	21:19:53	1	2500	100	0	0	0	0	0.6	4
1084I1	1792.000	21:20:02	2	2500	100	0	0	0	0	0.6	4
1084I1	1793.000	21:20:10	1	2500	100	0	0	0	0	0.6	4
1084I1	1794.000	21:20:18	2	2500	100	0	0	0	0	1.2	4
1084I1	1795.000	21:20:27	1	2500	100	0	0	0	0	0.5	4
1084I1	1796.000	21:20:35	2	2500	100	0	0	0	0	0.9	4
1084I1	1797.000	21:20:44	1	2500	100	0	0	0	0	0.6	4
1084I1	1798.000	21:20:52	2	2500	100	0	0	0	0	0.7	4
1084I1	1799.000	21:21:01	1	2500	100	0	0	0	0	0.9	4
1084I1	1800.000	21:21:09	2	2500	100	0	0	0	0	0.9	4
1084I1	1801.000	21:21:17	1	2500	100	0	0	0	0	0.7	4

GCS90 Log Line 1084I1

Page 16/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1802.000	21:21:26	2	2500	100	0	0	0	0	0 0.4	4
1084I1	1803.000	21:21:34	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1804.000	21:21:43	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1805.000	21:21:51	1	2500	100	0	0	0	0	0 0.9	4
1084I1	1806.000	21:22:00	2	2500	100	0	0	0	0	0 1.2	4
1084I1	1807.000	21:22:09	1	2500	100	0	0	0	0	0 1.0	4
1084I1	1808.000	21:22:17	2	2500	100	0	0	0	0	0 1.2	4
1084I1	1809.000	21:22:26	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1810.000	21:22:34	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1811.000	21:22:43	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1812.000	21:22:51	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1813.000	21:22:59	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1814.000	21:23:08	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1815.000	21:23:16	1	2500	100	0	0	0	0	0 1.0	4
1084I1	1816.000	21:23:25	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1817.000	21:23:33	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1818.000	21:23:42	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1819.000	21:23:50	1	2500	100	0	0	0	0	0 0.9	4
1084I1	1820.000	21:23:58	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1821.000	21:24:07	1	2500	100	0	0	0	0	0 1.0	4
1084I1	1822.000	21:24:15	2	2500	100	0	0	0	0	0 1.1	4
1084I1	1823.000	21:24:24	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1824.000	21:24:32	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1825.000	21:24:41	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1826.000	21:24:49	2	2500	100	0	0	0	0	0 1.2	4
1084I1	1827.000	21:24:58	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1828.000	21:25:06	2	2500	100	0	0	0	0	0 1.1	4
1084I1	1829.000	21:25:15	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1830.000	21:25:23	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1831.000	21:25:32	1	2500	100	0	0	0	0	0 1.1	4
1084I1	1832.000	21:25:40	2	2500	100	0	0	0	0	0 0.9	4
1084I1	1833.000	21:25:49	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1834.000	21:25:57	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1835.000	21:26:05	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1836.000	21:26:14	2	2500	100	0	0	0	0	0 1.2	4
1084I1	1837.000	21:26:22	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1838.000	21:26:30	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1839.000	21:26:39	1	2500	100	0	0	0	0	0 1.3	4
1084I1	1840.000	21:26:47	2	2500	100	0	0	0	0	0 0.9	4
1084I1	1841.000	21:26:56	1	2500	100	0	0	0	0	0 1.0	4
1084I1	1842.000	21:27:04	2	2500	100	0	0	0	0	0 1.1	4
1084I1	1843.000	21:27:13	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1844.000	21:27:21	2	2500	100	0	0	0	0	0 1.3	4
1084I1	1845.000	21:27:29	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1846.000	21:27:38	2	2500	100	0	0	0	0	0 0.4	4
1084I1	1847.000	21:27:46	1	2500	100	0	0	0	0	0 1.4	4
1084I1	1848.000	21:27:55	2	2500	100	0	0	0	0	0 0.9	4
1084I1	1849.000	21:28:03	1	2500	100	0	0	0	0	0 0.9	4
1084I1	1850.000	21:28:11	2	2500	100	0	0	0	0	0 1.5	4
1084I1	1851.000	21:28:20	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1852.000	21:28:28	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1853.000	21:28:37	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1854.000	21:28:45	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1855.000	21:28:53	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1856.000	21:29:02	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1857.000	21:29:10	1	2500	100	0	0	0	0	0 0.3	4
1084I1	1858.000	21:29:19	2	2500	100	0	0	0	0	0 1.0	4

GCS90 Log Line 1084I1

Page 17/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1859.000	21:29:27	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1860.000	21:29:36	2	2500	100	0	0	0	0	0 1.3	4
1084I1	1861.000	21:29:44	1	2500	100	0	0	0	0	0 1.2	4
1084I1	1862.000	21:29:52	2	2500	100	0	0	0	0	0 1.2	4
1084I1	1863.000	21:30:01	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1864.000	21:30:09	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1865.000	21:30:18	1	2500	100	0	0	0	0	0 0.4	4
1084I1	1866.000	21:30:26	2	2500	100	0	0	0	0	0 1.1	4
1084I1	1867.000	21:30:35	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1868.000	21:30:43	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1869.000	21:30:52	1	2500	100	0	0	0	0	0 1.3	4
1084I1	1870.000	21:31:00	2	2500	100	0	0	0	0	0 0.4	4
1084I1	1871.000	21:31:09	1	2500	100	0	0	0	0	0 1.1	4
1084I1	1872.000	21:31:17	2	2500	100	0	0	0	0	0 0.9	4
1084I1	1873.000	21:31:25	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1874.000	21:31:34	2	2500	100	0	0	0	0	0 0.9	4
1084I1	1875.000	21:31:42	1	2500	100	0	0	0	0	0 0.9	4
1084I1	1876.000	21:31:50	2	2500	100	0	0	0	0	0 1.3	4
1084I1	1877.000	21:31:59	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1878.000	21:32:07	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1879.000	21:32:16	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1880.000	21:32:24	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1881.000	21:32:33	1	2500	100	0	0	0	0	0 0.9	4
1084I1	1882.000	21:32:41	2	2500	100	0	0	0	0	0 1.4	4
1084I1	1883.000	21:32:50	1	2500	100	0	0	0	0	0 1.2	4
1084I1	1884.000	21:32:58	2	2500	100	0	0	0	0	0 0.9	4
1084I1	1885.000	21:33:07	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1886.000	21:33:15	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1887.000	21:33:24	1	2500	100	0	0	0	0	0 1.0	4
1084I1	1888.000	21:33:32	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1889.000	21:33:41	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1890.000	21:33:49	2	2500	100	0	0	0	0	0 1.1	4
1084I1	1891.000	21:33:57	1	2500	100	0	0	0	0	0 0.9	4
1084I1	1892.000	21:34:06	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1893.000	21:34:14	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1894.000	21:34:23	2	2500	100	0	0	0	0	0 1.1	4
1084I1	1895.000	21:34:31	1	2500	100	0	0	0	0	0 0.9	4
1084I1	1896.000	21:34:40	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1897.000	21:34:48	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1898.000	21:34:57	2	2500	100	0	0	0	0	0 1.6	4
1084I1	1899.000	21:35:05	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1900.000	21:35:13	2	2500	100	0	0	0	0	0 1.2	4
1084I1	1901.000	21:35:22	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1902.000	21:35:30	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1903.000	21:35:39	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1904.000	21:35:47	2	2500	100	0	0	0	0	0 0.9	4
1084I1	1905.000	21:35:56	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1906.000	21:36:04	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1907.000	21:36:13	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1908.000	21:36:21	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1909.000	21:36:29	1	2500	100	0	0	0	0	0 0.9	4
1084I1	1910.000	21:36:38	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1911.000	21:36:47	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1912.000	21:36:55	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1913.000	21:37:04	1	2500	100	0	0	0	0	0 0.9	4
1084I1	1914.000	21:37:12	2	2500	100	0	0	0	0	0 0.5	4
1084I1	1915.000	21:37:21	1	2500	100	0	0	0	0	0 0.6	4

GCS90 Log Line 1084I1

Page 18/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1916.000	21:37:29	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1917.000	21:37:37	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1918.000	21:37:46	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1919.000	21:37:54	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1920.000	21:38:03	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1921.000	21:38:11	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1922.000	21:38:19	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1923.000	21:38:28	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1924.000	21:38:36	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1925.000	21:38:44	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1926.000	21:38:53	2	2500	100	0	0	0	0	0 0.9	4
1084I1	1927.000	21:39:01	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1928.000	21:39:10	2	2500	100	0	0	0	0	0 1.8	4
1084I1	1929.000	21:39:18	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1930.000	21:39:27	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1931.000	21:39:35	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1932.000	21:39:44	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1933.000	21:39:52	1	2500	100	0	0	0	0	0 0.4	4
1084I1	1934.000	21:40:01	2	2500	100	0	0	0	0	0 1.1	4
1084I1	1935.000	21:40:09	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1936.000	21:40:18	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1937.000	21:40:26	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1938.000	21:40:35	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1939.000	21:40:43	1	2500	100	0	0	0	0	0 0.9	4
1084I1	1940.000	21:40:52	2	2500	100	0	0	0	0	0 0.5	4
1084I1	1941.000	21:41:00	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1942.000	21:41:09	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1943.000	21:41:17	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1944.000	21:41:26	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1945.000	21:41:34	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1946.000	21:41:43	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1947.000	21:41:52	1	2500	100	0	0	0	0	0 1.2	4
1084I1	1948.000	21:42:00	2	2500	100	0	0	0	0	0 1.1	4
1084I1	1949.000	21:42:09	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1950.000	21:42:17	2	2500	100	0	0	0	0	0 0.5	4
1084I1	1951.000	21:42:26	1	2500	100	0	0	0	0	0 1.1	4
1084I1	1952.000	21:42:34	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1953.000	21:42:42	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1954.000	21:42:51	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1955.000	21:43:00	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1956.000	21:43:08	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1957.000	21:43:17	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1958.000	21:43:25	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1959.000	21:43:34	1	2500	100	0	0	0	0	0 0.9	4
1084I1	1960.000	21:43:42	2	2500	100	0	0	0	0	0 0.6	4
1084I1	1961.000	21:43:51	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1962.000	21:43:59	2	2500	100	0	0	0	0	0 0.9	4
1084I1	1963.000	21:44:07	1	2500	100	0	0	0	0	0 1.0	4
1084I1	1964.000	21:44:16	2	2500	100	0	0	0	0	0 1.3	4
1084I1	1965.000	21:44:24	1	2500	100	0	0	0	0	0 1.0	4
1084I1	1966.000	21:44:33	2	2500	100	0	0	0	0	0 1.6	4
1084I1	1967.000	21:44:41	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1968.000	21:44:50	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1969.000	21:44:58	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1970.000	21:45:07	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1971.000	21:45:15	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1972.000	21:45:23	2	2500	100	0	0	0	0	0 0.4	4

GCS90 Log Line 1084I1

Page 19/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	1973.000	21:45:32	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1974.000	21:45:40	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1975.000	21:45:49	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1976.000	21:45:57	2	2500	100	0	0	0	0	0 1.1	4
1084I1	1977.000	21:46:06	1	2500	100	0	0	0	0	0 1.4	4
1084I1	1978.000	21:46:14	2	2500	100	0	0	0	0	0 1.1	4
1084I1	1979.000	21:46:23	1	2500	100	0	0	0	0	0 1.1	4
1084I1	1980.000	21:46:31	2	2500	100	0	0	0	0	0 1.5	4
1084I1	1981.000	21:46:40	1	2500	100	0	0	0	0	0 1.1	4
1084I1	1982.000	21:46:48	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1983.000	21:46:56	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1984.000	21:47:05	2	2500	100	0	0	0	0	0 1.2	4
1084I1	1985.000	21:47:13	1	2500	100	0	0	0	0	0 0.5	4
1084I1	1986.000	21:47:22	2	2500	100	0	0	0	0	0 0.8	4
1084I1	1987.000	21:47:30	1	2500	100	0	0	0	0	0 0.6	4
1084I1	1988.000	21:47:39	2	2500	100	0	0	0	0	0 0.7	4
1084I1	1989.000	21:47:47	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1990.000	21:47:56	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1991.000	21:48:04	1	2500	100	0	0	0	0	0 0.7	4
1084I1	1992.000	21:48:13	2	2500	100	0	0	0	0	0 1.6	4
1084I1	1993.000	21:48:22	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1994.000	21:48:30	2	2500	100	0	0	0	0	0 1.0	4
1084I1	1995.000	21:48:39	1	2500	100	0	0	0	0	0 0.8	4
1084I1	1996.000	21:48:47	2	2500	100	0	0	0	0	0 0.5	4
1084I1	1997.000	21:48:55	1	2500	100	0	0	0	0	0 1.1	4
1084I1	1998.000	21:49:04	2	2500	100	0	0	0	0	0 1.2	4
1084I1	1999.000	21:49:12	1	2500	100	0	0	0	0	0 0.9	4
1084I1	2000.000	21:49:21	2	2500	100	0	0	0	0	0 0.9	4
1084I1	2001.000	21:49:29	1	2500	100	0	0	0	0	0 1.3	4
1084I1	2002.000	21:49:38	2	2500	100	0	0	0	0	0 0.5	4
1084I1	2003.000	21:49:47	1	2500	100	0	0	0	0	0 0.9	4
1084I1	2004.000	21:49:55	2	2500	100	0	0	0	0	0 1.4	4
1084I1	2005.000	21:50:04	1	2500	100	0	0	0	0	0 1.2	4
1084I1	2006.000	21:50:12	2	2500	100	0	0	0	0	0 0.6	4
1084I1	2007.000	21:50:21	1	2500	100	0	0	0	0	0 1.0	4
1084I1	2008.000	21:50:29	2	2500	100	0	0	0	0	0 1.2	4
1084I1	2009.000	21:50:37	1	2500	100	0	0	0	0	0 0.9	4
1084I1	2010.000	21:50:46	2	2500	100	0	0	0	0	0 0.7	4
1084I1	2011.000	21:50:54	1	2500	100	0	0	0	0	0 0.5	4
1084I1	2012.000	21:51:03	2	2500	100	0	0	0	0	0 0.8	4
1084I1	2013.000	21:51:11	1	2500	100	0	0	0	0	0 0.6	4
1084I1	2014.000	21:51:20	2	2500	100	0	0	0	0	0 2.0 ^E	5
1084I1	2015.000	21:51:28	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2016.000	21:51:37	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2017.000	21:51:45	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2018.000	21:51:53	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2019.000	21:52:02	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2020.000	21:52:10	2	2500	100	0	0	0	0	0 1.5	5
1084I1	2021.000	21:52:19	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2022.000	21:52:27	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2023.000	21:52:36	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2024.000	21:52:44	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2025.000	21:52:53	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2026.000	21:53:01	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2027.000	21:53:10	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2028.000	21:53:18	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2029.000	21:53:26	1	2500	100	0	0	0	0	0 0.4	5

GCS90 Log Line 1084I1

Page 20/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2030.000	21:53:35	2	2500	100	0	0	0	0	1.5	5
1084I1	2031.000	21:53:44	1	2500	100	0	0	0	0	0.9	5
1084I1	2032.000	21:53:52	2	2500	100	0	0	0	0	1.2	5
1084I1	2033.000	21:54:00	1	2500	100	0	0	0	0	1.1	5
1084I1	2034.000	21:54:09	2	2500	100	0	0	0	0	1.5	5
1084I1	2035.000	21:54:17	1	2500	100	0	0	0	0	0.8	5
1084I1	2036.000	21:54:26	2	2500	100	0	0	0	0	0.7	5
1084I1	2037.000	21:54:34	1	2500	100	0	0	0	0	0.6	5
1084I1	2038.000	21:54:42	2	2500	100	0	0	0	0	0.4	5
1084I1	2039.000	21:54:50	1	2500	100	0	0	0	0	0.6	5
1084I1	2040.000	21:54:59	2	2500	100	0	0	0	0	1.4	5
1084I1	2041.000	21:55:07	1	2500	100	0	0	0	0	0.9	5
1084I1	2042.000	21:55:16	2	2500	100	0	0	0	0	1.6	5
1084I1	2043.000	21:55:24	1	2500	100	0	0	0	0	0.7	5
1084I1	2044.000	21:55:33	2	2500	100	0	0	0	0	0.9	5
1084I1	2045.000	21:55:41	1	2500	100	0	0	0	0	0.6	5
1084I1	2046.000	21:55:50	2	2500	100	0	0	0	0	1.1	5
1084I1	2047.000	21:55:58	1	2500	100	0	0	0	0	0.6	5
1084I1	2048.000	21:56:06	2	2500	100	0	0	0	0	0.9	5
1084I1	2049.000	21:56:15	1	2500	100	0	0	0	0	0.6	5
1084I1	2050.000	21:56:23	2	2500	100	0	0	0	0	1.6	5
1084I1	2051.000	21:56:32	1	2500	100	0	0	0	0	0.7	5
1084I1	2052.000	21:56:40	2	2500	100	0	0	0	0	1.1	5
1084I1	2053.000	21:56:48	1	2500	100	0	0	0	0	0.7	5
1084I1	2054.000	21:56:57	2	2500	100	0	0	0	0	0.6	5
1084I1	2055.000	21:57:05	1	2500	100	0	0	0	0	0.6	5
1084I1	2056.000	21:57:14	2	2500	100	0	0	0	0	1.0	5
1084I1	2057.000	21:57:22	1	2500	100	0	0	0	0	1.1	5
1084I1	2058.000	21:57:31	2	2500	100	0	0	0	0	0.8	5
1084I1	2059.000	21:57:39	1	2500	100	0	0	0	0	0.8	5
1084I1	2060.000	21:57:47	2	2500	100	0	0	0	0	0.7	5
1084I1	2061.000	21:57:56	1	2500	100	0	0	0	0	0.5	5
1084I1	2062.000	21:58:04	2	2500	100	0	0	0	0	0.8	5
1084I1	2063.000	21:58:13	1	2500	100	0	0	0	0	0.7	5
1084I1	2064.000	21:58:21	2	2500	100	0	0	0	0	0.6	5
1084I1	2065.000	21:58:30	1	2500	100	0	0	0	0	1.0	5
1084I1	2066.000	21:58:38	2	2500	100	0	0	0	0	0.8	5
1084I1	2067.000	21:58:47	1	2500	100	0	0	0	0	1.0	5
1084I1	2068.000	21:58:55	2	2500	100	0	0	0	0	1.0	5
1084I1	2069.000	21:59:04	1	2500	100	0	0	0	0	0.9	5
1084I1	2070.000	21:59:12	2	2500	100	0	0	0	0	0.7	5
1084I1	2071.000	21:59:21	1	2500	100	0	0	0	0	0.7	5
1084I1	2072.000	21:59:29	2	2500	100	0	0	0	0	1.1	5
1084I1	2073.000	21:59:38	1	2500	100	0	0	0	0	1.0	5
1084I1	2074.000	21:59:46	2	2500	100	0	0	0	0	0.6	5
1084I1	2075.000	21:59:55	1	2500	100	0	0	0	0	0.8	5
1084I1	2076.000	22:00:04	2	2500	100	0	0	0	0	0.8	5
1084I1	2077.000	22:00:12	1	2500	100	0	0	0	0	0.9	5
1084I1	2078.000	22:00:21	2	2500	100	0	0	0	0	0.9	5
1084I1	2079.000	22:00:29	1	2500	100	0	0	0	0	0.8	5
1084I1	2080.000	22:00:38	2	2500	100	0	0	0	0	0.6	5
1084I1	2081.000	22:00:46	1	2500	100	0	0	0	0	1.0	5
1084I1	2082.000	22:00:55	2	2500	100	0	0	0	0	0.5	5
1084I1	2083.000	22:01:03	1	2500	100	0	0	0	0	0.6	5
1084I1	2084.000	22:01:12	2	2500	100	0	0	0	0	0.7	5
1084I1	2085.000	22:01:21	1	2500	100	0	0	0	0	0.9	5
1084I1	2086.000	22:01:29	2	2500	100	0	0	0	0	1.2	5

GCS90 Log Line 1084I1

Page 21/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2087.000	22:01:38	1	2500	100	0	0	0	0	1.1	5
1084I1	2088.000	22:01:46	2	2500	100	0	0	0	0	1.0	5
1084I1	2089.000	22:01:55	1	2500	100	0	0	0	0	0.7	5
1084I1	2090.000	22:02:03	2	2500	100	0	0	0	0	0.8	5
1084I1	2091.000	22:02:12	1	2500	100	0	0	0	0	0.7	5
1084I1	2092.000	22:02:20	2	2500	100	0	0	0	0	0.9	5
1084I1	2093.000	22:02:29	1	2500	100	0	0	0	0	1.3	5
1084I1	2094.000	22:02:37	2	2500	100	0	0	0	0	1.3	5
1084I1	2095.000	22:02:46	1	2500	100	0	0	0	0	0.4	5
1084I1	2096.000	22:02:54	2	2500	100	0	0	0	0	0.9	5
1084I1	2097.000	22:03:03	1	2500	100	0	0	0	0	0.9	5
1084I1	2098.000	22:03:11	2	2500	100	0	0	0	0	0.6	5
1084I1	2099.000	22:03:20	1	2500	100	0	0	0	0	0.6	5
1084I1	2100.000	22:03:28	2	2500	100	0	0	0	0	0.8	5
1084I1	2101.000	22:03:37	1	2500	100	0	0	0	0	0.5	5
1084I1	2102.000	22:03:45	2	2500	100	0	0	0	0	0.7	5
1084I1	2103.000	22:03:54	1	2500	100	0	0	0	0	0.8	5
1084I1	2104.000	22:04:02	2	2500	100	0	0	0	0	0.6	5
1084I1	2105.000	22:04:11	1	2500	100	0	0	0	0	0.6	5
1084I1	2106.000	22:04:19	2	2500	100	0	0	0	0	0.8	5
1084I1	2107.000	22:04:28	1	2500	100	0	0	0	0	0.8	5
1084I1	2108.000	22:04:37	2	2500	100	0	0	0	0	1.2	5
1084I1	2109.000	22:04:45	1	2500	100	0	0	0	0	1.0	5
1084I1	2110.000	22:04:54	2	2500	100	0	0	0	0	0.8	5
1084I1	2111.000	22:05:02	1	2500	100	0	0	0	0	0.9	5
1084I1	2112.000	22:05:11	2	2500	100	0	0	0	0	1.2	5
1084I1	2113.000	22:05:19	1	2500	100	0	0	0	0	0.6	5
1084I1	2114.000	22:05:28	2	2500	100	0	0	0	0	0.9	5
1084I1	2115.000	22:05:36	1	2500	100	0	0	0	0	0.6	5
1084I1	2116.000	22:05:45	2	2500	100	0	0	0	0	0.6	5
1084I1	2117.000	22:05:53	1	2500	100	0	0	0	0	0.7	5
1084I1	2118.000	22:06:02	2	2500	100	0	0	0	0	0.9	5
1084I1	2119.000	22:06:10	1	2500	100	0	0	0	0	1.0	5
1084I1	2120.000	22:06:19	2	2500	100	0	0	0	0	1.2	5
1084I1	2121.000	22:06:27	1	2500	100	0	0	0	0	0.6	5
1084I1	2122.000	22:06:36	2	2500	100	0	0	0	0	1.1	5
1084I1	2123.000	22:06:45	1	2500	100	0	0	0	0	0.9	5
1084I1	2124.000	22:06:53	2	2500	100	0	0	0	0	0.6	5
1084I1	2125.000	22:07:02	1	2500	100	0	0	0	0	0.6	5
1084I1	2126.000	22:07:10	2	2500	100	0	0	0	0	1.1	5
1084I1	2127.000	22:07:19	1	2500	100	0	0	0	0	1.1	5
1084I1	2128.000	22:07:27	2	2500	100	0	0	0	0	0.5	5
1084I1	2129.000	22:07:36	1	2500	100	0	0	0	0	1.0	5
1084I1	2130.000	22:07:44	2	2500	100	0	0	0	0	0.7	5
1084I1	2131.000	22:07:53	1	2500	100	0	0	0	0	0.8	5
1084I1	2132.000	22:08:01	2	2500	100	0	0	0	0	0.6	5
1084I1	2133.000	22:08:10	1	2500	100	0	0	0	0	0.7	5
1084I1	2134.000	22:08:18	2	2500	100	0	0	0	0	1.0	5
1084I1	2135.000	22:08:27	1	2500	100	0	0	0	0	0.5	5
1084I1	2136.000	22:08:35	2	2500	100	0	0	0	0	0.9	5
1084I1	2137.000	22:08:44	1	2500	100	0	0	0	0	0.5	5
1084I1	2138.000	22:08:53	2	2500	100	0	0	0	0	0.4	5
1084I1	2139.000	22:09:01	1	2500	100	0	0	0	0	0.7	5
1084I1	2140.000	22:09:10	2	2500	100	0	0	0	0	0.7	5
1084I1	2141.000	22:09:19	1	2500	100	0	0	0	0	0.6	5
1084I1	2142.000	22:09:27	2	2500	100	0	0	0	0	0.8	5
1084I1	2143.000	22:09:36	1	2500	100	0	0	0	0	0.9	5

GCS90 Log Line 1084I1

Page 22/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2144.000	22:09:44	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2145.000	22:09:53	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2146.000	22:10:02	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2147.000	22:10:10	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2148.000	22:10:19	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2149.000	22:10:27	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2150.000	22:10:36	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2151.000	22:10:45	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2152.000	22:10:53	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2153.000	22:11:02	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2154.000	22:11:11	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2155.000	22:11:19	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2156.000	22:11:28	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2157.000	22:11:36	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2158.000	22:11:45	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2159.000	22:11:53	1	2500	100	0	0	0	0	0 0.4	5
1084I1	2160.000	22:12:02	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2161.000	22:12:11	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2162.000	22:12:19	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2163.000	22:12:28	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2164.000	22:12:36	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2165.000	22:12:45	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2166.000	22:12:53	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2167.000	22:13:02	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2168.000	22:13:10	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2169.000	22:13:19	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2170.000	22:13:27	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2171.000	22:13:36	1	2500	100	0	0	0	0	0 1.1	5
DEPTH ERR: 1 - S3-1											
1084I1	2172.000	22:13:44	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2173.000	22:13:53	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2174.000	22:14:01	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2175.000	22:14:10	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2176.000	22:14:18	2	2500	100	0	0	0	0	0 1.5	5
1084I1	2177.000	22:14:27	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2178.000	22:14:35	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2179.000	22:14:43	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2180.000	22:14:52	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2181.000	22:15:00	1	2500	100	0	0	0	0	0 0.4	5
1084I1	2182.000	22:15:09	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2183.000	22:15:18	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2184.000	22:15:26	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2185.000	22:15:35	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2186.000	22:15:43	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2187.000	22:15:52	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2188.000	22:16:01	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2189.000	22:16:09	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2190.000	22:16:18	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2191.000	22:16:26	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2192.000	22:16:35	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2193.000	22:16:44	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2194.000	22:16:52	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2195.000	22:17:00	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2196.000	22:17:09	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2197.000	22:17:17	1	2500	100	0	0	0	0	1 1.8	5
DELTA ERR: 1 - S3-3											
1084I1	2198.000	22:17:26	2	2500	100	0	0	0	0	0 0.9	5

GCS90 Log Line 1084I1

Page 23/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2199.000	22:17:34	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2200.000	22:17:43	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2201.000	22:17:51	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2202.000	22:18:00	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2203.000	22:18:08	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2204.000	22:18:17	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2205.000	22:18:25	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2206.000	22:18:34	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2207.000	22:18:42	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2208.000	22:18:51	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2209.000	22:18:59	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2210.000	22:19:08	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2211.000	22:19:16	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2212.000	22:19:25	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2213.000	22:19:33	1	2500	100	0	0	0	0	0 1.4	5
1084I1	2214.000	22:19:41	2	2500	100	0	0	0	0	0 1.5	5
1084I1	2215.000	22:19:50	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2216.000	22:19:59	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2217.000	22:20:07	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2218.000	22:20:15	2	2500	100	0	0	0	0	0 1.5	5
1084I1	2219.000	22:20:24	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2220.000	22:20:32	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2221.000	22:20:41	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2222.000	22:20:49	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2223.000	22:20:58	1	2500	100	0	0	0	0	0 1.6	5
1084I1	2224.000	22:21:07	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2225.000	22:21:15	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2226.000	22:21:24	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2227.000	22:21:32	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2228.000	22:21:41	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2229.000	22:21:49	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2230.000	22:21:58	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2231.000	22:22:07	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2232.000	22:22:15	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2233.000	22:22:24	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2234.000	22:22:32	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2235.000	22:22:41	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2236.000	22:22:49	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2237.000	22:22:58	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2238.000	22:23:06	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2239.000	22:23:15	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2240.000	22:23:23	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2241.000	22:23:32	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2242.000	22:23:41	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2243.000	22:23:49	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2244.000	22:23:58	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2245.000	22:24:06	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2246.000	22:24:15	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2247.000	22:24:23	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2248.000	22:24:32	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2249.000	22:24:40	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2250.000	22:24:49	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2251.000	22:24:57	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2252.000	22:25:06	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2253.000	22:25:14	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2254.000	22:25:23	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2255.000	22:25:31	1	2500	100	0	0	0	0	0 0.4	5

GCS90 Log Line 1084I1

Page 24/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2256.000	22:25:40	2	2500	100	0	0	0	0	1.6	5
1084I1	2257.000	22:25:48	1	2500	100	0	0	0	0	0.5	5
1084I1	2258.000	22:25:57	2	2500	100	0	0	0	0	1.1	5
1084I1	2259.000	22:26:05	1	2500	100	0	0	0	0	1.0	5
1084I1	2260.000	22:26:14	2	2500	100	0	0	0	0	1.0	5
1084I1	2261.000	22:26:22	1	2500	100	0	0	0	0	0.4	5
1084I1	2262.000	22:26:31	2	2500	100	0	0	0	0	1.2	5
1084I1	2263.000	22:26:39	1	2500	100	0	0	0	0	0.8	5
1084I1	2264.000	22:26:48	2	2500	100	0	0	0	0	1.2	5
1084I1	2265.000	22:26:56	1	2500	100	0	0	0	0	0.6	5
1084I1	2266.000	22:27:05	2	2500	100	0	0	0	0	1.1	5
1084I1	2267.000	22:27:13	1	2500	100	0	0	0	0	0.5	5
1084I1	2268.000	22:27:22	2	2500	100	0	0	0	0	0.7	5
1084I1	2269.000	22:27:30	1	2500	100	0	0	0	0	1.1	5
1084I1	2270.000	22:27:39	2	2500	100	0	0	0	0	0.5	5
1084I1	2271.000	22:27:47	1	2500	100	0	0	0	0	1.4	5
1084I1	2272.000	22:27:56	2	2500	100	0	0	0	0	0.6	5
1084I1	2273.000	22:28:04	1	2500	100	0	0	0	0	1.4	5
1084I1	2274.000	22:28:13	2	2500	100	0	0	0	0	0.7	5
1084I1	2275.000	22:28:21	1	2500	100	0	0	0	0	0.7	5
1084I1	2276.000	22:28:30	2	2500	100	0	0	0	0	0.6	5
1084I1	2277.000	22:28:38	1	2500	100	0	0	0	0	0.8	5
1084I1	2278.000	22:28:47	2	2500	100	0	0	0	0	1.3	5
1084I1	2279.000	22:28:55	1	2500	100	0	0	0	0	0.9	5
1084I1	2280.000	22:29:04	2	2500	100	0	0	0	0	1.0	5
1084I1	2281.000	22:29:12	1	2500	100	0	0	0	0	1.3	5
1084I1	2282.000	22:29:21	2	2500	100	0	0	0	0	0.7	5
1084I1	2283.000	22:29:30	1	2500	100	0	0	0	0	0.7	5
1084I1	2284.000	22:29:38	2	2500	100	0	0	0	0	0.8	5
1084I1	2285.000	22:29:47	1	2500	100	0	0	0	0	0.8	5
1084I1	2286.000	22:29:55	2	2500	100	0	0	0	0	0.9	5
1084I1	2287.000	22:30:04	1	2500	100	0	0	0	0	1.3	5
1084I1	2288.000	22:30:12	2	2500	100	0	0	0	0	1.0	5
1084I1	2289.000	22:30:21	1	2500	100	0	0	0	0	0.8	5
1084I1	2290.000	22:30:30	2	2500	100	0	0	0	0	0.8	5
1084I1	2291.000	22:30:38	1	2500	100	0	0	0	0	0.9	5
1084I1	2292.000	22:30:47	2	2500	100	0	0	0	0	1.3	5
1084I1	2293.000	22:30:55	1	2500	100	0	0	0	0	1.0	5
1084I1	2294.000	22:31:04	2	2500	100	0	0	0	0	0.8	5
1084I1	2295.000	22:31:13	1	2500	100	0	0	0	0	0.8	5
1084I1	2296.000	22:31:21	2	2500	100	0	0	0	0	1.2	5
1084I1	2297.000	22:31:30	1	2500	100	0	0	0	0	0.8	5
1084I1	2298.000	22:31:39	2	2500	100	0	0	0	0	1.0	5
1084I1	2299.000	22:31:47	1	2500	100	0	0	0	0	0.6	5
1084I1	2300.000	22:31:56	2	2500	100	0	0	0	0	0.8	5
1084I1	2301.000	22:32:04	1	2500	100	0	0	0	0	0.7	5
1084I1	2302.000	22:32:13	2	2500	100	0	0	0	0	1.2	5
1084I1	2303.000	22:32:22	1	2500	100	0	0	0	0	0.7	5
1084I1	2304.000	22:32:30	2	2500	100	0	0	0	0	0.9	5
1084I1	2305.000	22:32:39	1	2500	100	0	0	0	0	0.8	5
1084I1	2306.000	22:32:48	2	2500	100	0	0	0	0	0.8	5
1084I1	2307.000	22:32:56	1	2500	100	0	0	0	0	0.6	5
1084I1	2308.000	22:33:05	2	2500	100	0	0	0	0	1.1	5
1084I1	2309.000	22:33:14	1	2500	100	0	0	0	0	1.1	5
1084I1	2310.000	22:33:23	2	2500	100	0	0	0	0	0.6	5
1084I1	2311.000	22:33:31	1	2500	100	0	0	0	0	1.6	5

DELTA ERR: 1 - S3-3

GCS90 Log Line 1084I1

Page 25/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2312.000	22:33:40	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2313.000	22:33:49	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2314.000	22:33:57	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2315.000	22:34:06	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2316.000	22:34:15	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2317.000	22:34:23	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2318.000	22:34:32	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2319.000	22:34:41	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2320.000	22:34:49	2	2500	100	0	0	0	0	0 1.8	5
1084I1	2321.000	22:34:58	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2322.000	22:35:06	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2323.000	22:35:15	1	2500	100	0	0	0	0	0 1.4	5
1084I1	2324.000	22:35:24	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2325.000	22:35:33	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2326.000	22:35:41	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2327.000	22:35:50	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2328.000	22:35:59	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2329.000	22:36:07	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2330.000	22:36:16	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2331.000	22:36:25	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2332.000	22:36:33	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2333.000	22:36:42	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2334.000	22:36:51	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2335.000	22:37:00	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2336.000	22:37:08	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2337.000	22:37:17	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2338.000	22:37:26	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2339.000	22:37:35	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2340.000	22:37:43	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2341.000	22:37:52	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2342.000	22:38:01	2	2500	100	0	0	0	0	0 1.5	5
1084I1	2343.000	22:38:09	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2344.000	22:38:18	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2345.000	22:38:27	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2346.000	22:38:36	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2347.000	22:38:44	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2348.000	22:38:53	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2349.000	22:39:02	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2350.000	22:39:11	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2351.000	22:39:20	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2352.000	22:39:28	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2353.000	22:39:37	1	2500	100	0	0	0	0	0 1.5	5
1084I1	2354.000	22:39:46	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2355.000	22:39:55	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2356.000	22:40:03	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2357.000	22:40:12	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2358.000	22:40:20	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2359.000	22:40:29	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2360.000	22:40:38	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2361.000	22:40:46	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2362.000	22:40:55	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2363.000	22:41:03	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2364.000	22:41:12	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2365.000	22:41:21	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2366.000	22:41:30	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2367.000	22:41:38	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2368.000	22:41:47	2	2500	100	0	0	0	0	0 1.1	5

GCS90 Log Line 1084I1

Page 26/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2369.000	22:41:56	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2370.000	22:42:04	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2371.000	22:42:13	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2372.000	22:42:22	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2373.000	22:42:30	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2374.000	22:42:39	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2375.000	22:42:47	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2376.000	22:42:56	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2377.000	22:43:05	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2378.000	22:43:13	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2379.000	22:43:22	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2380.000	22:43:30	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2381.000	22:43:39	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2382.000	22:43:48	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2383.000	22:43:57	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2384.000	22:44:05	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2385.000	22:44:14	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2386.000	22:44:23	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2387.000	22:44:31	1	2500	100	0	0	0	0	0 1.4	5
1084I1	2388.000	22:44:40	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2389.000	22:44:49	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2390.000	22:44:57	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2391.000	22:45:06	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2392.000	22:45:14	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2393.000	22:45:23	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2394.000	22:45:31	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2395.000	22:45:40	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2396.000	22:45:49	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2397.000	22:45:57	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2398.000	22:46:06	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2399.000	22:46:15	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2400.000	22:46:23	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2401.000	22:46:32	1	2500	100	0	0	0	0	0 1.4	5
1084I1	2402.000	22:46:41	2	2500	100	0	0	0	0	0 1.9	5
1084I1	2403.000	22:46:50	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2404.000	22:46:58	2	2500	100	0	0	0	0	0 0.4	5
1084I1	2405.000	22:47:07	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2406.000	22:47:16	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2407.000	22:47:24	1	2500	100	0	0	0	0	0 1.5	5
1084I1	2408.000	22:47:33	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2409.000	22:47:41	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2410.000	22:47:50	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2411.000	22:47:59	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2412.000	22:48:07	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2413.000	22:48:16	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2414.000	22:48:25	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2415.000	22:48:33	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2416.000	22:48:42	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2417.000	22:48:51	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2418.000	22:48:59	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2419.000	22:49:08	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2420.000	22:49:16	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2421.000	22:49:25	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2422.000	22:49:34	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2423.000	22:49:42	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2424.000	22:49:51	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2425.000	22:49:59	1	2500	100	0	0	0	0	0 0.4	5

GCS90 Log Line 1084I1

Page 27/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2426.000	22:50:08	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2427.000	22:50:17	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2428.000	22:50:25	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2429.000	22:50:34	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2430.000	22:50:43	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2431.000	22:50:51	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2432.000	22:51:00	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2433.000	22:51:09	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2434.000	22:51:17	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2435.000	22:51:26	1	2500	100	0	0	0	0	0 0.4	5
1084I1	2436.000	22:51:35	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2437.000	22:51:43	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2438.000	22:51:52	2	2500	100	0	0	0	0	0 1.5	5
1084I1	2439.000	22:52:01	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2440.000	22:52:09	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2441.000	22:52:18	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2442.000	22:52:27	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2443.000	22:52:35	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2444.000	22:52:44	2	2500	100	0	0	0	0	0 1.6	5
1084I1	2445.000	22:52:53	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2446.000	22:53:02	2	2500	100	0	0	0	0	0 1.6	5
1084I1	2447.000	22:53:10	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2448.000	22:53:19	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2449.000	22:53:27	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2450.000	22:53:36	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2451.000	22:53:45	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2452.000	22:53:53	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2453.000	22:54:02	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2454.000	22:54:11	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2455.000	22:54:20	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2456.000	22:54:28	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2457.000	22:54:37	1	2500	100	0	0	0	0	0 0.4	5
1084I1	2458.000	22:54:46	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2459.000	22:54:54	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2460.000	22:55:03	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2461.000	22:55:12	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2462.000	22:55:20	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2463.000	22:55:29	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2464.000	22:55:38	2	2500	100	0	0	0	0	1 1.9	5
DELTA ERR: 1 - P6-1											
1084I1	2465.000	22:55:46	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2466.000	22:55:55	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2467.000	22:56:04	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2468.000	22:56:13	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2469.000	22:56:21	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2470.000	22:56:30	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2471.000	22:56:38	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2472.000	22:56:47	2	2500	100	0	0	0	0	0 1.5	5
1084I1	2473.000	22:56:56	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2474.000	22:57:04	2	2500	100	0	0	0	0	0 1.5	5
1084I1	2475.000	22:57:13	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2476.000	22:57:22	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2477.000	22:57:31	1	2500	100	0	0	0	0	0 0.4	5
1084I1	2478.000	22:57:39	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2479.000	22:57:48	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2480.000	22:57:57	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2481.000	22:58:05	1	2500	100	0	0	0	0	0 0.5	5

GCS90 Log Line 1084I1

Page 28/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2482.000	22:58:14	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2483.000	22:58:23	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2484.000	22:58:31	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2485.000	22:58:40	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2486.000	22:58:49	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2487.000	22:58:58	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2488.000	22:59:06	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2489.000	22:59:15	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2490.000	22:59:24	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2491.000	22:59:32	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2492.000	22:59:41	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2493.000	22:59:50	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2494.000	22:59:59	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2495.000	23:00:07	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2496.000	23:00:16	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2497.000	23:00:25	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2498.000	23:00:33	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2499.000	23:00:42	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2500.000	23:00:51	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2501.000	23:01:00	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2502.000	23:01:08	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2503.000	23:01:17	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2504.000	23:01:26	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2505.000	23:01:35	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2506.000	23:01:43	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2507.000	23:01:52	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2508.000	23:02:01	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2509.000	23:02:09	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2510.000	23:02:18	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2511.000	23:02:27	1	2500	100	0	0	0	0	0 1.7	5
1084I1	2512.000	23:02:35	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2513.000	23:02:44	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2514.000	23:02:53	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2515.000	23:03:02	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2516.000	23:03:10	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2517.000	23:03:19	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2518.000	23:03:28	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2519.000	23:03:36	1	2500	100	0	0	0	0	0 1.6	5
1084I1	2520.000	23:03:45	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2521.000	23:03:54	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2522.000	23:04:02	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2523.000	23:04:11	1	2500	100	0	0	0	0	0 1.4	5
1084I1	2524.000	23:04:20	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2525.000	23:04:28	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2526.000	23:04:37	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2527.000	23:04:46	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2528.000	23:04:55	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2529.000	23:05:04	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2530.000	23:05:12	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2531.000	23:05:21	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2532.000	23:05:30	2	2500	100	0	0	0	0	0 1.6	5
1084I1	2533.000	23:05:38	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2534.000	23:05:47	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2535.000	23:05:56	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2536.000	23:06:04	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2537.000	23:06:13	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2538.000	23:06:22	2	2500	100	0	0	0	0	0 0.8	5

GCS90 Log Line 1084I1

Page 29/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2539.000	23:06:31	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2540.000	23:06:39	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2541.000	23:06:48	1	2500	100	0	0	0	0	0 1.4	5
1084I1	2542.000	23:06:57	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2543.000	23:07:06	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2544.000	23:07:14	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2545.000	23:07:23	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2546.000	23:07:32	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2547.000	23:07:41	1	2500	100	0	0	0	0	0 1.8	5
1084I1	2548.000	23:07:50	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2549.000	23:07:58	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2550.000	23:08:07	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2551.000	23:08:16	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2552.000	23:08:25	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2553.000	23:08:33	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2554.000	23:08:42	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2555.000	23:08:51	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2556.000	23:08:59	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2557.000	23:09:08	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2558.000	23:09:17	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2559.000	23:09:25	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2560.000	23:09:34	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2561.000	23:09:42	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2562.000	23:09:51	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2563.000	23:10:00	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2564.000	23:10:09	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2565.000	23:10:17	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2566.000	23:10:26	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2567.000	23:10:34	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2568.000	23:10:43	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2569.000	23:10:52	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2570.000	23:11:01	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2571.000	23:11:09	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2572.000	23:11:18	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2573.000	23:11:27	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2574.000	23:11:35	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2575.000	23:11:44	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2576.000	23:11:53	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2577.000	23:12:01	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2578.000	23:12:10	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2579.000	23:12:19	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2580.000	23:12:27	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2581.000	23:12:36	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2582.000	23:12:45	2	2500	100	0	0	0	0	0 1.7	5
1084I1	2583.000	23:12:53	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2584.000	23:13:02	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2585.000	23:13:10	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2586.000	23:13:19	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2587.000	23:13:28	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2588.000	23:13:36	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2589.000	23:13:45	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2590.000	23:13:54	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2591.000	23:14:02	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2592.000	23:14:11	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2593.000	23:14:19	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2594.000	23:14:28	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2595.000	23:14:37	1	2500	100	0	0	0	0	0 0.7	5

GCS90 Log Line 1084I1

Page 30/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2596.000	23:14:45	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2597.000	23:14:54	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2598.000	23:15:02	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2599.000	23:15:11	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2600.000	23:15:19	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2601.000	23:15:28	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2602.000	23:15:37	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2603.000	23:15:45	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2604.000	23:15:54	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2605.000	23:16:02	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2606.000	23:16:11	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2607.000	23:16:20	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2608.000	23:16:28	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2609.000	23:16:37	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2610.000	23:16:46	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2611.000	23:16:55	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2612.000	23:17:03	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2613.000	23:17:12	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2614.000	23:17:21	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2615.000	23:17:29	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2616.000	23:17:38	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2617.000	23:17:47	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2618.000	23:17:55	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2619.000	23:18:04	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2620.000	23:18:13	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2621.000	23:18:21	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2622.000	23:18:30	2	2500	100	0	0	0	0	0 1.6	5
1084I1	2623.000	23:18:39	1	2500	100	0	0	0	0	0 1.9	5
1084I1	2624.000	23:18:47	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2625.000	23:18:56	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2626.000	23:19:04	2	2500	100	0	0	0	0	0 1.6	5
1084I1	2627.000	23:19:13	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2628.000	23:19:22	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2629.000	23:19:30	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2630.000	23:19:39	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2631.000	23:19:48	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2632.000	23:19:56	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2633.000	23:20:05	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2634.000	23:20:14	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2635.000	23:20:22	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2636.000	23:20:31	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2637.000	23:20:39	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2638.000	23:20:48	2	2500	100	0	0	0	0	0 1.5	5
1084I1	2639.000	23:20:57	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2640.000	23:21:05	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2641.000	23:21:14	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2642.000	23:21:23	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2643.000	23:21:31	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2644.000	23:21:40	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2645.000	23:21:49	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2646.000	23:21:57	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2647.000	23:22:06	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2648.000	23:22:15	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2649.000	23:22:23	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2650.000	23:22:32	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2651.000	23:22:41	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2652.000	23:22:50	2	2500	100	0	0	0	0	0 1.1	5

GCS90 Log Line 1084I1

Page 31/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2653.000	23:22:58	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2654.000	23:23:07	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2655.000	23:23:16	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2656.000	23:23:25	2	2500	100	0	0	0	0	0 1.7	5
1084I1	2657.000	23:23:33	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2658.000	23:23:42	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2659.000	23:23:51	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2660.000	23:24:00	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2661.000	23:24:08	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2662.000	23:24:17	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2663.000	23:24:26	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2664.000	23:24:34	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2665.000	23:24:43	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2666.000	23:24:52	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2667.000	23:25:00	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2668.000	23:25:09	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2669.000	23:25:18	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2670.000	23:25:26	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2671.000	23:25:35	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2672.000	23:25:44	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2673.000	23:25:52	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2674.000	23:26:01	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2675.000	23:26:10	1	2500	100	0	0	0	0	0 0.4	5
1084I1	2676.000	23:26:18	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2677.000	23:26:27	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2678.000	23:26:36	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2679.000	23:26:45	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2680.000	23:26:53	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2681.000	23:27:02	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2682.000	23:27:11	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2683.000	23:27:19	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2684.000	23:27:28	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2685.000	23:27:37	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2686.000	23:27:45	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2687.000	23:27:54	1	2500	100	0	0	0	0	0 1.6	5
1084I1	2688.000	23:28:03	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2689.000	23:28:11	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2690.000	23:28:20	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2691.000	23:28:29	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2692.000	23:28:37	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2693.000	23:28:46	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2694.000	23:28:55	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2695.000	23:29:04	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2696.000	23:29:13	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2697.000	23:29:21	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2698.000	23:29:30	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2699.000	23:29:39	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2700.000	23:29:48	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2701.000	23:29:56	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2702.000	23:30:05	2	2500	100	0	0	0	0	0 1.6	5
1084I1	2703.000	23:30:14	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2704.000	23:30:22	2	2500	100	0	0	0	0	1 1.8	5
DELTA ERR: 1 - P6-1											
1084I1	2705.000	23:30:31	1	2500	100	0	0	0	0	0 0.4	5
1084I1	2706.000	23:30:40	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2707.000	23:30:49	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2708.000	23:30:57	2	2500	100	0	0	0	0	0 1.0	5

GCS90 Log Line 1084I1

Page 32/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2709.000	23:31:06	1	2500	100	0	0	0	0	0 1.4	5
1084I1	2710.000	23:31:15	2	2500	100	0	0	0	0	0 1.8	5
1084I1	2711.000	23:31:23	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2712.000	23:31:32	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2713.000	23:31:41	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2714.000	23:31:49	2	2500	100	0	0	0	0	0 0.4	5
1084I1	2715.000	23:31:58	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2716.000	23:32:07	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2717.000	23:32:15	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2718.000	23:32:24	2	2500	100	0	0	0	0	0 1.9	5
1084I1	2719.000	23:32:33	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2720.000	23:32:41	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2721.000	23:32:50	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2722.000	23:32:58	2	2500	100	0	0	0	0	0 1.6	5
1084I1	2723.000	23:33:07	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2724.000	23:33:16	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2725.000	23:33:24	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2726.000	23:33:33	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2727.000	23:33:41	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2728.000	23:33:50	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2729.000	23:33:59	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2730.000	23:34:07	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2731.000	23:34:16	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2732.000	23:34:25	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2733.000	23:34:34	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2734.000	23:34:42	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2735.000	23:34:51	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2736.000	23:35:00	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2737.000	23:35:08	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2738.000	23:35:17	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2739.000	23:35:25	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2740.000	23:35:34	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2741.000	23:35:43	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2742.000	23:35:51	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2743.000	23:36:00	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2744.000	23:36:09	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2745.000	23:36:17	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2746.000	23:36:26	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2747.000	23:36:35	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2748.000	23:36:44	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2749.000	23:36:52	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2750.000	23:37:01	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2751.000	23:37:10	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2752.000	23:37:19	2	2500	100	0	0	0	0	0 0.5	5
1084I1	2753.000	23:37:27	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2754.000	23:37:36	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2755.000	23:37:45	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2756.000	23:37:54	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2757.000	23:38:02	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2758.000	23:38:11	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2759.000	23:38:20	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2760.000	23:38:28	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2761.000	23:38:37	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2762.000	23:38:46	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2763.000	23:38:54	1	2500	100	0	0	0	0	0 1.4	5
1084I1	2764.000	23:39:03	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2765.000	23:39:12	1	2500	100	0	0	0	0	0 0.5	5

GCS90 Log Line 1084I1

Page 33/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2766.000	23:39:20	2	2500	100	0	0	0	0	0 0.4	5
1084I1	2767.000	23:39:29	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2768.000	23:39:38	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2769.000	23:39:46	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2770.000	23:39:55	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2771.000	23:40:04	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2772.000	23:40:12	2	2500	100	0	0	0	0	0 0.4	5
1084I1	2773.000	23:40:21	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2774.000	23:40:30	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2775.000	23:40:38	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2776.000	23:40:47	2	2500	100	0	0	0	0	0 1.5	5
1084I1	2777.000	23:40:56	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2778.000	23:41:05	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2779.000	23:41:13	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2780.000	23:41:22	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2781.000	23:41:31	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2782.000	23:41:40	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2783.000	23:41:48	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2784.000	23:41:57	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2785.000	23:42:06	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2786.000	23:42:14	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2787.000	23:42:23	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2788.000	23:42:32	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2789.000	23:42:40	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2790.000	23:42:49	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2791.000	23:42:58	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2792.000	23:43:06	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2793.000	23:43:15	1	2500	100	0	0	0	0	0 0.4	5
1084I1	2794.000	23:43:24	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2795.000	23:43:32	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2796.000	23:43:41	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2797.000	23:43:49	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2798.000	23:43:58	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2799.000	23:44:07	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2800.000	23:44:15	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2801.000	23:44:24	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2802.000	23:44:33	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2803.000	23:44:41	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2804.000	23:44:50	2	2500	100	0	0	0	0	0 0.7	5
1084I1	2805.000	23:44:59	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2806.000	23:45:07	2	2500	100	0	0	0	0	0 1.6	5
1084I1	2807.000	23:45:16	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2808.000	23:45:25	2	2500	100	0	0	0	0	0 0.4	5
1084I1	2809.000	23:45:33	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2810.000	23:45:42	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2811.000	23:45:50	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2812.000	23:45:59	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2813.000	23:46:08	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2814.000	23:46:16	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2815.000	23:46:25	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2816.000	23:46:34	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2817.000	23:46:42	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2818.000	23:46:51	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2819.000	23:47:00	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2820.000	23:47:09	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2821.000	23:47:17	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2822.000	23:47:26	2	2500	100	0	0	0	0	0 0.5	5

GCS90 Log Line 1084I1

Page 34/37

8/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2823.000	23:47:35	1	2500	100	0	0	0	0	1.1	5
1084I1	2824.000	23:47:43	2	2500	100	0	0	0	0	0.7	5
1084I1	2825.000	23:47:52	1	2500	100	0	0	0	0	0.7	5
1084I1	2826.000	23:48:01	2	2500	100	0	0	0	0	0.7	5
1084I1	2827.000	23:48:09	1	2500	100	0	0	0	0	0.7	5
1084I1	2828.000	23:48:18	2	2500	100	0	0	0	0	1.1	5
1084I1	2829.000	23:48:27	1	2500	100	0	0	0	0	1.0	5
1084I1	2830.000	23:48:35	2	2500	100	0	0	0	0	0.9	5
1084I1	2831.000	23:48:44	1	2500	100	0	0	0	0	2.0	5
DELTA ERR: 1 - S3-3											
1084I1	2832.000	23:48:53	2	2500	100	0	0	0	0	0.7	5
1084I1	2833.000	23:49:01	1	2500	100	0	0	0	0	0.5	5
1084I1	2834.000	23:49:10	2	2500	100	0	0	0	0	1.0	5
1084I1	2835.000	23:49:19	1	2500	100	0	0	0	0	0.8	5
1084I1	2836.000	23:49:27	2	2500	100	0	0	0	0	0.4	5
1084I1	2837.000	23:49:36	1	2500	100	0	0	0	0	0.6	5
1084I1	2838.000	23:49:45	2	2500	100	0	0	0	0	1.3	5
1084I1	2839.000	23:49:53	1	2500	100	0	0	0	0	1.1	5
1084I1	2840.000	23:50:02	2	2500	100	0	0	0	0	1.0	5
1084I1	2841.000	23:50:11	1	2500	100	0	0	0	0	0.9	5
1084I1	2842.000	23:50:19	2	2500	100	0	0	0	0	1.1	5
1084I1	2843.000	23:50:28	1	2500	100	0	0	0	0	0.7	5
1084I1	2844.000	23:50:37	2	2500	100	0	0	0	0	1.0	5
1084I1	2845.000	23:50:46	1	2500	100	0	0	0	0	0.9	5
1084I1	2846.000	23:50:54	2	2500	100	0	0	0	0	1.0	5
1084I1	2847.000	23:51:03	1	2500	100	0	0	0	0	0.5	5
1084I1	2848.000	23:51:12	2	2500	100	0	0	0	0	0.8	5
1084I1	2849.000	23:51:20	1	2500	100	0	0	0	0	0.5	5
1084I1	2850.000	23:51:29	2	2500	100	0	0	0	0	1.0	5
1084I1	2851.000	23:51:37	1	2500	100	0	0	0	0	0.9	5
1084I1	2852.000	23:51:46	2	2500	100	0	0	0	0	1.3	5
1084I1	2853.000	23:51:55	1	2500	100	0	0	0	0	1.4	5
1084I1	2854.000	23:52:04	2	2500	100	0	0	0	0	0.9	5
1084I1	2855.000	23:52:12	1	2500	100	0	0	0	0	1.4	5
1084I1	2856.000	23:52:21	2	2500	100	0	0	0	0	0.7	5
1084I1	2857.000	23:52:30	1	2500	100	0	0	0	0	1.0	5
1084I1	2858.000	23:52:38	2	2500	100	0	0	0	0	0.5	5
1084I1	2859.000	23:52:47	1	2500	100	0	0	0	0	1.0	5
1084I1	2860.000	23:52:56	2	2500	100	0	0	0	0	1.6	5
1084I1	2861.000	23:53:05	1	2500	100	0	0	0	0	1.3	5
1084I1	2862.000	23:53:13	2	2500	100	0	0	0	0	1.1	5
1084I1	2863.000	23:53:22	1	2500	100	0	0	0	0	0.5	5
1084I1	2864.000	23:53:31	2	2500	100	0	0	0	0	1.1	5
1084I1	2865.000	23:53:39	1	2500	100	0	0	0	0	0.5	5
1084I1	2866.000	23:53:48	2	2500	100	0	0	0	0	1.4	5
1084I1	2867.000	23:53:57	1	2500	100	0	0	0	0	0.7	5
1084I1	2868.000	23:54:06	2	2500	100	0	0	0	0	0.8	5
1084I1	2869.000	23:54:14	1	2500	100	0	0	0	0	1.3	5
1084I1	2870.000	23:54:23	2	2500	100	0	0	0	0	0.6	5
1084I1	2871.000	23:54:32	1	2500	100	0	0	0	0	0.5	5
1084I1	2872.000	23:54:40	2	2500	100	0	0	0	0	1.1	5
1084I1	2873.000	23:54:49	1	2500	100	0	0	0	0	1.3	5
1084I1	2874.000	23:54:58	2	2500	100	0	0	0	0	0.9	5
1084I1	2875.000	23:55:06	1	2500	100	0	0	0	0	0.5	5
1084I1	2876.000	23:55:15	2	2500	100	0	0	0	0	0.7	5
1084I1	2877.000	23:55:24	1	2500	100	0	0	0	0	1.3	5
1084I1	2878.000	23:55:32	2	2500	100	0	0	0	0	0.7	5

GCS90 Log Line 1084I1

Page 35/37

8/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2879.000	23:55:41	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2880.000	23:55:50	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2881.000	23:55:59	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2882.000	23:56:07	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2883.000	23:56:16	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2884.000	23:56:25	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2885.000	23:56:33	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2886.000	23:56:42	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2887.000	23:56:51	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2888.000	23:57:00	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2889.000	23:57:09	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2890.000	23:57:17	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2891.000	23:57:26	1	2500	100	0	0	0	0	0 1.2	5
1084I1	2892.000	23:57:35	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2893.000	23:57:44	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2894.000	23:57:52	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2895.000	23:58:01	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2896.000	23:58:10	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2897.000	23:58:19	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2898.000	23:58:27	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2899.000	23:58:36	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2900.000	23:58:45	2	2500	100	0	0	0	0	0 0.4	5
1084I1	2901.000	23:58:53	1	2500	100	0	0	0	0	0 1.3	5
1084I1	2902.000	23:59:02	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2903.000	23:59:11	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2904.000	23:59:20	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2905.000	23:59:28	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2906.000	23:59:37	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2907.000	23:59:45	1	2500	100	0	0	0	0	0 0.9	5
1084I1	2908.000	23:59:54	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2909.000	0:00:03	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2910.000	0:00:11	2	2500	100	0	0	0	0	0 1.5	5
1084I1	2911.000	0:00:20	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2912.000	0:00:29	2	2500	100	0	0	0	0	0 0.8	5
1084I1	2913.000	0:00:38	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2914.000	0:00:46	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2915.000	0:00:55	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2916.000	0:01:04	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2917.000	0:01:13	1	2500	100	0	0	0	0	0 1.0	5
1084I1	2918.000	0:01:21	2	2500	100	0	0	0	0	0 1.3	5
1084I1	2919.000	0:01:30	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2920.000	0:01:39	2	2500	100	0	0	0	0	0 1.4	5
1084I1	2921.000	0:01:48	1	2500	100	0	0	0	0	0 0.4	5
1084I1	2922.000	0:01:56	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2923.000	0:02:05	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2924.000	0:02:14	2	2500	100	0	0	0	0	0 0.9	5
1084I1	2925.000	0:02:23	1	2500	100	0	0	0	0	0 1.1	5
1084I1	2926.000	0:02:31	2	2500	100	0	0	0	0	0 1.1	5
1084I1	2927.000	0:02:40	1	2500	100	0	0	0	0	0 0.5	5
1084I1	2928.000	0:02:49	2	2500	100	0	0	0	0	0 1.0	5
1084I1	2929.000	0:02:57	1	2500	100	0	0	0	0	0 0.8	5
1084I1	2930.000	0:03:06	2	2500	100	0	0	0	0	0 0.6	5
1084I1	2931.000	0:03:15	1	2500	100	0	0	0	0	0 0.7	5
1084I1	2932.000	0:03:24	2	2500	100	0	0	0	0	0 1.2	5
1084I1	2933.000	0:03:33	1	2500	100	0	0	0	0	0 0.6	5
1084I1	2934.000	0:03:41	2	2500	100	0	0	0	0	0 1.7	5
1084I1	2935.000	0:03:50	1	2500	100	0	0	0	0	0 0.8	5

GCS90 Log Line 1084I1

Page 36/37

9/11/03				VOLUME			AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1084I1	2936.000	0:03:59	2	2500	100	0	0	0	0	0	1.1	5
1084I1	2937.000	0:04:07	1	2500	100	0	0	0	0	0	1.0	5
1084I1	2938.000	0:04:16	2	2500	100	0	0	0	0	0	1.7	5
1084I1	2939.000	0:04:25	1	2500	100	0	0	0	0	0	0.4	5
1084I1	2940.000	0:04:33	2	2500	100	0	0	0	0	0	1.1	5
1084I1	2941.000	0:04:42	1	2500	100	0	0	0	0	0	1.3	5
1084I1	2942.000	0:04:51	2	2500	100	0	0	0	0	0	1.1	5
1084I1	2943.000	0:05:00	1	2500	100	0	0	0	0	0	0.7	5
1084I1	2944.000	0:05:08	2	2500	100	0	0	0	0	0	1.0	5
1084I1	2945.000	0:05:17	1	2500	100	0	0	0	0	0	0.9	5
1084I1	2946.000	0:05:26	2	2500	100	0	0	0	0	0	0.7	5
1084I1	2947.000	0:05:34	1	2500	100	0	0	0	0	0	0.7	5
1084I1	2948.000	0:05:43	2	2500	100	0	0	0	0	0	0.8	5

GCS90 Log Line 1084I1

Page 37/37

STATISTICS SUMMARY LINE:1084I1 SHOT: 2949.000 0:05:43 9/11/03

ARRAY	SUB	GUN	TOTAL	DELT	MISS	AUTO	BAD	HCOUNT	2*QC	DELTA VARIATION		>QC	>2*QC	LOW	DEPTH	
										QC	OK				HIGH	
Port	6	1	999	2	0	0	0.2	464469	0	2	997	0	0	0	0	0
Port	6	2	999	0	0	0	0.0	460243	0	0	999	0	0	0	0	0
Port	6	3	999	0	0	0	0.0	465117	0	0	999	0	0	0	0	0
Port	6	4	0	0	0	0	0.0	10032	0	0	0	0	0	0	0	0
Port	6	5	0	0	0	0	0.0	280547	0	0	0	0	0	0	0	0
Port	6	6	999	0	0	0	0.0	465360	0	0	999	0	0	0	0	0
Port	6	7	999	0	0	0	0.0	465183	0	0	999	0	0	0	0	0
Port	6	8	0	0	0	0	0.0	282484	0	0	0	0	0	0	0	0
Port	6	9	999	0	0	0	0.0	462397	0	0	999	0	0	0	0	0
Port	6	10	999	0	0	0	0.0	463236	0	0	999	0	0	0	0	0
Port	6	11	999	0	0	0	0.0	462991	0	0	999	0	0	0	0	0
Port	5	1	999	0	0	0	0.0	464494	0	0	999	0	0	0	0	0
Port	5	2	999	0	0	0	0.0	464865	0	0	999	0	0	0	0	0
Port	5	3	0	0	0	0	0.0	279644	0	0	0	0	0	0	0	0
Port	5	4	999	0	0	0	0.0	99365	0	0	999	0	0	0	0	0
Port	5	5	999	0	0	0	0.0	465045	0	0	999	0	0	0	0	0
Port	5	6	999	0	0	0	0.0	466274	0	0	999	0	0	0	0	0
Port	5	8	999	0	0	0	0.0	465170	0	0	999	0	0	0	0	0
Port	5	9	0	0	0	0	0.0	677	0	0	0	0	0	0	0	0
Port	5	10	0	0	0	0	0.0	279486	0	0	0	0	0	0	0	0
Port	5	11	0	0	0	0	0.0	6986	0	0	0	0	0	0	0	0
Port	4	1	999	0	0	0	0.0	462061	0	0	999	0	0	0	0	0
Port	4	2	0	0	0	0	0.0	283971	0	0	0	0	0	0	0	0
Port	4	3	999	0	0	0	0.0	460208	0	0	999	0	0	0	0	0
Port	4	4	999	0	0	0	0.0	464676	0	0	999	0	0	0	0	0
Port	4	5	999	0	0	0	0.0	464701	0	0	999	0	0	0	0	0
Port	4	6	999	0	0	0	0.0	461386	0	0	999	0	0	0	0	0
Port	4	7	0	0	0	0	0.0	280514	0	0	0	0	0	0	0	0
Port	4	8	0	0	0	0	0.0	257312	0	0	0	0	0	0	0	0
Port	4	9	999	0	0	0	0.0	209471	0	0	999	0	0	0	0	0
Port	4	10	999	0	0	0	0.0	465102	0	0	999	0	0	0	0	0
Port	4	11	999	0	0	0	0.0	463571	0	0	999	0	0	0	0	0
Starboard	3	1	999	0	0	0	0.0	265625	0	0	999	0	0	1	0	0
Starboard	3	2	999	0	0	0	0.0	266713	0	0	999	0	0	0	0	0
Starboard	3	3	999	8	0	0	0.8	267176	0	7	991	1	0	0	0	0
Starboard	3	4	0	0	0	0	0.0	3610	0	0	0	0	0	0	0	0
Starboard	3	5	0	0	0	0	0.0	213558	0	0	0	0	0	0	0	0
Starboard	3	6	999	0	0	0	0.0	267247	0	0	999	0	0	0	0	0
Starboard	3	7	999	0	0	0	0.0	265864	0	0	999	0	0	0	0	0
Starboard	3	8	0	0	0	0	0.0	213670	0	0	0	0	0	0	0	0
Starboard	3	9	999	0	0	0	0.0	267219	0	0	999	0	0	0	0	0
Starboard	3	10	999	0	0	0	0.0	266430	0	0	999	0	0	0	0	0
Starboard	3	11	999	0	0	0	0.0	266789	0	0	999	0	0	0	0	0
Starboard	2	1	999	0	0	0	0.0	275492	0	0	999	0	0	0	0	0
Starboard	2	2	999	0	0	0	0.0	275990	0	0	999	0	0	0	0	0
Starboard	2	3	0	0	0	0	0.0	222256	0	0	0	0	0	0	0	0
Starboard	2	4	0	0	0	0	0.0	9576	0	0	0	0	0	0	0	0
Starboard	2	5	999	0	0	0	0.0	275922	0	0	999	0	0	0	0	0
Starboard	2	6	999	0	0	0	0.0	276642	0	0	999	0	0	0	0	0
Starboard	2	7	999	0	0	0	0.0	276087	0	0	999	0	0	0	0	0
Starboard	2	8	999	0	0	0	0.0	275759	0	0	999	0	0	0	0	0
Starboard	2	9	0	0	0	0	0.0	9706	0	0	0	0	0	0	0	0
Starboard	2	10	0	0	0	0	0.0	221379	0	0	0	0	0	0	0	0
Starboard	2	11	0	0	0	0	0.0	12539	0	0	0	0	0	0	0	0
Starboard	1	1	999	0	0	0	0.0	292199	0	0	999	0	0	0	0	0
Starboard	1	2	0	0	0	0	0.0	237704	0	0	0	0	0	0	0	0
Starboard	1	3	999	0	0	0	0.0	292052	0	0	999	0	0	0	0	0
Starboard	1	4	999	0	0	0	0.0	106111	0	0	999	0	0	0	0	0
Starboard	1	5	999	0	0	0	0.0	292339	0	0	999	0	0	0	0	0
Starboard	1	6	999	0	0	0	0.0	292529	0	0	999	0	0	0	0	0
Starboard	1	7	0	0	0	0	0.0	238657	0	0	0	0	0	0	0	0
Starboard	1	8	0	0	0	0	0.0	242517	0	0	0	0	0	0	0	0
Starboard	1	9	999	0	0	0	0.0	73983	0	0	999	0	0	0	0	0
Starboard	1	10	999	0	0	0	0.0	288101	0	0	999	0	0	0	0	0
Starboard	1	11	999	0	0	0	0.0	285896	0	0	999	0	0	0	0	0

SOURCE STATISTICS

SOURCE	SHOTS	DELTA	VOL	AUTO	BAD
1	999	0	0	0	0.0
2	999	0	0	0	0.0