

GCS90 Log Line 1244P1

9/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD						
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT	
1244P1	2369.000	20:45:06	2	1600	64E	1	0	0	12	0	0.7	0

# GCS90 Log Line 1244P1

Page 2/29

VOLUME ERR: 1600

MISSFIRES: 12 - P6-3P6-6P6-7P6-11P5-4P5-5P5-6P5-8P4-4P4-5

P4-6P4-11

1244P1	2368.000	20:45:14	2	2500	100	1	0	0	0	0	1.6	0
1244P1	2367.000	20:45:22	1	2500	100	1	0	0	0	0	0.7	0
1244P1	2366.000	20:45:31	2	2500	100	1	0	0	0	0	0.8	0
1244P1	2365.000	20:45:39	1	2500	100	1	0	0	0	0	0.8	0
1244P1	2364.000	20:45:47	2	2500	100	1	0	0	0	0	0.7	0
1244P1	2363.000	20:45:56	1	2500	100	1	0	0	0	0	1.0	0
1244P1	2362.000	20:46:04	2	2500	100	1	0	0	0	0	1.3	0
1244P1	2361.000	20:46:12	1	2500	100	1	0	0	0	0	0.9	0
1244P1	2360.000	20:46:21	2	2500	100	1	0	0	0	0	1.0	0
1244P1	2359.000	20:46:29	1	2500	100	1	0	0	0	0	0.9	0
1244P1	2358.000	20:46:38	2	2500	100	1	0	0	0	0	0.8	0
1244P1	2357.000	20:46:46	1	2500	100	1	0	0	0	0	1.1	0
1244P1	2356.000	20:46:54	2	2500	100	1	0	0	0	0	0.9	0
1244P1	2355.000	20:47:03	1	2500	100	1	0	0	0	0	1.2	0
1244P1	2354.000	20:47:11	2	2500	100	1	0	0	0	0	0.7	0
1244P1	2353.000	20:47:20	1	2500	100	1	0	0	0	0	0.8	0
1244P1	2352.000	20:47:28	2	2500	100	1	0	0	0	0	0.7	0
1244P1	2351.000	20:47:37	1	2500	100	1	0	0	0	0	0.6	0
1244P1	2350.000	20:47:45	2	2500	100	1	0	0	0	0	0.7	0
1244P1	2349.000	20:47:53	1	2500	100	1	0	0	0	0	0.6	0
1244P1	2348.000	20:48:02	2	2500	100	1	0	0	0	0	1.2	0
1244P1	2347.000	20:48:10	1	2500	100	1	0	0	0	0	1.0	0
1244P1	2346.000	20:48:19	2	2500	100	1	0	0	0	0	0.8	0
1244P1	2345.000	20:48:27	1	2500	100	1	0	0	0	0	0.8	0
1244P1	2344.000	20:48:36	2	2500	100	1	0	0	0	0	0.8	0
1244P1	2343.000	20:48:44	1	2500	100	1	0	0	0	0	0.5	0
1244P1	2342.000	20:48:53	2	2500	100	1	0	0	0	0	0.9	0
1244P1	2341.000	20:49:01	1	2500	100	1	0	0	0	0	0.9	0
1244P1	2340.000	20:49:10	2	2500	100	1	0	0	0	0	1.1	0
1244P1	2339.000	20:49:18	1	2500	100	1	0	0	0	0	0.8	0
1244P1	2338.000	20:49:27	2	2500	100	1	0	0	0	0	0.8	0
1244P1	2337.000	20:49:35	1	2500	100	1	0	0	0	0	1.0	0
1244P1	2336.000	20:49:44	2	2500	100	1	0	0	0	0	1.2	0
1244P1	2335.000	20:49:52	1	2500	100	1	0	0	0	0	0.7	0
1244P1	2334.000	20:50:01	2	2500	100	1	0	0	0	0	0.9	0
1244P1	2333.000	20:50:09	1	2500	100	1	0	0	0	0	0.9	0
1244P1	2332.000	20:50:18	2	2500	100	1	0	0	0	0	1.2	0
1244P1	2331.000	20:50:26	1	2500	100	1	0	0	0	0	0.9	0
1244P1	2330.000	20:50:35	2	2500	100	1	0	0	0	0	0.8	0
1244P1	2329.000	20:50:43	1	2500	100	1	0	0	0	0	0.5	0
1244P1	2328.000	20:50:52	2	2500	100	1	0	0	0	0	0.7	0
1244P1	2327.000	20:51:00	1	2500	100	1	0	0	0	0	0.7	0
1244P1	2326.000	20:51:09	2	2500	100	1	0	0	0	0	1.0	0
1244P1	2325.000	20:51:17	1	2500	100	1	0	0	0	0	0.8	0
1244P1	2324.000	20:51:26	2	2500	100	1	0	0	0	0	1.0	0
1244P1	2323.000	20:51:34	1	2500	100	1	0	0	0	0	0.8	0
1244P1	2322.000	20:51:43	2	2500	100	1	0	0	0	0	1.1	0
1244P1	2321.000	20:51:51	1	2500	100	1	0	0	0	0	0.7	0
1244P1	2320.000	20:52:00	2	2500	100	1	0	0	0	0	1.8	0
1244P1	2319.000	20:52:09	1	2500	100	1	0	0	0	0	1.2	0
1244P1	2318.000	20:52:17	2	2500	100	1	0	0	0	0	0.8	0
1244P1	2317.000	20:52:25	1	2500	100	1	0	0	0	0	0.7	0
1244P1	2316.000	20:52:34	2	2500	100	1	0	0	0	0	0.8	0
1244P1	2315.000	20:52:42	1	2500	100	1	0	0	0	0	0.9	0

## GCS90 Log Line 1244P1

Page 3/29

9/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	2314.000	20:52:51	2	2500	100	1	0	0	0	0 0.9	0
1244P1	2313.000	20:52:59	1	2500	100	1	0	0	0	0 0.6	0
1244P1	2312.000	20:53:08	2	2500	100	1	0	0	0	0 0.6	0
1244P1	2311.000	20:53:16	1	2500	100	1	0	0	0	0 0.5	0
1244P1	2310.000	20:53:25	2	2500	100	1	0	0	0	0 0.9	0
1244P1	2309.000	20:53:33	1	2500	100	1	0	0	0	0 1.0	0
1244P1	2308.000	20:53:42	2	2500	100	1	0	0	0	0 1.2	0
1244P1	2307.000	20:53:50	1	2500	100	1	0	0	0	0 0.8	0
1244P1	2306.000	20:53:59	2	2500	100	1	0	0	0	0 0.9	0
1244P1	2305.000	20:54:07	1	2500	100	1	0	0	0	0 0.7	0
1244P1	2304.000	20:54:15	2	2500	100	1	0	0	0	0 0.7	0
1244P1	2303.000	20:54:24	1	2500	100	1	0	0	0	0 1.0	0
1244P1	2302.000	20:54:32	2	2500	100	1	0	0	0	0 1.0	0
1244P1	2301.000	20:54:41	1	2500	100	1	0	0	0	0 1.1	0
1244P1	2300.000	20:54:49	2	2500	100	1	0	0	0	0 0.9	0
1244P1	2299.000	20:54:57	1	2500	100	1	0	0	0	0 1.1	0
1244P1	2298.000	20:55:06	2	2500	100	1	0	0	0	0 0.8	0
1244P1	2297.000	20:55:14	1	2500	100	1	0	0	0	0 0.8	0
1244P1	2296.000	20:55:23	2	2500	100	1	0	0	0	0 0.8	0
1244P1	2295.000	20:55:31	1	2500	100	1	0	0	0	0 0.9	0
1244P1	2294.000	20:55:40	2	2500	100	1	0	0	0	0 0.7	0
1244P1	2293.000	20:55:48	1	2500	100	1	0	0	0	0 0.7	0
1244P1	2292.000	20:55:57	2	2500	100	1	0	0	0	0 1.0	0
1244P1	2291.000	20:56:05	1	2500	100	1	0	0	0	0 0.7	0
1244P1	2290.000	20:56:14	2	2500	100	1	0	0	0	0 1.3	0
1244P1	2289.000	20:56:22	1	2500	100	1	0	0	0	0 1.0	0
1244P1	2288.000	20:56:30	2	2500	100	1	0	0	0	0 0.7	0
1244P1	2287.000	20:56:39	1	2500	100	1	0	0	0	0 0.8	0
1244P1	2286.000	20:56:47	2	2500	100	1	0	0	0	0 0.8	0
1244P1	2285.000	20:56:56	1	2500	100	1	0	0	0	0 1.1	0
1244P1	2284.000	20:57:04	2	2500	100	1	0	0	0	0 1.0	0
1244P1	2283.000	20:57:13	1	2500	100	1	0	0	0	0 0.8	0
1244P1	2282.000	20:57:21	2	2500	100	1	0	0	0	0 0.9	0
1244P1	2281.000	20:57:30	1	2500	100	1	0	0	0	0 0.6	0
1244P1	2280.000	20:57:38	2	2500	100	1	0	0	0	0 0.8	0
1244P1	2279.000	20:57:46	1	2500	100	1	0	0	0	0 1.3	0
1244P1	2278.000	20:57:55	2	2500	100	1	0	0	0	0 0.7	0
1244P1	2277.000	20:58:03	1	2500	100	1	0	0	0	0 1.2	0
1244P1	2276.000	20:58:12	2	2500	100	1	0	0	0	0 1.0	0
1244P1	2275.000	20:58:20	1	2500	100	1	0	0	0	0 1.2	0
1244P1	2274.000	20:58:28	2	2500	100	1	0	0	0	0 1.7	0
1244P1	2273.000	20:58:37	1	2500	100	1	0	0	0	0 0.7	0
1244P1	2272.000	20:58:45	2	2500	100	1	0	0	0	0 1.4	0
1244P1	2271.000	20:58:54	1	2500	100	1	0	0	0	0 0.5	0
1244P1	2270.000	20:59:02	2	2500	100	1	0	0	0	0 0.7	0
1244P1	2269.000	20:59:10	1	2500	100	1	0	0	0	0 0.6	0
1244P1	2268.000	20:59:19	2	2500	100	1	0	0	0	0 0.8	0
1244P1	2267.000	20:59:27	1	2500	100	1	0	0	0	0 1.2	0
1244P1	2266.000	20:59:36	2	2500	100	1	0	0	0	0 0.5	0
1244P1	2265.000	20:59:44	1	2500	100	1	0	0	0	0 1.4	0
1244P1	2264.000	20:59:53	2	2500	100	1	0	0	0	0 1.1	0
1244P1	2263.000	21:00:01	1	2500	100	1	0	0	0	0 0.7	0
1244P1	2262.000	21:00:10	2	2500	100	1	0	0	0	0 1.1	0
1244P1	2261.000	21:00:18	1	2500	100	1	0	0	0	0 0.6	0
1244P1	2260.000	21:00:27	2	2500	100	1	0	0	0	0 1.1	0
1244P1	2259.000	21:00:35	1	2500	100	1	0	0	0	0 1.0	0
1244P1	2258.000	21:00:44	2	2500	100	1	0	0	0	0 0.6	0

## GCS90 Log Line 1244P1

Page 4/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	2257.000	21:00:53	1	2500	100	1	0	0	0	1 2.3E	1
DELTA ERR: 1 - S3-3											
1244P1	2256.000	21:01:01	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2255.000	21:01:10	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2254.000	21:01:18	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2253.000	21:01:27	1	2500	100	1	0	0	0	0 1.8	1
1244P1	2252.000	21:01:35	2	2500	100	1	0	0	0	0 1.6	1
1244P1	2251.000	21:01:44	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2250.000	21:01:52	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2249.000	21:02:01	1	2500	100	1	0	0	0	0 1.3	1
1244P1	2248.000	21:02:09	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2247.000	21:02:18	1	2500	100	1	0	0	0	0 1.0	1
1244P1	2246.000	21:02:26	2	2500	100	1	0	0	0	0 0.5	1
1244P1	2245.000	21:02:34	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2244.000	21:02:43	2	2500	100	1	0	0	0	0 1.6	1
1244P1	2243.000	21:02:51	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2242.000	21:03:00	2	2500	100	1	0	0	0	0 0.5	1
1244P1	2241.000	21:03:08	1	2500	100	1	0	0	0	0 1.2	1
1244P1	2240.000	21:03:17	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2239.000	21:03:25	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2238.000	21:03:34	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2237.000	21:03:42	1	2500	100	1	0	0	0	0 1.0	1
1244P1	2236.000	21:03:51	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2235.000	21:03:59	1	2500	100	1	0	0	0	0 0.5	1
1244P1	2234.000	21:04:08	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2233.000	21:04:16	1	2500	100	1	0	0	0	0 1.3	1
1244P1	2232.000	21:04:25	2	2500	100	1	0	0	0	0 0.7	1
1244P1	2231.000	21:04:33	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2230.000	21:04:41	2	2500	100	1	0	0	0	0 1.7	1
1244P1	2229.000	21:04:50	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2228.000	21:04:58	2	2500	100	1	0	0	0	0 1.1	1
1244P1	2227.000	21:05:07	1	2500	100	1	0	0	0	0 1.1	1
1244P1	2226.000	21:05:15	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2225.000	21:05:24	1	2500	100	1	0	0	0	0 1.7	1
1244P1	2224.000	21:05:32	2	2500	100	1	0	0	0	0 0.5	1
1244P1	2223.000	21:05:41	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2222.000	21:05:49	2	2500	100	1	0	0	0	0 1.1	1
1244P1	2221.000	21:05:58	1	2500	100	1	0	0	0	0 1.0	1
1244P1	2220.000	21:06:06	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2219.000	21:06:15	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2218.000	21:06:23	2	2500	100	1	0	0	0	0 1.3	1
1244P1	2217.000	21:06:31	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2216.000	21:06:40	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2215.000	21:06:48	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2214.000	21:06:56	2	2500	100	1	0	0	0	0 0.4	1
1244P1	2213.000	21:07:05	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2212.000	21:07:13	2	2500	100	1	0	0	0	0 0.4	1
1244P1	2211.000	21:07:22	1	2500	100	1	0	0	0	0 1.3	1
1244P1	2210.000	21:07:30	2	2500	100	1	0	0	0	0 1.2	1
1244P1	2209.000	21:07:39	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2208.000	21:07:47	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2207.000	21:07:56	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2206.000	21:08:04	2	2500	100	1	0	0	0	0 1.1	1
1244P1	2205.000	21:08:12	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2204.000	21:08:21	2	2500	100	1	0	0	0	0 1.4	1
1244P1	2203.000	21:08:29	1	2500	100	1	0	0	0	0 0.5	1
1244P1	2202.000	21:08:38	2	2500	100	1	0	0	0	0 1.3	1

## GCS90 Log Line 1244P1

Page 5/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	2201.000	21:08:46	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2200.000	21:08:55	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2199.000	21:09:03	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2198.000	21:09:11	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2197.000	21:09:20	1	2500	100	1	0	0	0	0 1.1	1
1244P1	2196.000	21:09:28	2	2500	100	1	0	0	0	0 1.7	1
1244P1	2195.000	21:09:37	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2194.000	21:09:45	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2193.000	21:09:54	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2192.000	21:10:02	2	2500	100	1	0	0	0	0 1.5	1
1244P1	2191.000	21:10:10	1	2500	100	1	0	0	0	0 1.2	1
1244P1	2190.000	21:10:19	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2189.000	21:10:27	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2188.000	21:10:36	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2187.000	21:10:44	1	2500	100	1	0	0	0	0 1.1	1
1244P1	2186.000	21:10:52	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2185.000	21:11:01	1	2500	100	1	0	0	0	0 1.2	1
1244P1	2184.000	21:11:09	2	2500	100	1	0	0	0	0 1.5	1
1244P1	2183.000	21:11:18	1	2500	100	1	0	0	0	0 1.4	1
1244P1	2182.000	21:11:26	2	2500	100	1	0	0	0	0 0.7	1
1244P1	2181.000	21:11:35	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2180.000	21:11:43	2	2500	100	1	0	0	0	0 1.5	1
1244P1	2179.000	21:11:52	1	2500	100	1	0	0	0	0 1.1	1
1244P1	2178.000	21:12:00	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2177.000	21:12:09	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2176.000	21:12:17	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2175.000	21:12:26	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2174.000	21:12:34	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2173.000	21:12:43	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2172.000	21:12:51	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2171.000	21:13:00	1	2500	100	1	0	0	0	0 1.3	1
1244P1	2170.000	21:13:08	2	2500	100	1	0	0	0	0 1.5	1
1244P1	2169.000	21:13:17	1	2500	100	1	0	0	0	0 1.0	1
1244P1	2168.000	21:13:25	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2167.000	21:13:34	1	2500	100	1	0	0	0	0 0.4	1
1244P1	2166.000	21:13:42	2	2500	100	1	0	0	0	0 1.4	1
1244P1	2165.000	21:13:51	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2164.000	21:13:59	2	2500	100	1	0	0	0	0 0.7	1
1244P1	2163.000	21:14:08	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2162.000	21:14:16	2	2500	100	1	0	0	0	0 1.1	1
1244P1	2161.000	21:14:25	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2160.000	21:14:33	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2159.000	21:14:41	1	2500	100	1	0	0	0	0 0.5	1
1244P1	2158.000	21:14:50	2	2500	100	1	0	0	0	0 0.7	1
1244P1	2157.000	21:14:58	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2156.000	21:15:07	2	2500	100	1	0	0	0	0 0.7	1
1244P1	2155.000	21:15:15	1	2500	100	1	0	0	0	0 1.0	1
1244P1	2154.000	21:15:24	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2153.000	21:15:32	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2152.000	21:15:41	2	2500	100	1	0	0	0	0 0.7	1
1244P1	2151.000	21:15:49	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2150.000	21:15:57	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2149.000	21:16:06	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2148.000	21:16:14	2	2500	100	1	0	0	0	0 1.3	1
1244P1	2147.000	21:16:22	1	2500	100	1	0	0	0	0 1.5	1
1244P1	2146.000	21:16:31	2	2500	100	1	0	0	0	0 1.1	1
1244P1	2145.000	21:16:39	1	2500	100	1	0	0	0	0 0.8	1

## GCS90 Log Line 1244P1

Page 6/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	2144.000	21:16:48	2	2500	100	1	0	0	0	0 1.2	1
1244P1	2143.000	21:16:56	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2142.000	21:17:04	2	2500	100	1	0	0	0	0 1.1	1
1244P1	2141.000	21:17:13	1	2500	100	1	0	0	0	0 1.0	1
1244P1	2140.000	21:17:21	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2139.000	21:17:30	1	2500	100	1	0	0	0	0 1.0	1
1244P1	2138.000	21:17:38	2	2500	100	1	0	0	0	0 1.1	1
1244P1	2137.000	21:17:47	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2136.000	21:17:55	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2135.000	21:18:04	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2134.000	21:18:12	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2133.000	21:18:20	1	2500	100	1	0	0	0	0 1.5	1
1244P1	2132.000	21:18:29	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2131.000	21:18:37	1	2500	100	1	0	0	0	0 1.4	1
1244P1	2130.000	21:18:45	2	2500	100	1	0	0	0	0 1.1	1
1244P1	2129.000	21:18:54	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2128.000	21:19:02	2	2500	100	1	0	0	0	0 1.3	1
1244P1	2127.000	21:19:11	1	2500	100	1	0	0	0	0 1.2	1
1244P1	2126.000	21:19:19	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2125.000	21:19:28	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2124.000	21:19:36	2	2500	100	1	0	0	0	0 0.4	1
1244P1	2123.000	21:19:45	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2122.000	21:19:53	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2121.000	21:20:01	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2120.000	21:20:10	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2119.000	21:20:19	1	2500	100	1	0	0	0	0 0.4	1
1244P1	2118.000	21:20:27	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2117.000	21:20:36	1	2500	100	1	0	0	0	0 1.0	1
1244P1	2116.000	21:20:44	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2115.000	21:20:53	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2114.000	21:21:01	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2113.000	21:21:10	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2112.000	21:21:18	2	2500	100	1	0	0	0	0 1.4	1
1244P1	2111.000	21:21:27	1	2500	100	1	0	0	0	0 1.0	1
1244P1	2110.000	21:21:35	2	2500	100	1	0	0	0	0 1.2	1
1244P1	2109.000	21:21:44	1	2500	100	1	0	0	0	0 1.0	1
1244P1	2108.000	21:21:52	2	2500	100	1	0	0	0	0 1.3	1
1244P1	2107.000	21:22:01	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2106.000	21:22:09	2	2500	100	1	0	0	0	0 0.7	1
1244P1	2105.000	21:22:18	1	2500	100	1	0	0	0	0 0.4	1
1244P1	2104.000	21:22:26	2	2500	100	1	0	0	0	0 1.3	1
1244P1	2103.000	21:22:35	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2102.000	21:22:43	2	2500	100	1	0	0	0	0 0.7	1
1244P1	2101.000	21:22:52	1	2500	100	1	0	0	0	0 1.2	1
1244P1	2100.000	21:23:00	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2099.000	21:23:09	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2098.000	21:23:17	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2097.000	21:23:26	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2096.000	21:23:34	2	2500	100	1	0	0	0	0 1.3	1
1244P1	2095.000	21:23:43	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2094.000	21:23:51	2	2500	100	1	0	0	0	0 0.5	1
1244P1	2093.000	21:24:00	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2092.000	21:24:09	2	2500	100	1	0	0	0	0 1.2	1
1244P1	2091.000	21:24:17	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2090.000	21:24:26	2	2500	100	1	0	0	0	0 1.4	1
1244P1	2089.000	21:24:34	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2088.000	21:24:43	2	2500	100	1	0	0	0	0 1.4	1

## GCS90 Log Line 1244P1

Page 7/29

9/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	2087.000	21:24:51	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2086.000	21:25:00	2	2500	100	1	0	0	0	0 0.4	1
1244P1	2085.000	21:25:08	1	2500	100	1	0	0	0	0 1.2	1
1244P1	2084.000	21:25:16	2	2500	100	1	0	0	0	0 0.5	1
1244P1	2083.000	21:25:25	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2082.000	21:25:33	2	2500	100	1	0	0	0	0 0.8	1
1244P1	2081.000	21:25:42	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2080.000	21:25:50	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2079.000	21:25:59	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2078.000	21:26:07	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2077.000	21:26:16	1	2500	100	1	0	0	0	0 1.1	1
1244P1	2076.000	21:26:24	2	2500	100	1	0	0	0	0 1.1	1
1244P1	2075.000	21:26:33	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2074.000	21:26:41	2	2500	100	1	0	0	0	0 1.2	1
1244P1	2073.000	21:26:49	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2072.000	21:26:58	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2071.000	21:27:07	1	2500	100	1	0	0	0	0 1.2	1
1244P1	2070.000	21:27:15	2	2500	100	1	0	0	0	0 1.1	1
1244P1	2069.000	21:27:24	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2068.000	21:27:32	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2067.000	21:27:41	1	2500	100	1	0	0	0	0 0.5	1
1244P1	2066.000	21:27:49	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2065.000	21:27:58	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2064.000	21:28:06	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2063.000	21:28:15	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2062.000	21:28:23	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2061.000	21:28:32	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2060.000	21:28:40	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2059.000	21:28:49	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2058.000	21:28:58	2	2500	100	1	0	0	0	0 1.3	1
1244P1	2057.000	21:29:06	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2056.000	21:29:15	2	2500	100	1	0	0	0	0 0.6	1
1244P1	2055.000	21:29:23	1	2500	100	1	0	0	0	0 0.8	1
1244P1	2054.000	21:29:32	2	2500	100	1	0	0	0	0 1.0	1
1244P1	2053.000	21:29:41	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2052.000	21:29:49	2	2500	100	1	0	0	0	0 0.4	1
1244P1	2051.000	21:29:58	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2050.000	21:30:06	2	2500	100	1	0	0	0	0 0.7	1
1244P1	2049.000	21:30:15	1	2500	100	1	0	0	0	1 1.9	1
DELTA ERR: 1 - S3-3											
1244P1	2048.000	21:30:23	2	2500	100	1	0	0	0	0 0.4	1
1244P1	2047.000	21:30:32	1	2500	100	1	0	0	0	0 0.3	1
1244P1	2046.000	21:30:40	2	2500	100	1	0	0	0	0 0.7	1
1244P1	2045.000	21:30:49	1	2500	100	1	0	0	0	0 0.5	1
1244P1	2044.000	21:30:57	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2043.000	21:31:06	1	2500	100	1	0	0	0	0 0.7	1
1244P1	2042.000	21:31:14	2	2500	100	1	0	0	0	0 0.7	1
1244P1	2041.000	21:31:23	1	2500	100	1	0	0	0	0 0.4	1
1244P1	2040.000	21:31:31	2	2500	100	1	0	0	0	0 1.4	1
1244P1	2039.000	21:31:40	1	2500	100	1	0	0	0	0 0.6	1
1244P1	2038.000	21:31:48	2	2500	100	1	0	0	0	0 1.4	1
1244P1	2037.000	21:31:57	1	2500	100	1	0	0	0	0 0.9	1
1244P1	2036.000	21:32:05	2	2500	100	1	0	0	0	0 0.9	1
1244P1	2035.000	21:32:14	1	2500	100	1	0	0	0	1 2.3E	2
DELTA ERR: 1 - S3-3											
1244P1	2034.000	21:32:22	2	2500	100	1	0	0	0	0 1.1	2
1244P1	2033.000	21:32:31	1	2500	100	1	0	0	0	0 0.5	2

## GCS90 Log Line 1244P1

Page 8/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	2032.000	21:32:39	2	2500	100	1	0	0	0	0 1.4	2
1244P1	2031.000	21:32:47	1	2500	100	1	0	0	0	0 0.7	2
1244P1	2030.000	21:32:56	2	2500	100	1	0	0	0	0 1.0	2
1244P1	2029.000	21:33:04	1	2500	100	1	0	0	0	0 0.8	2
1244P1	2028.000	21:33:13	2	2500	100	1	0	0	0	0 1.0	2
1244P1	2027.000	21:33:21	1	2500	100	1	0	0	0	0 0.9	2
1244P1	2026.000	21:33:30	2	2500	100	1	0	0	0	0 0.5	2
1244P1	2025.000	21:33:38	1	2500	100	1	0	0	0	0 1.0	2
1244P1	2024.000	21:33:47	2	2500	100	1	0	0	0	0 1.2	2
1244P1	2023.000	21:33:55	1	2500	100	1	0	0	0	0 1.0	2
1244P1	2022.000	21:34:04	2	2500	100	1	0	0	0	0 0.8	2
1244P1	2021.000	21:34:12	1	2500	100	1	0	0	0	0 0.7	2
1244P1	2020.000	21:34:21	2	2500	100	1	0	0	0	0 1.0	2
1244P1	2019.000	21:34:29	1	2500	100	1	0	0	0	0 1.6	2
1244P1	2018.000	21:34:38	2	2500	100	1	0	0	0	0 0.5	2
1244P1	2017.000	21:34:46	1	2500	100	1	0	0	0	0 1.4	2
1244P1	2016.000	21:34:55	2	2500	100	1	0	0	0	0 0.8	2
1244P1	2015.000	21:35:03	1	2500	100	1	0	0	0	0 0.8	2
1244P1	2014.000	21:35:12	2	2500	100	1	0	0	0	0 0.5	2
1244P1	2013.000	21:35:21	1	2500	100	1	0	0	0	0 0.7	2
1244P1	2012.000	21:35:29	2	2500	100	1	0	0	0	0 0.6	2
1244P1	2011.000	21:35:37	1	2500	100	1	0	0	0	0 0.9	2
1244P1	2010.000	21:35:46	2	2500	100	1	0	0	0	0 1.0	2
1244P1	2009.000	21:35:54	1	2500	100	1	0	0	0	0 0.8	2
1244P1	2008.000	21:36:03	2	2500	100	1	0	0	0	0 0.8	2
1244P1	2007.000	21:36:11	1	2500	100	1	0	0	0	0 1.0	2
1244P1	2006.000	21:36:20	2	2500	100	1	0	0	0	0 1.3	2
1244P1	2005.000	21:36:28	1	2500	100	1	0	0	0	0 0.5	2
1244P1	2004.000	21:36:37	2	2500	100	1	0	0	0	0 0.8	2
1244P1	2003.000	21:36:45	1	2500	100	1	0	0	0	0 0.5	2
1244P1	2002.000	21:36:54	2	2500	100	1	0	0	0	0 1.2	2
1244P1	2001.000	21:37:02	1	2500	100	1	0	0	0	0 0.9	2
1244P1	2000.000	21:37:11	2	2500	100	1	0	0	0	0 1.2	2
1244P1	1999.000	21:37:19	1	2500	100	1	0	0	0	0 1.7	2
1244P1	1998.000	21:37:28	2	2500	100	1	0	0	0	0 1.5	2
1244P1	1997.000	21:37:36	1	2500	100	1	0	0	0	0 0.6	2
1244P1	1996.000	21:37:45	2	2500	100	1	0	0	0	0 1.4	2
1244P1	1995.000	21:37:53	1	2500	100	1	0	0	0	0 1.0	2
1244P1	1994.000	21:38:02	2	2500	100	1	0	0	0	0 1.1	2
1244P1	1993.000	21:38:10	1	2500	100	1	0	0	0	0 1.1	2
1244P1	1992.000	21:38:19	2	2500	100	1	0	0	0	0 0.8	2
1244P1	1991.000	21:38:27	1	2500	100	1	0	0	0	0 1.2	2
1244P1	1990.000	21:38:36	2	2500	100	1	0	0	0	0 1.2	2
1244P1	1989.000	21:38:44	1	2500	100	1	0	0	0	0 0.5	2
1244P1	1988.000	21:38:53	2	2500	100	1	0	0	0	0 1.1	2
1244P1	1987.000	21:39:01	1	2500	100	1	0	0	0	0 0.7	2
1244P1	1986.000	21:39:10	2	2500	100	1	0	0	0	0 0.7	2
1244P1	1985.000	21:39:18	1	2500	100	1	0	0	0	0 0.5	2
1244P1	1984.000	21:39:27	2	2500	100	1	0	0	0	0 0.7	2
1244P1	1983.000	21:39:36	1	2500	100	1	0	0	0	0 1.6	2
1244P1	1982.000	21:39:44	2	2500	100	1	0	0	0	0 0.8	2
1244P1	1981.000	21:39:53	1	2500	100	1	0	0	0	0 1.0	2
1244P1	1980.000	21:40:01	2	2500	100	1	0	0	0	0 0.9	2
1244P1	1979.000	21:40:10	1	2500	100	1	0	0	0	0 0.7	2
1244P1	1978.000	21:40:18	2	2500	100	1	0	0	0	0 0.8	2
1244P1	1977.000	21:40:27	1	2500	100	1	0	0	0	0 0.4	2
1244P1	1976.000	21:40:35	2	2500	100	1	0	0	0	0 0.6	2



## GCS90 Log Line 1244P1

Page 9/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1975.000	21:40:43	1	2500	100	1	0	0	0	0 0.9	2
1244P1	1974.000	21:40:52	2	2500	100	1	0	0	0	0 0.7	2
1244P1	1973.000	21:41:00	1	2500	100	1	0	0	0	0 1.1	2
1244P1	1972.000	21:41:09	2	2500	100	1	0	0	0	0 0.6	2
1244P1	1971.000	21:41:17	1	2500	100	1	0	0	0	0 0.8	2
1244P1	1970.000	21:41:26	2	2500	100	1	0	0	0	0 0.6	2
1244P1	1969.000	21:41:34	1	2500	100	1	0	0	0	0 1.1	2
1244P1	1968.000	21:41:43	2	2500	100	1	0	0	0	0 0.9	2
1244P1	1967.000	21:41:51	1	2500	100	1	0	0	0	0 0.9	2
1244P1	1966.000	21:42:00	2	2500	100	1	0	0	0	0 1.3	2
1244P1	1965.000	21:42:08	1	2500	100	1	0	0	0	0 0.9	2
1244P1	1964.000	21:42:17	2	2500	100	1	0	0	0	0 0.6	2
1244P1	1963.000	21:42:25	1	2500	100	1	0	0	0	0 0.4	2
1244P1	1962.000	21:42:34	2	2500	100	1	0	0	0	0 0.7	2
1244P1	1961.000	21:42:42	1	2500	100	1	0	0	0	0 0.6	2
1244P1	1960.000	21:42:50	2	2500	100	1	0	0	0	0 0.9	2
1244P1	1959.000	21:42:59	1	2500	100	1	0	0	0	0 1.8	2
1244P1	1958.000	21:43:07	2	2500	100	1	0	0	0	0 1.2	2
1244P1	1957.000	21:43:16	1	2500	100	1	0	0	0	0 1.0	2
1244P1	1956.000	21:43:24	2	2500	100	1	0	0	0	0 0.9	2
1244P1	1955.000	21:43:33	1	2500	100	1	0	0	0	0 0.7	2
1244P1	1954.000	21:43:41	2	2500	100	1	0	0	0	0 1.0	2
1244P1	1953.000	21:43:50	1	2500	100	1	0	0	0	0 0.5	2
1244P1	1952.000	21:43:58	2	2500	100	1	0	0	0	0 0.9	2
1244P1	1951.000	21:44:07	1	2500	100	1	0	0	0	0 0.7	2
1244P1	1950.000	21:44:15	2	2500	100	1	0	0	0	0 1.2	2
1244P1	1949.000	21:44:24	1	2500	100	1	0	0	0	0 0.6	2
1244P1	1948.000	21:44:32	2	2500	100	1	0	0	0	0 0.9	2
1244P1	1947.000	21:44:40	1	2500	100	1	0	0	0	0 0.8	2
1244P1	1946.000	21:44:49	2	2500	100	1	0	0	0	0 0.8	2
1244P1	1945.000	21:44:57	1	2500	100	1	0	0	0	0 0.7	2
1244P1	1944.000	21:45:06	2	2500	100	1	0	0	0	0 0.9	2
1244P1	1943.000	21:45:14	1	2500	100	1	0	0	0	0 0.9	2
1244P1	1942.000	21:45:23	2	2500	100	1	0	0	0	0 1.2	2
1244P1	1941.000	21:45:31	1	2500	100	1	0	0	0	0 0.8	2
1244P1	1940.000	21:45:40	2	2500	100	1	0	0	0	0 0.5	2
1244P1	1939.000	21:45:48	1	2500	100	1	0	0	0	0 0.4	2
1244P1	1938.000	21:45:57	2	2500	100	1	0	0	0	0 0.7	2
1244P1	1937.000	21:46:05	1	2500	100	1	0	0	0	0 1.3	2
1244P1	1936.000	21:46:14	2	2500	100	1	0	0	0	0 0.8	2
1244P1	1935.000	21:46:22	1	2500	100	1	0	0	0	0 0.8	2
1244P1	1934.000	21:46:31	2	2500	100	1	0	0	0	0 0.7	2
1244P1	1933.000	21:46:39	1	2500	100	1	0	0	0	0 0.6	2
1244P1	1932.000	21:46:48	2	2500	100	1	0	0	0	0 1.1	2
1244P1	1931.000	21:46:56	1	2500	100	1	0	0	0	0 0.3	2
1244P1	1930.000	21:47:04	2	2500	100	1	0	0	0	0 1.1	2
1244P1	1929.000	21:47:13	1	2500	100	1	0	0	0	0 0.6	2
1244P1	1928.000	21:47:21	2	2500	100	1	0	0	0	0 0.8	2
1244P1	1927.000	21:47:30	1	2500	100	1	0	0	0	0 0.8	2
1244P1	1926.000	21:47:38	2	2500	100	1	0	0	0	0 0.8	2
1244P1	1925.000	21:47:47	1	2500	100	1	0	0	0	0 1.1	2
1244P1	1924.000	21:47:56	2	2500	100	1	0	0	0	0 0.7	2
1244P1	1923.000	21:48:04	1	2500	100	1	0	0	0	0 1.2	2
1244P1	1922.000	21:48:12	2	2500	100	1	0	0	0	0 0.7	2
1244P1	1921.000	21:48:21	1	2500	100	1	0	0	0	1 2.4E	3
DELTA ERR: 1 - S3-3											
1244P1	1920.000	21:48:29	2	2500	100	1	0	0	0	0 1.2	3

## GCS90 Log Line 1244P1

Page 10/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1919.000	21:48:38	1	2500	100	1	0	0	0	1 1.7	3
DELTA ERR: 1 - S3-3											
1244P1	1918.000	21:48:46	2	2500	100	1	0	0	0	0 1.1	3
1244P1	1917.000	21:48:55	1	2500	100	1	0	0	0	0 0.5	3
1244P1	1916.000	21:49:03	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1915.000	21:49:12	1	2500	100	1	0	0	0	0 0.9	3
1244P1	1914.000	21:49:20	2	2500	100	1	0	0	0	0 1.0	3
1244P1	1913.000	21:49:29	1	2500	100	1	0	0	0	0 1.1	3
1244P1	1912.000	21:49:37	2	2500	100	1	0	0	0	0 0.8	3
1244P1	1911.000	21:49:46	1	2500	100	1	0	0	0	0 1.0	3
1244P1	1910.000	21:49:54	2	2500	100	1	0	0	0	0 1.0	3
1244P1	1909.000	21:50:02	1	2500	100	1	0	0	0	0 1.0	3
1244P1	1908.000	21:50:11	2	2500	100	1	0	0	0	0 1.0	3
1244P1	1907.000	21:50:19	1	2500	100	1	0	0	0	0 0.5	3
1244P1	1906.000	21:50:28	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1905.000	21:50:36	1	2500	100	1	0	0	0	0 0.5	3
1244P1	1904.000	21:50:44	2	2500	100	1	0	0	0	0 0.9	3
1244P1	1903.000	21:50:53	1	2500	100	1	0	0	0	0 0.6	3
1244P1	1902.000	21:51:01	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1901.000	21:51:10	1	2500	100	1	0	0	0	0 0.7	3
1244P1	1900.000	21:51:18	2	2500	100	1	0	0	0	0 0.5	3
1244P1	1899.000	21:51:27	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1898.000	21:51:35	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1897.000	21:51:44	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1896.000	21:51:52	2	2500	100	1	0	0	0	0 1.0	3
1244P1	1895.000	21:52:01	1	2500	100	1	0	0	0	0 0.7	3
1244P1	1894.000	21:52:09	2	2500	100	1	0	0	0	0 0.9	3
1244P1	1893.000	21:52:18	1	2500	100	1	0	0	0	0 1.1	3
1244P1	1892.000	21:52:26	2	2500	100	1	0	0	0	0 1.3	3
1244P1	1891.000	21:52:34	1	2500	100	1	0	0	0	0 1.1	3
1244P1	1890.000	21:52:43	2	2500	100	1	0	0	0	0 0.9	3
1244P1	1889.000	21:52:51	1	2500	100	1	0	0	0	0 0.9	3
1244P1	1888.000	21:53:00	2	2500	100	1	0	0	0	0 1.1	3
1244P1	1887.000	21:53:08	1	2500	100	1	0	0	0	0 0.6	3
1244P1	1886.000	21:53:17	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1885.000	21:53:25	1	2500	100	1	0	0	0	0 0.6	3
1244P1	1884.000	21:53:33	2	2500	100	1	0	0	0	0 0.8	3
1244P1	1883.000	21:53:42	1	2500	100	1	0	0	0	0 0.9	3
1244P1	1882.000	21:53:50	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1881.000	21:53:59	1	2500	100	1	0	0	0	0 0.5	3
1244P1	1880.000	21:54:07	2	2500	100	1	0	0	0	0 1.2	3
1244P1	1879.000	21:54:15	1	2500	100	1	0	0	0	0 0.6	3
1244P1	1878.000	21:54:24	2	2500	100	1	0	0	0	0 1.3	3
1244P1	1877.000	21:54:32	1	2500	100	1	0	0	0	0 0.4	3
1244P1	1876.000	21:54:41	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1875.000	21:54:49	1	2500	100	1	0	0	0	0 1.3	3
1244P1	1874.000	21:54:58	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1873.000	21:55:06	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1872.000	21:55:15	2	2500	100	1	0	0	0	0 1.2	3
1244P1	1871.000	21:55:23	1	2500	100	1	0	0	0	0 0.5	3
1244P1	1870.000	21:55:32	2	2500	100	1	0	0	0	0 0.8	3
1244P1	1869.000	21:55:40	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1868.000	21:55:49	2	2500	100	1	0	0	0	0 0.4	3
1244P1	1867.000	21:55:58	1	2500	100	1	0	0	0	0 0.7	3
1244P1	1866.000	21:56:06	2	2500	100	1	0	0	0	0 1.1	3
1244P1	1865.000	21:56:15	1	2500	100	1	0	0	0	0 1.1	3
1244P1	1864.000	21:56:23	2	2500	100	1	0	0	0	0 0.6	3

## GCS90 Log Line 1244P1

Page 11/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1863.000	21:56:32	1	2500	100	1	0	0	0	0 0.9	3
1244P1	1862.000	21:56:40	2	2500	100	1	0	0	0	0 0.8	3
1244P1	1861.000	21:56:49	1	2500	100	1	0	0	0	0 1.3	3
1244P1	1860.000	21:56:57	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1859.000	21:57:05	1	2500	100	1	0	0	0	0 1.0	3
1244P1	1858.000	21:57:14	2	2500	100	1	0	0	0	0 1.0	3
1244P1	1857.000	21:57:22	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1856.000	21:57:31	2	2500	100	1	0	0	0	0 1.5	3
1244P1	1855.000	21:57:39	1	2500	100	1	0	0	0	0 1.4	3
1244P1	1854.000	21:57:48	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1853.000	21:57:56	1	2500	100	1	0	0	0	0 0.9	3
1244P1	1852.000	21:58:05	2	2500	100	1	0	0	0	0 0.8	3
1244P1	1851.000	21:58:13	1	2500	100	1	0	0	0	0 1.0	3
1244P1	1850.000	21:58:21	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1849.000	21:58:30	1	2500	100	1	0	0	0	0 0.5	3
1244P1	1848.000	21:58:38	2	2500	100	1	0	0	0	0 0.5	3
1244P1	1847.000	21:58:47	1	2500	100	1	0	0	0	0 1.1	3
1244P1	1846.000	21:58:55	2	2500	100	1	0	0	0	0 1.3	3
1244P1	1845.000	21:59:03	1	2500	100	1	0	0	0	0 0.6	3
1244P1	1844.000	21:59:12	2	2500	100	1	0	0	0	0 0.9	3
1244P1	1843.000	21:59:20	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1842.000	21:59:29	2	2500	100	1	0	0	0	0 1.2	3
1244P1	1841.000	21:59:37	1	2500	100	1	0	0	0	0 0.9	3
1244P1	1840.000	21:59:45	2	2500	100	1	0	0	0	0 0.8	3
1244P1	1839.000	21:59:54	1	2500	100	1	0	0	0	0 0.4	3
1244P1	1838.000	22:00:02	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1837.000	22:00:10	1	2500	100	1	0	0	0	0 0.5	3
1244P1	1836.000	22:00:19	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1835.000	22:00:27	1	2500	100	1	0	0	0	0 0.6	3
1244P1	1834.000	22:00:35	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1833.000	22:00:44	1	2500	100	1	0	0	0	0 1.3	3
1244P1	1832.000	22:00:52	2	2500	100	1	0	0	0	0 1.0	3
1244P1	1831.000	22:01:01	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1830.000	22:01:09	2	2500	100	1	0	0	0	0 0.5	3
1244P1	1829.000	22:01:17	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1828.000	22:01:26	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1827.000	22:01:34	1	2500	100	1	0	0	0	0 0.7	3
1244P1	1826.000	22:01:42	2	2500	100	1	0	0	0	0 0.5	3
1244P1	1825.000	22:01:51	1	2500	100	1	0	0	0	0 0.6	3
1244P1	1824.000	22:01:59	2	2500	100	1	0	0	0	0 0.5	3
1244P1	1823.000	22:02:08	1	2500	100	1	0	0	0	0 1.2	3
1244P1	1822.000	22:02:16	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1821.000	22:02:24	1	2500	100	1	0	0	0	0 1.0	3
1244P1	1820.000	22:02:33	2	2500	100	1	0	0	0	0 0.9	3
1244P1	1819.000	22:02:41	1	2500	100	1	0	0	0	0 0.7	3
1244P1	1818.000	22:02:49	2	2500	100	1	0	0	0	0 1.3	3
1244P1	1817.000	22:02:57	1	2500	100	1	0	0	0	0 0.9	3
1244P1	1816.000	22:03:06	2	2500	100	1	0	0	0	0 0.8	3
1244P1	1815.000	22:03:14	1	2500	100	1	0	0	0	0 1.0	3
1244P1	1814.000	22:03:23	2	2500	100	1	0	0	0	0 0.9	3
1244P1	1813.000	22:03:31	1	2500	100	1	0	0	0	0 0.5	3
1244P1	1812.000	22:03:39	2	2500	100	1	0	0	0	0 1.1	3
1244P1	1811.000	22:03:48	1	2500	100	1	0	0	0	0 0.7	3
1244P1	1810.000	22:03:56	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1809.000	22:04:05	1	2500	100	1	0	0	0	0 1.3	3
1244P1	1808.000	22:04:13	2	2500	100	1	0	0	0	0 0.5	3
1244P1	1807.000	22:04:22	1	2500	100	1	0	0	0	0 0.9	3

## GCS90 Log Line 1244P1

Page 12/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1806.000	22:04:30	2	2500	100	1	0	0	0	0 1.1	3
1244P1	1805.000	22:04:38	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1804.000	22:04:47	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1803.000	22:04:55	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1802.000	22:05:04	2	2500	100	1	0	0	0	0 1.0	3
1244P1	1801.000	22:05:12	1	2500	100	1	0	0	0	0 0.9	3
1244P1	1800.000	22:05:20	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1799.000	22:05:29	1	2500	100	1	0	0	0	0 0.9	3
1244P1	1798.000	22:05:37	2	2500	100	1	0	0	0	0 1.2	3
1244P1	1797.000	22:05:46	1	2500	100	1	0	0	0	0 0.7	3
1244P1	1796.000	22:05:54	2	2500	100	1	0	0	0	0 1.2	3
1244P1	1795.000	22:06:02	1	2500	100	1	0	0	0	0 0.7	3
1244P1	1794.000	22:06:11	2	2500	100	1	0	0	0	0 0.9	3
1244P1	1793.000	22:06:19	1	2500	100	1	0	0	0	0 1.7	3
1244P1	1792.000	22:06:27	2	2500	100	1	0	0	0	0 0.8	3
1244P1	1791.000	22:06:36	1	2500	100	1	0	0	0	0 1.5	3
1244P1	1790.000	22:06:44	2	2500	100	1	0	0	0	0 0.6	3
1244P1	1789.000	22:06:53	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1788.000	22:07:01	2	2500	100	1	0	0	0	0 0.8	3
1244P1	1787.000	22:07:09	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1786.000	22:07:18	2	2500	100	1	0	0	0	0 1.4	3
1244P1	1785.000	22:07:26	1	2500	100	1	0	0	0	0 0.9	3
1244P1	1784.000	22:07:35	2	2500	100	1	0	0	0	0 0.4	3
1244P1	1783.000	22:07:43	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1782.000	22:07:51	2	2500	100	1	0	0	0	0 0.9	3
1244P1	1781.000	22:08:00	1	2500	100	1	0	0	0	0 0.5	3
1244P1	1780.000	22:08:08	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1779.000	22:08:17	1	2500	100	1	0	0	0	0 1.2	3
1244P1	1778.000	22:08:25	2	2500	100	1	0	0	0	0 1.2	3
1244P1	1777.000	22:08:34	1	2500	100	1	0	0	0	0 1.7	3
1244P1	1776.000	22:08:42	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1775.000	22:08:51	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1774.000	22:08:59	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1773.000	22:09:07	1	2500	100	1	0	0	0	0 0.7	3
1244P1	1772.000	22:09:16	2	2500	100	1	0	0	0	0 0.8	3
1244P1	1771.000	22:09:24	1	2500	100	1	0	0	0	0 1.2	3
1244P1	1770.000	22:09:33	2	2500	100	1	0	0	0	0 1.0	3
1244P1	1769.000	22:09:41	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1768.000	22:09:49	2	2500	100	1	0	0	0	0 0.9	3
1244P1	1767.000	22:09:58	1	2500	100	1	0	0	0	0 1.1	3
1244P1	1766.000	22:10:06	2	2500	100	1	0	0	0	0 0.9	3
1244P1	1765.000	22:10:14	1	2500	100	1	0	0	0	0 1.0	3
1244P1	1764.000	22:10:23	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1763.000	22:10:31	1	2500	100	1	0	0	0	0 0.3	3
1244P1	1762.000	22:10:40	2	2500	100	1	0	0	0	0 0.5	3
1244P1	1761.000	22:10:48	1	2500	100	1	0	0	0	0 1.1	3
1244P1	1760.000	22:10:56	2	2500	100	1	0	0	0	0 0.4	3
1244P1	1759.000	22:11:05	1	2500	100	1	0	0	0	0 0.8	3
1244P1	1758.000	22:11:13	2	2500	100	1	0	0	0	0 1.2	3
1244P1	1757.000	22:11:22	1	2500	100	1	0	0	0	0 0.7	3
1244P1	1756.000	22:11:30	2	2500	100	1	0	0	0	0 0.7	3
1244P1	1755.000	22:11:38	1	2500	100	1	0	0	0	0 1.1	3
1244P1	1754.000	22:11:47	2	2500	100	1	0	0	0	0 0.8	3
1244P1	1753.000	22:11:55	1	2500	100	1	0	0	0	1 2.0E	4
DELTA ERR: 1 - S3-3											
1244P1	1752.000	22:12:03	2	2500	100	1	0	0	0	0 1.2	4
1244P1	1751.000	22:12:12	1	2500	100	1	0	0	0	0 0.7	4

## GCS90 Log Line 1244P1

Page 13/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1750.000	22:12:20	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1749.000	22:12:28	1	2500	100	1	0	0	0	0 0.9	4
1244P1	1748.000	22:12:37	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1747.000	22:12:45	1	2500	100	1	0	0	0	0 0.7	4
1244P1	1746.000	22:12:54	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1745.000	22:13:02	1	2500	100	1	0	0	0	0 0.8	4
1244P1	1744.000	22:13:11	2	2500	100	1	0	0	0	0 1.1	4
1244P1	1743.000	22:13:19	1	2500	100	1	0	0	0	0 1.8	4
1244P1	1742.000	22:13:27	2	2500	100	1	0	0	0	0 1.0	4
1244P1	1741.000	22:13:36	1	2500	100	1	0	0	0	0 0.7	4
1244P1	1740.000	22:13:44	2	2500	100	1	0	0	0	0 1.0	4
1244P1	1739.000	22:13:53	1	2500	100	1	0	0	0	0 0.7	4
1244P1	1738.000	22:14:01	2	2500	100	1	0	0	0	0 1.2	4
1244P1	1737.000	22:14:10	1	2500	100	1	0	0	0	0 0.7	4
1244P1	1736.000	22:14:18	2	2500	100	1	0	0	0	0 1.1	4
1244P1	1735.000	22:14:26	1	2500	100	1	0	0	0	0 0.5	4
1244P1	1734.000	22:14:35	2	2500	100	1	0	0	0	0 0.9	4
1244P1	1733.000	22:14:43	1	2500	100	1	0	0	0	0 0.6	4
1244P1	1732.000	22:14:52	2	2500	100	1	0	0	0	0 0.9	4
1244P1	1731.000	22:15:00	1	2500	100	1	0	0	0	0 0.6	4
1244P1	1730.000	22:15:08	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1729.000	22:15:17	1	2500	100	1	0	0	0	0 1.2	4
1244P1	1728.000	22:15:25	2	2500	100	1	0	0	0	0 1.2	4
1244P1	1727.000	22:15:34	1	2500	100	1	0	0	0	0 0.9	4
1244P1	1726.000	22:15:42	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1725.000	22:15:51	1	2500	100	1	0	0	0	0 0.9	4
1244P1	1724.000	22:15:59	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1723.000	22:16:08	1	2500	100	1	0	0	0	0 0.7	4
1244P1	1722.000	22:16:16	2	2500	100	1	0	0	0	0 1.0	4
1244P1	1721.000	22:16:25	1	2500	100	1	0	0	0	0 0.6	4
1244P1	1720.000	22:16:33	2	2500	100	1	0	0	0	0 1.5	4
1244P1	1719.000	22:16:42	1	2500	100	1	0	0	0	0 0.5	4
1244P1	1718.000	22:16:50	2	2500	100	1	0	0	0	0 1.0	4
1244P1	1717.000	22:16:58	1	2500	100	1	0	0	0	0 1.1	4
1244P1	1716.000	22:17:07	2	2500	100	1	0	0	0	0 1.1	4
1244P1	1715.000	22:17:15	1	2500	100	1	0	0	0	0 0.7	4
1244P1	1714.000	22:17:24	2	2500	100	1	0	0	0	0 0.3	4
1244P1	1713.000	22:17:32	1	2500	100	1	0	0	0	0 1.4	4
1244P1	1712.000	22:17:41	2	2500	100	1	0	0	0	0 0.7	4
1244P1	1711.000	22:17:49	1	2500	100	1	0	0	0	0 0.7	4
1244P1	1710.000	22:17:57	2	2500	100	1	0	0	0	0 0.6	4
1244P1	1709.000	22:18:06	1	2500	100	1	0	0	0	0 0.7	4
1244P1	1708.000	22:18:14	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1707.000	22:18:23	1	2500	100	1	0	0	0	0 1.1	4
1244P1	1706.000	22:18:31	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1705.000	22:18:40	1	2500	100	1	0	0	0	0 0.5	4
1244P1	1704.000	22:18:48	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1703.000	22:18:57	1	2500	100	1	0	0	0	0 0.5	4
1244P1	1702.000	22:19:05	2	2500	100	1	0	0	0	0 1.4	4
1244P1	1701.000	22:19:13	1	2500	100	1	0	0	0	0 0.7	4
1244P1	1700.000	22:19:22	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1699.000	22:19:30	1	2500	100	1	0	0	0	0 1.2	4
1244P1	1698.000	22:19:39	2	2500	100	1	0	0	0	0 1.1	4
1244P1	1697.000	22:19:47	1	2500	100	1	0	0	0	0 0.6	4
1244P1	1696.000	22:19:55	2	2500	100	1	0	0	0	0 1.3	4
1244P1	1695.000	22:20:04	1	2500	100	1	0	0	0	0 1.1	4
1244P1	1694.000	22:20:12	2	2500	100	1	0	0	0	0 0.8	4

## GCS90 Log Line 1244P1

Page 14/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1693.000	22:20:21	1	2500	100	1	0	0	0	0 0.8	4
1244P1	1692.000	22:20:29	2	2500	100	1	0	0	0	0 0.6	4
1244P1	1691.000	22:20:38	1	2500	100	1	0	0	0	0 0.8	4
1244P1	1690.000	22:20:46	2	2500	100	1	0	0	0	0 0.6	4
1244P1	1689.000	22:20:55	1	2500	100	1	0	0	0	0 0.9	4
1244P1	1688.000	22:21:03	2	2500	100	1	0	0	0	0 1.1	4
1244P1	1687.000	22:21:12	1	2500	100	1	0	0	0	0 1.3	4
1244P1	1686.000	22:21:20	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1685.000	22:21:29	1	2500	100	1	0	0	0	0 1.0	4
1244P1	1684.000	22:21:37	2	2500	100	1	0	0	0	0 0.5	4
1244P1	1683.000	22:21:45	1	2500	100	1	0	0	0	0 0.5	4
1244P1	1682.000	22:21:54	2	2500	100	1	0	0	0	0 0.9	4
1244P1	1681.000	22:22:03	1	2500	100	1	0	0	0	0 0.9	4
1244P1	1680.000	22:22:11	2	2500	100	1	0	0	0	0 1.1	4
1244P1	1679.000	22:22:19	1	2500	100	1	0	0	0	0 0.6	4
1244P1	1678.000	22:22:28	2	2500	100	1	0	0	0	0 0.8	4
1244P1	1677.000	22:22:36	1	2500	100	1	0	0	0	0 0.7	4
1244P1	1676.000	22:22:45	2	2500	100	1	0	0	0	0 1.4	4
1244P1	1675.000	22:22:53	1	2500	100	1	0	0	0	0 0.9	4
1244P1	1674.000	22:23:02	2	2500	100	1	0	0	0	0 0.7	4
1244P1	1673.000	22:23:10	1	2500	100	1	0	0	0	0 2.1E	5
1244P1	1672.000	22:23:18	2	2500	100	1	0	0	0	0 0.9	5
1244P1	1671.000	22:23:27	1	2500	100	1	0	0	0	0 0.9	5
1244P1	1670.000	22:23:35	2	2500	100	1	0	0	0	0 1.3	5
1244P1	1669.000	22:23:44	1	2500	100	1	0	0	0	0 1.4	5
1244P1	1668.000	22:23:52	2	2500	100	1	0	0	0	0 0.5	5
1244P1	1667.000	22:24:01	1	2500	100	1	0	0	0	0 1.3	5
1244P1	1666.000	22:24:09	2	2500	100	1	0	0	0	0 1.2	5
1244P1	1665.000	22:24:17	1	2500	100	1	0	0	0	0 0.6	5
1244P1	1664.000	22:24:26	2	2500	100	1	0	0	0	0 0.9	5
1244P1	1663.000	22:24:34	1	2500	100	1	0	0	0	0 1.0	5
1244P1	1662.000	22:24:43	2	2500	100	1	0	0	0	0 0.5	5
1244P1	1661.000	22:24:51	1	2500	100	1	0	0	0	0 0.9	5
1244P1	1660.000	22:25:00	2	2500	100	1	0	0	0	0 0.7	5
1244P1	1659.000	22:25:08	1	2500	100	1	0	0	0	0 0.7	5
1244P1	1658.000	22:25:17	2	2500	100	1	0	0	0	0 1.2	5
1244P1	1657.000	22:25:25	1	2500	100	1	0	0	0	0 0.8	5
1244P1	1656.000	22:25:33	2	2500	100	1	0	0	0	0 0.7	5
1244P1	1655.000	22:25:42	1	2500	100	1	0	0	0	0 0.5	5
1244P1	1654.000	22:25:50	2	2500	100	1	0	0	0	0 0.9	5
1244P1	1653.000	22:25:59	1	2500	100	1	0	0	0	0 0.9	5
1244P1	1652.000	22:26:07	2	2500	100	1	0	0	0	0 1.0	5
1244P1	1651.000	22:26:16	1	2500	100	1	0	0	0	0 1.2	5
1244P1	1650.000	22:26:24	2	2500	100	1	0	0	0	0 0.7	5
1244P1	1649.000	22:26:32	1	2500	100	1	0	0	0	0 0.7	5
1244P1	1648.000	22:26:41	2	2500	100	1	0	0	0	0 0.4	5
1244P1	1647.000	22:26:49	1	2500	100	1	0	0	0	0 0.9	5
1244P1	1646.000	22:26:58	2	2500	100	1	0	0	0	0 0.9	5
1244P1	1645.000	22:27:06	1	2500	100	1	0	0	0	0 1.1	5
1244P1	1644.000	22:27:14	2	2500	100	1	0	0	0	0 0.7	5
1244P1	1643.000	22:27:23	1	2500	100	1	0	0	0	0 0.7	5
1244P1	1642.000	22:27:31	2	2500	100	1	0	0	0	0 1.2	5
1244P1	1641.000	22:27:40	1	2500	100	1	0	0	0	0 0.8	5
1244P1	1640.000	22:27:48	2	2500	100	1	0	0	0	0 0.4	5
1244P1	1639.000	22:27:57	1	2500	100	1	0	0	0	0 0.7	5
1244P1	1638.000	22:28:05	2	2500	100	1	0	0	0	0 0.8	5
1244P1	1637.000	22:28:13	1	2500	100	1	0	0	0	0 0.8	5

## GCS90 Log Line 1244P1

Page 15/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1636.000	22:28:22	2	2500	100	1	0	0	0	0 1.1	5
1244P1	1635.000	22:28:30	1	2500	100	1	0	0	0	0 0.6	5
1244P1	1634.000	22:28:39	2	2500	100	1	0	0	0	0 0.9	5
1244P1	1633.000	22:28:47	1	2500	100	1	0	0	0	0 0.6	5
1244P1	1632.000	22:28:56	2	2500	100	1	0	0	0	0 0.8	5
1244P1	1631.000	22:29:04	1	2500	100	1	0	0	0	0 0.9	5
1244P1	1630.000	22:29:12	2	2500	100	1	0	0	0	0 0.8	5
1244P1	1629.000	22:29:21	1	2500	100	1	0	0	0	0 0.7	5
1244P1	1628.000	22:29:29	2	2500	100	1	0	0	0	0 0.8	5
1244P1	1627.000	22:29:38	1	2500	100	1	0	0	0	0 0.9	5
1244P1	1626.000	22:29:46	2	2500	100	1	0	0	0	0 1.3	5
1244P1	1625.000	22:29:54	1	2500	100	1	0	0	0	0 1.2	5
1244P1	1624.000	22:30:03	2	2500	100	1	0	0	0	0 1.1	5
1244P1	1623.000	22:30:11	1	2500	100	1	0	0	0	0 1.1	5
1244P1	1622.000	22:30:20	2	2500	100	1	0	0	0	0 0.7	5
1244P1	1621.000	22:30:28	1	2500	100	1	0	0	0	0 0.6	5
1244P1	1620.000	22:30:37	2	2500	100	1	0	0	0	0 1.0	5
1244P1	1619.000	22:30:45	1	2500	100	1	0	0	0	0 0.6	5
1244P1	1618.000	22:30:54	2	2500	100	1	0	0	0	0 0.9	5
1244P1	1617.000	22:31:02	1	2500	100	1	0	0	0	0 0.7	5
1244P1	1616.000	22:31:11	2	2500	100	1	0	0	0	0 0.5	5
1244P1	1615.000	22:31:19	1	2500	100	1	0	0	0	0 1.6	5
1244P1	1614.000	22:31:28	2	2500	100	1	0	0	0	0 1.1	5
1244P1	1613.000	22:31:36	1	2500	100	1	0	0	0	0 0.5	5
1244P1	1612.000	22:31:45	2	2500	100	1	0	0	0	0 0.6	5
1244P1	1611.000	22:31:53	1	2500	100	1	0	0	0	0 0.6	5
1244P1	1610.000	22:32:01	2	2500	100	1	0	0	0	0 1.3	5
1244P1	1609.000	22:32:10	1	2500	100	1	0	0	0	0 1.0	5
1244P1	1608.000	22:32:18	2	2500	100	1	0	0	0	0 1.4	5
1244P1	1607.000	22:32:27	1	2500	100	1	0	0	0	0 0.5	5
1244P1	1606.000	22:32:35	2	2500	100	1	0	0	0	0 1.3	5
1244P1	1605.000	22:32:44	1	2500	100	1	0	0	0	0 0.7	5
1244P1	1604.000	22:32:52	2	2500	100	1	0	0	0	0 1.3	5
1244P1	1603.000	22:33:00	1	2500	100	1	0	0	0	0 1.4	5
1244P1	1602.000	22:33:09	2	2500	100	1	0	0	0	0 0.7	5
1244P1	1601.000	22:33:17	1	2500	100	1	0	0	0	0 0.8	5
1244P1	1600.000	22:33:25	2	2500	100	1	0	0	0	0 0.7	5
1244P1	1599.000	22:33:34	1	2500	100	1	0	0	0	0 1.3	5
1244P1	1598.000	22:33:42	2	2500	100	1	0	0	0	0 0.9	5
1244P1	1597.000	22:33:51	1	2500	100	1	0	0	0	0 0.9	5
1244P1	1596.000	22:33:59	2	2500	100	1	0	0	0	0 0.7	5
1244P1	1595.000	22:34:07	1	2500	100	1	0	0	0	0 0.8	5
1244P1	1594.000	22:34:16	2	2500	100	1	0	0	0	0 1.3	5
1244P1	1593.000	22:34:24	1	2500	100	1	0	0	0	0 1.3	5
1244P1	1592.000	22:34:33	2	2500	100	1	0	0	0	0 1.0	5
1244P1	1591.000	22:34:41	1	2500	100	1	0	0	0	0 0.8	5
1244P1	1590.000	22:34:50	2	2500	100	1	0	0	0	0 0.7	5
1244P1	1589.000	22:34:58	1	2500	100	1	0	0	0	0 0.8	5
1244P1	1588.000	22:35:07	2	2500	100	1	0	0	0	0 0.9	5
1244P1	1587.000	22:35:15	1	2500	100	1	0	0	0	0 1.0	5
1244P1	1586.000	22:35:23	2	2500	100	1	0	0	0	0 1.2	5
1244P1	1585.000	22:35:32	1	2500	100	1	0	0	0	0 1.1	5
1244P1	1584.000	22:35:40	2	2500	100	1	0	0	0	0 0.6	5
1244P1	1583.000	22:35:49	1	2500	100	1	0	0	0	0 1.4	5
1244P1	1582.000	22:35:57	2	2500	100	1	0	0	0	0 0.7	5
1244P1	1581.000	22:36:06	1	2500	100	1	0	0	0	0 0.5	5
1244P1	1580.000	22:36:14	2	2500	100	1	0	0	0	0 0.8	5

## GCS90 Log Line 1244P1

Page 16/29

9/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1579.000	22:36:23	1	2500	100	1	0	0	0	0 0.6	5
1244P1	1578.000	22:36:31	2	2500	100	1	0	0	0	0 0.8	5
1244P1	1577.000	22:36:39	1	2500	100	1	0	0	0	0 1.1	5
1244P1	1576.000	22:36:48	2	2500	100	1	0	0	0	0 0.8	5
1244P1	1575.000	22:36:56	1	2500	100	1	0	0	0	0 1.4	5
1244P1	1574.000	22:37:05	2	2500	100	1	0	0	0	0 0.4	5
1244P1	1573.000	22:37:13	1	2500	100	1	0	0	0	0 0.6	5
1244P1	1572.000	22:37:21	2	2500	100	1	0	0	0	0 1.1	5
1244P1	1571.000	22:37:30	1	2500	100	1	0	0	0	0 0.6	5
1244P1	1570.000	22:37:38	2	2500	100	1	0	0	0	0 1.0	5
1244P1	1569.000	22:37:46	1	2500	100	1	0	0	0	0 0.8	5
1244P1	1568.000	22:37:55	2	2500	100	1	0	0	0	0 0.8	5
1244P1	1567.000	22:38:03	1	2500	100	1	0	0	0	0 1.0	5
1244P1	1566.000	22:38:12	2	2500	100	1	0	0	0	0 0.5	5
1244P1	1565.000	22:38:20	1	2500	100	1	0	0	0	0 0.6	5
1244P1	1564.000	22:38:28	2	2500	100	1	0	0	0	1 2.2E	6
DELTA ERR: 1 - P6-11											
1244P1	1563.000	22:38:37	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1562.000	22:38:45	2	2500	100	1	0	0	0	0 1.6	6
1244P1	1561.000	22:38:54	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1560.000	22:39:02	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1559.000	22:39:11	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1558.000	22:39:19	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1557.000	22:39:28	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1556.000	22:39:36	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1555.000	22:39:44	1	2500	100	1	0	0	0	0 1.4	6
1244P1	1554.000	22:39:53	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1553.000	22:40:01	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1552.000	22:40:10	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1551.000	22:40:18	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1550.000	22:40:26	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1549.000	22:40:35	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1548.000	22:40:43	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1547.000	22:40:51	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1546.000	22:41:00	2	2500	100	1	0	0	0	0 0.5	6
1244P1	1545.000	22:41:08	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1544.000	22:41:16	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1543.000	22:41:25	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1542.000	22:41:33	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1541.000	22:41:42	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1540.000	22:41:50	2	2500	100	1	0	0	0	0 1.3	6
1244P1	1539.000	22:41:58	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1538.000	22:42:07	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1537.000	22:42:15	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1536.000	22:42:24	2	2500	100	1	0	0	0	0 1.3	6
1244P1	1535.000	22:42:32	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1534.000	22:42:41	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1533.000	22:42:49	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1532.000	22:42:58	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1531.000	22:43:06	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1530.000	22:43:14	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1529.000	22:43:23	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1528.000	22:43:31	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1527.000	22:43:39	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1526.000	22:43:48	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1525.000	22:43:56	1	2500	100	1	0	0	0	0 1.2	6
1244P1	1524.000	22:44:04	2	2500	100	1	0	0	0	0 0.5	6



## GCS90 Log Line 1244P1

Page 17/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1523.000	22:44:13	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1522.000	22:44:21	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1521.000	22:44:29	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1520.000	22:44:38	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1519.000	22:44:46	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1518.000	22:44:54	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1517.000	22:45:03	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1516.000	22:45:11	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1515.000	22:45:20	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1514.000	22:45:28	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1513.000	22:45:36	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1512.000	22:45:45	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1511.000	22:45:53	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1510.000	22:46:01	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1509.000	22:46:10	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1508.000	22:46:18	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1507.000	22:46:26	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1506.000	22:46:35	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1505.000	22:46:43	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1504.000	22:46:51	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1503.000	22:47:00	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1502.000	22:47:08	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1501.000	22:47:17	1	2500	100	1	0	0	0	0 0.4	6
1244P1	1500.000	22:47:25	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1499.000	22:47:33	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1498.000	22:47:42	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1497.000	22:47:50	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1496.000	22:47:58	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1495.000	22:48:07	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1494.000	22:48:15	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1493.000	22:48:24	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1492.000	22:48:32	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1491.000	22:48:41	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1490.000	22:48:49	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1489.000	22:48:58	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1488.000	22:49:06	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1487.000	22:49:15	1	2500	100	1	0	0	0	0 0.4	6
1244P1	1486.000	22:49:23	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1485.000	22:49:31	1	2500	100	1	0	0	0	0 1.8	6
1244P1	1484.000	22:49:40	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1483.000	22:49:48	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1482.000	22:49:56	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1481.000	22:50:05	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1480.000	22:50:13	2	2500	100	1	0	0	0	0 0.5	6
1244P1	1479.000	22:50:22	1	2500	100	1	0	0	0	0 1.3	6
1244P1	1478.000	22:50:30	2	2500	100	1	0	0	0	0 0.5	6
1244P1	1477.000	22:50:38	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1476.000	22:50:47	2	2500	100	1	0	0	0	0 1.4	6
1244P1	1475.000	22:50:55	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1474.000	22:51:03	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1473.000	22:51:12	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1472.000	22:51:20	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1471.000	22:51:29	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1470.000	22:51:37	2	2500	100	1	0	0	0	0 1.5	6
1244P1	1469.000	22:51:45	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1468.000	22:51:53	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1467.000	22:52:02	1	2500	100	1	0	0	0	0 0.8	6

## GCS90 Log Line 1244P1

Page 18/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1466.000	22:52:10	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1465.000	22:52:18	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1464.000	22:52:27	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1463.000	22:52:35	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1462.000	22:52:43	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1461.000	22:52:52	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1460.000	22:53:00	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1459.000	22:53:09	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1458.000	22:53:17	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1457.000	22:53:26	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1456.000	22:53:34	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1455.000	22:53:42	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1454.000	22:53:51	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1453.000	22:53:59	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1452.000	22:54:08	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1451.000	22:54:16	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1450.000	22:54:25	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1449.000	22:54:33	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1448.000	22:54:41	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1447.000	22:54:50	1	2500	100	1	0	0	0	0 0.4	6
1244P1	1446.000	22:54:58	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1445.000	22:55:07	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1444.000	22:55:15	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1443.000	22:55:24	1	2500	100	1	0	0	0	0 1.5	6
1244P1	1442.000	22:55:32	2	2500	100	1	0	0	0	0 0.3	6
1244P1	1441.000	22:55:40	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1440.000	22:55:49	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1439.000	22:55:57	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1438.000	22:56:06	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1437.000	22:56:14	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1436.000	22:56:23	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1435.000	22:56:31	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1434.000	22:56:40	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1433.000	22:56:48	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1432.000	22:56:57	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1431.000	22:57:05	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1430.000	22:57:14	2	2500	100	1	0	0	0	0 1.3	6
1244P1	1429.000	22:57:22	1	2500	100	1	0	0	0	0 1.2	6
1244P1	1428.000	22:57:31	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1427.000	22:57:39	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1426.000	22:57:48	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1425.000	22:57:56	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1424.000	22:58:05	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1423.000	22:58:13	1	2500	100	1	0	0	0	0 0.4	6
1244P1	1422.000	22:58:21	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1421.000	22:58:30	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1420.000	22:58:38	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1419.000	22:58:47	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1418.000	22:58:55	2	2500	100	1	0	0	0	0 1.3	6
1244P1	1417.000	22:59:04	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1416.000	22:59:12	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1415.000	22:59:20	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1414.000	22:59:29	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1413.000	22:59:37	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1412.000	22:59:45	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1411.000	22:59:54	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1410.000	23:00:02	2	2500	100	1	0	0	0	0 0.8	6

## GCS90 Log Line 1244P1

Page 19/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1409.000	23:00:11	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1408.000	23:00:19	2	2500	100	1	0	0	0	0 1.5	6
1244P1	1407.000	23:00:28	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1406.000	23:00:36	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1405.000	23:00:45	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1404.000	23:00:53	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1403.000	23:01:02	1	2500	100	1	0	0	0	0 1.2	6
1244P1	1402.000	23:01:10	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1401.000	23:01:19	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1400.000	23:01:27	2	2500	100	1	0	0	0	0 0.4	6
1244P1	1399.000	23:01:35	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1398.000	23:01:44	2	2500	100	1	0	0	0	0 1.4	6
1244P1	1397.000	23:01:52	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1396.000	23:02:01	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1395.000	23:02:09	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1394.000	23:02:17	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1393.000	23:02:26	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1392.000	23:02:34	2	2500	100	1	0	0	0	0 1.3	6
1244P1	1391.000	23:02:43	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1390.000	23:02:51	2	2500	100	1	0	0	0	0 0.5	6
1244P1	1389.000	23:02:59	1	2500	100	1	0	0	0	0 1.3	6
1244P1	1388.000	23:03:08	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1387.000	23:03:16	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1386.000	23:03:25	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1385.000	23:03:33	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1384.000	23:03:41	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1383.000	23:03:50	1	2500	100	1	0	0	0	0 1.2	6
1244P1	1382.000	23:03:58	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1381.000	23:04:07	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1380.000	23:04:15	2	2500	100	1	0	0	0	0 1.3	6
1244P1	1379.000	23:04:24	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1378.000	23:04:32	2	2500	100	1	0	0	0	0 0.5	6
1244P1	1377.000	23:04:40	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1376.000	23:04:49	2	2500	100	1	0	0	0	0 0.4	6
1244P1	1375.000	23:04:57	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1374.000	23:05:06	2	2500	100	1	0	0	0	0 0.3	6
1244P1	1373.000	23:05:14	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1372.000	23:05:22	2	2500	100	1	0	0	0	0 1.3	6
1244P1	1371.000	23:05:31	1	2500	100	1	0	0	0	0 1.5	6
1244P1	1370.000	23:05:39	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1369.000	23:05:47	1	2500	100	1	0	0	0	0 1.4	6
1244P1	1368.000	23:05:56	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1367.000	23:06:04	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1366.000	23:06:12	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1365.000	23:06:21	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1364.000	23:06:29	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1363.000	23:06:37	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1362.000	23:06:46	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1361.000	23:06:54	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1360.000	23:07:03	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1359.000	23:07:11	1	2500	100	1	0	0	0	0 1.3	6
1244P1	1358.000	23:07:19	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1357.000	23:07:28	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1356.000	23:07:36	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1355.000	23:07:44	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1354.000	23:07:53	2	2500	100	1	0	0	0	0 1.5	6
1244P1	1353.000	23:08:01	1	2500	100	1	0	0	0	0 0.8	6

## GCS90 Log Line 1244P1

Page 20/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1352.000	23:08:09	2	2500	100	1	0	0	0	0 1.4	6
1244P1	1351.000	23:08:18	1	2500	100	1	0	0	0	0 0.4	6
1244P1	1350.000	23:08:26	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1349.000	23:08:35	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1348.000	23:08:43	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1347.000	23:08:51	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1346.000	23:09:00	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1345.000	23:09:08	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1344.000	23:09:17	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1343.000	23:09:25	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1342.000	23:09:33	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1341.000	23:09:42	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1340.000	23:09:50	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1339.000	23:09:58	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1338.000	23:10:07	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1337.000	23:10:15	1	2500	100	1	0	0	0	0 1.2	6
1244P1	1336.000	23:10:23	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1335.000	23:10:31	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1334.000	23:10:40	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1333.000	23:10:48	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1332.000	23:10:57	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1331.000	23:11:05	1	2500	100	1	0	0	0	0 0.3	6
1244P1	1330.000	23:11:13	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1329.000	23:11:22	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1328.000	23:11:30	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1327.000	23:11:38	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1326.000	23:11:47	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1325.000	23:11:55	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1324.000	23:12:04	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1323.000	23:12:12	1	2500	100	1	0	0	0	0 1.5	6
1244P1	1322.000	23:12:21	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1321.000	23:12:29	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1320.000	23:12:37	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1319.000	23:12:46	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1318.000	23:12:55	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1317.000	23:13:03	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1316.000	23:13:11	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1315.000	23:13:20	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1314.000	23:13:28	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1313.000	23:13:37	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1312.000	23:13:45	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1311.000	23:13:53	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1310.000	23:14:02	2	2500	100	1	0	0	0	0 0.5	6
1244P1	1309.000	23:14:10	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1308.000	23:14:18	2	2500	100	1	0	0	0	0 0.5	6
1244P1	1307.000	23:14:27	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1306.000	23:14:35	2	2500	100	1	0	0	0	0 0.5	6
1244P1	1305.000	23:14:43	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1304.000	23:14:52	2	2500	100	1	0	0	0	0 0.4	6
1244P1	1303.000	23:15:00	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1302.000	23:15:09	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1301.000	23:15:17	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1300.000	23:15:25	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1299.000	23:15:34	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1298.000	23:15:42	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1297.000	23:15:51	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1296.000	23:15:59	2	2500	100	1	0	0	0	0 0.8	6

## GCS90 Log Line 1244P1

Page 21/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1295.000	23:16:08	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1294.000	23:16:16	2	2500	100	1	0	0	0	0 1.6	6
1244P1	1293.000	23:16:24	1	2500	100	1	0	0	0	0 1.2	6
1244P1	1292.000	23:16:33	2	2500	100	1	0	0	0	0 1.3	6
1244P1	1291.000	23:16:41	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1290.000	23:16:49	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1289.000	23:16:58	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1288.000	23:17:06	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1287.000	23:17:14	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1286.000	23:17:23	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1285.000	23:17:31	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1284.000	23:17:39	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1283.000	23:17:48	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1282.000	23:17:56	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1281.000	23:18:05	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1280.000	23:18:13	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1279.000	23:18:22	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1278.000	23:18:30	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1277.000	23:18:39	1	2500	100	1	0	0	0	0 1.2	6
1244P1	1276.000	23:18:47	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1275.000	23:18:55	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1274.000	23:19:04	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1273.000	23:19:12	1	2500	100	1	0	0	0	0 1.4	6
1244P1	1272.000	23:19:20	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1271.000	23:19:29	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1270.000	23:19:37	2	2500	100	1	0	0	0	0 1.3	6
1244P1	1269.000	23:19:46	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1268.000	23:19:54	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1267.000	23:20:02	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1266.000	23:20:11	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1265.000	23:20:19	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1264.000	23:20:27	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1263.000	23:20:36	1	2500	100	1	0	0	0	0 1.5	6
1244P1	1262.000	23:20:44	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1261.000	23:20:52	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1260.000	23:21:01	2	2500	100	1	0	0	0	0 0.5	6
1244P1	1259.000	23:21:09	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1258.000	23:21:17	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1257.000	23:21:26	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1256.000	23:21:34	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1255.000	23:21:42	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1254.000	23:21:51	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1253.000	23:21:59	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1252.000	23:22:07	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1251.000	23:22:16	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1250.000	23:22:24	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1249.000	23:22:33	1	2500	100	1	0	0	0	0 0.4	6
1244P1	1248.000	23:22:41	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1247.000	23:22:49	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1246.000	23:22:58	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1245.000	23:23:06	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1244.000	23:23:14	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1243.000	23:23:23	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1242.000	23:23:31	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1241.000	23:23:39	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1240.000	23:23:48	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1239.000	23:23:56	1	2500	100	1	0	0	0	0 0.7	6

## GCS90 Log Line 1244P1

Page 22/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1238.000	23:24:05	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1237.000	23:24:13	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1236.000	23:24:21	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1235.000	23:24:30	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1234.000	23:24:38	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1233.000	23:24:46	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1232.000	23:24:55	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1231.000	23:25:03	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1230.000	23:25:11	2	2500	100	1	0	0	0	1 1.8	6
DELTA ERR: 1 - P6-1											
1244P1	1229.000	23:25:20	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1228.000	23:25:28	2	2500	100	1	0	0	0	0 0.3	6
1244P1	1227.000	23:25:36	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1226.000	23:25:45	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1225.000	23:25:53	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1224.000	23:26:01	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1223.000	23:26:10	1	2500	100	1	0	0	0	0 1.3	6
1244P1	1222.000	23:26:18	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1221.000	23:26:27	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1220.000	23:26:35	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1219.000	23:26:43	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1218.000	23:26:52	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1217.000	23:27:00	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1216.000	23:27:09	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1215.000	23:27:17	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1214.000	23:27:25	2	2500	100	1	0	0	0	0 0.5	6
1244P1	1213.000	23:27:34	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1212.000	23:27:42	2	2500	100	1	0	0	0	0 1.3	6
1244P1	1211.000	23:27:50	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1210.000	23:27:59	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1209.000	23:28:07	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1208.000	23:28:16	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1207.000	23:28:24	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1206.000	23:28:33	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1205.000	23:28:41	1	2500	100	1	0	0	0	0 0.9	6
1244P1	1204.000	23:28:49	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1203.000	23:28:58	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1202.000	23:29:06	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1201.000	23:29:14	1	2500	100	1	0	0	0	0 0.4	6
1244P1	1200.000	23:29:23	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1199.000	23:29:31	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1198.000	23:29:40	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1197.000	23:29:48	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1196.000	23:29:56	2	2500	100	1	0	0	0	0 0.5	6
1244P1	1195.000	23:30:05	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1194.000	23:30:13	2	2500	100	1	0	0	0	0 0.6	6
1244P1	1193.000	23:30:21	1	2500	100	1	0	0	0	0 0.6	6
1244P1	1192.000	23:30:30	2	2500	100	1	0	0	0	0 1.3	6
1244P1	1191.000	23:30:38	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1190.000	23:30:46	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1189.000	23:30:55	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1188.000	23:31:03	2	2500	100	1	0	0	0	1 1.8	6
DELTA ERR: 1 - P6-1											
1244P1	1187.000	23:31:11	1	2500	100	1	0	0	0	0 1.2	6
1244P1	1186.000	23:31:20	2	2500	100	1	0	0	0	0 1.0	6
1244P1	1185.000	23:31:28	1	2500	100	1	0	0	0	0 1.2	6
1244P1	1184.000	23:31:36	2	2500	100	1	0	0	0	0 0.9	6

## GCS90 Log Line 1244P1

Page 23/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1183.000	23:31:45	1	2500	100	1	0	0	0	0 1.1	6
1244P1	1182.000	23:31:53	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1181.000	23:32:02	1	2500	100	1	0	0	0	0 1.0	6
1244P1	1180.000	23:32:10	2	2500	100	1	0	0	0	0 0.8	6
1244P1	1179.000	23:32:18	1	2500	100	1	0	0	0	0 0.8	6
1244P1	1178.000	23:32:27	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1177.000	23:32:35	1	2500	100	1	0	0	0	0 0.7	6
1244P1	1176.000	23:32:43	2	2500	100	1	0	0	0	0 1.2	6
1244P1	1175.000	23:32:52	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1174.000	23:33:00	2	2500	100	1	0	0	0	0 0.7	6
1244P1	1173.000	23:33:08	1	2500	100	1	0	0	0	0 0.5	6
1244P1	1172.000	23:33:16	2	2500	100	1	0	0	0	0 1.1	6
1244P1	1171.000	23:33:25	1	2500	100	1	0	0	0	0 1.3	6
1244P1	1170.000	23:33:33	2	2500	100	1	0	0	0	0 0.9	6
1244P1	1169.000	23:33:41	1	2500	100	1	0	0	0	0 2.0E	7
1244P1	1168.000	23:33:50	2	2500	100	1	0	0	0	0 1.3	7
1244P1	1167.000	23:33:58	1	2500	100	1	0	0	0	0 1.2	7
1244P1	1166.000	23:34:07	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1165.000	23:34:15	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1164.000	23:34:24	2	2500	100	1	0	0	0	0 1.3	7
1244P1	1163.000	23:34:32	1	2500	100	1	0	0	0	0 1.1	7
1244P1	1162.000	23:34:40	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1161.000	23:34:49	1	2500	100	1	0	0	0	0 0.6	7
1244P1	1160.000	23:34:57	2	2500	100	1	0	0	0	0 0.5	7
1244P1	1159.000	23:35:05	1	2500	100	1	0	0	0	0 1.2	7
1244P1	1158.000	23:35:14	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1157.000	23:35:22	1	2500	100	1	0	0	0	0 1.3	7
1244P1	1156.000	23:35:30	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1155.000	23:35:38	1	2500	100	1	0	0	0	0 1.0	7
1244P1	1154.000	23:35:47	2	2500	100	1	0	0	0	0 0.5	7
1244P1	1153.000	23:35:55	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1152.000	23:36:03	2	2500	100	1	0	0	0	0 0.9	7
1244P1	1151.000	23:36:12	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1150.000	23:36:20	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1149.000	23:36:28	1	2500	100	1	0	0	0	0 1.0	7
1244P1	1148.000	23:36:37	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1147.000	23:36:45	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1146.000	23:36:53	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1145.000	23:37:02	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1144.000	23:37:10	2	2500	100	1	0	0	0	0 0.7	7
1244P1	1143.000	23:37:18	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1142.000	23:37:26	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1141.000	23:37:35	1	2500	100	1	0	0	0	0 0.6	7
1244P1	1140.000	23:37:43	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1139.000	23:37:51	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1138.000	23:37:59	2	2500	100	1	0	0	0	0 0.7	7
1244P1	1137.000	23:38:08	1	2500	100	1	0	0	0	0 0.6	7
1244P1	1136.000	23:38:16	2	2500	100	1	0	0	0	0 0.7	7
1244P1	1135.000	23:38:24	1	2500	100	1	0	0	0	0 1.2	7
1244P1	1134.000	23:38:33	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1133.000	23:38:41	1	2500	100	1	0	0	0	0 0.5	7
1244P1	1132.000	23:38:49	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1131.000	23:38:57	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1130.000	23:39:06	2	2500	100	1	0	0	0	0 0.7	7
1244P1	1129.000	23:39:14	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1128.000	23:39:22	2	2500	100	1	0	0	0	0 0.7	7
1244P1	1127.000	23:39:30	1	2500	100	1	0	0	0	0 1.3	7

## GCS90 Log Line 1244P1

Page 24/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1126.000	23:39:39	2	2500	100	1	0	0	0	0 1.0	7
1244P1	1125.000	23:39:47	1	2500	100	1	0	0	0	0 1.1	7
1244P1	1124.000	23:39:55	2	2500	100	1	0	0	0	0 1.5	7
1244P1	1123.000	23:40:04	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1122.000	23:40:12	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1121.000	23:40:21	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1120.000	23:40:29	2	2500	100	1	0	0	0	0 0.4	7
1244P1	1119.000	23:40:37	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1118.000	23:40:46	2	2500	100	1	0	0	0	0 0.5	7
1244P1	1117.000	23:40:54	1	2500	100	1	0	0	0	0 1.0	7
1244P1	1116.000	23:41:02	2	2500	100	1	0	0	0	0 1.5	7
1244P1	1115.000	23:41:11	1	2500	100	1	0	0	0	0 0.6	7
1244P1	1114.000	23:41:19	2	2500	100	1	0	0	0	0 0.9	7
1244P1	1113.000	23:41:27	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1112.000	23:41:36	2	2500	100	1	0	0	0	0 0.5	7
1244P1	1111.000	23:41:44	1	2500	100	1	0	0	0	0 1.6	7
1244P1	1110.000	23:41:52	2	2500	100	1	0	0	0	0 1.2	7
1244P1	1109.000	23:42:01	1	2500	100	1	0	0	0	0 0.5	7
1244P1	1108.000	23:42:09	2	2500	100	1	0	0	0	0 1.1	7
1244P1	1107.000	23:42:18	1	2500	100	1	0	0	0	0 1.1	7
1244P1	1106.000	23:42:26	2	2500	100	1	0	0	0	0 0.7	7
1244P1	1105.000	23:42:34	1	2500	100	1	0	0	0	0 0.7	7
1244P1	1104.000	23:42:43	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1103.000	23:42:51	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1102.000	23:43:00	2	2500	100	1	0	0	0	0 1.8	7
1244P1	1101.000	23:43:08	1	2500	100	1	0	0	0	0 0.6	7
1244P1	1100.000	23:43:16	2	2500	100	1	0	0	0	0 1.2	7
1244P1	1099.000	23:43:24	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1098.000	23:43:33	2	2500	100	1	0	0	0	0 1.1	7
1244P1	1097.000	23:43:41	1	2500	100	1	0	0	0	0 1.4	7
1244P1	1096.000	23:43:49	2	2500	100	1	0	0	0	0 0.4	7
1244P1	1095.000	23:43:58	1	2500	100	1	0	0	0	0 0.6	7
1244P1	1094.000	23:44:06	2	2500	100	1	0	0	0	0 1.2	7
1244P1	1093.000	23:44:14	1	2500	100	1	0	0	0	0 0.7	7
1244P1	1092.000	23:44:23	2	2500	100	1	0	0	0	0 1.0	7
1244P1	1091.000	23:44:31	1	2500	100	1	0	0	0	0 0.5	7
1244P1	1090.000	23:44:39	2	2500	100	1	0	0	0	0 0.9	7
1244P1	1089.000	23:44:48	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1088.000	23:44:56	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1087.000	23:45:04	1	2500	100	1	0	0	0	0 1.1	7
1244P1	1086.000	23:45:13	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1085.000	23:45:21	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1084.000	23:45:29	2	2500	100	1	0	0	0	0 1.0	7
1244P1	1083.000	23:45:38	1	2500	100	1	0	0	0	0 1.4	7
1244P1	1082.000	23:45:46	2	2500	100	1	0	0	0	0 1.2	7
1244P1	1081.000	23:45:54	1	2500	100	1	0	0	0	0 0.6	7
1244P1	1080.000	23:46:02	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1079.000	23:46:11	1	2500	100	1	0	0	0	0 0.7	7
1244P1	1078.000	23:46:19	2	2500	100	1	0	0	0	0 1.2	7
1244P1	1077.000	23:46:27	1	2500	100	1	0	0	0	0 1.0	7
1244P1	1076.000	23:46:36	2	2500	100	1	0	0	0	0 1.1	7
1244P1	1075.000	23:46:44	1	2500	100	1	0	0	0	1 1.6	7
DELTA ERR: 1 - S3-3											
1244P1	1074.000	23:46:52	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1073.000	23:47:01	1	2500	100	1	0	0	0	0 0.7	7
1244P1	1072.000	23:47:09	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1071.000	23:47:17	1	2500	100	1	0	0	0	0 0.9	7



## GCS90 Log Line 1244P1

Page 25/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1070.000	23:47:26	2	2500	100	1	0	0	0	0 1.2	7
1244P1	1069.000	23:47:34	1	2500	100	1	0	0	0	0 1.3	7
1244P1	1068.000	23:47:42	2	2500	100	1	0	0	0	0 0.5	7
1244P1	1067.000	23:47:51	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1066.000	23:47:59	2	2500	100	1	0	0	0	0 0.5	7
1244P1	1065.000	23:48:07	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1064.000	23:48:15	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1063.000	23:48:24	1	2500	100	1	0	0	0	0 0.7	7
1244P1	1062.000	23:48:32	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1061.000	23:48:40	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1060.000	23:48:49	2	2500	100	1	0	0	0	0 0.7	7
1244P1	1059.000	23:48:57	1	2500	100	1	0	0	0	0 1.0	7
1244P1	1058.000	23:49:05	2	2500	100	1	0	0	0	0 1.2	7
1244P1	1057.000	23:49:13	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1056.000	23:49:21	2	2500	100	1	0	0	0	0 1.0	7
1244P1	1055.000	23:49:29	1	2500	100	1	0	0	0	0 1.2	7
1244P1	1054.000	23:49:38	2	2500	100	1	0	0	0	0 0.9	7
1244P1	1053.000	23:49:46	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1052.000	23:49:54	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1051.000	23:50:02	1	2500	100	1	0	0	0	0 0.7	7
1244P1	1050.000	23:50:11	2	2500	100	1	0	0	0	0 1.5	7
1244P1	1049.000	23:50:19	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1048.000	23:50:27	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1047.000	23:50:36	1	2500	100	1	0	0	0	0 0.5	7
1244P1	1046.000	23:50:44	2	2500	100	1	0	0	0	0 0.5	7
1244P1	1045.000	23:50:52	1	2500	100	1	0	0	0	0 1.0	7
1244P1	1044.000	23:51:00	2	2500	100	1	0	0	0	0 0.5	7
1244P1	1043.000	23:51:09	1	2500	100	1	0	0	0	0 1.0	7
1244P1	1042.000	23:51:17	2	2500	100	1	0	0	0	0 1.1	7
1244P1	1041.000	23:51:25	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1040.000	23:51:33	2	2500	100	1	0	0	0	0 0.5	7
1244P1	1039.000	23:51:42	1	2500	100	1	0	0	0	0 0.7	7
1244P1	1038.000	23:51:50	2	2500	100	1	0	0	0	0 1.4	7
1244P1	1037.000	23:51:58	1	2500	100	1	0	0	0	0 1.5	7
1244P1	1036.000	23:52:07	2	2500	100	1	0	0	0	0 1.4	7
1244P1	1035.000	23:52:15	1	2500	100	1	0	0	0	0 1.7	7
1244P1	1034.000	23:52:23	2	2500	100	1	0	0	0	0 0.8	7
1244P1	1033.000	23:52:32	1	2500	100	1	0	0	0	0 0.6	7
1244P1	1032.000	23:52:40	2	2500	100	1	0	0	0	0 1.4	7
1244P1	1031.000	23:52:48	1	2500	100	1	0	0	0	0 1.1	7
1244P1	1030.000	23:52:57	2	2500	100	1	0	0	0	0 0.9	7
1244P1	1029.000	23:53:05	1	2500	100	1	0	0	0	0 1.1	7
1244P1	1028.000	23:53:13	2	2500	100	1	0	0	0	0 1.2	7
1244P1	1027.000	23:53:21	1	2500	100	1	0	0	0	0 0.5	7
1244P1	1026.000	23:53:30	2	2500	100	1	0	0	0	0 0.6	7
1244P1	1025.000	23:53:38	1	2500	100	1	0	0	0	0 1.0	7
1244P1	1024.000	23:53:46	2	2500	100	1	0	0	0	0 0.5	7
1244P1	1023.000	23:53:54	1	2500	100	1	0	0	0	0 0.9	7
1244P1	1022.000	23:54:03	2	2500	100	1	0	0	0	0 0.7	7
1244P1	1021.000	23:54:11	1	2500	100	1	0	0	0	0 0.7	7
1244P1	1020.000	23:54:19	2	2500	100	1	0	0	0	0 1.6	7
1244P1	1019.000	23:54:27	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1018.000	23:54:36	2	2500	100	1	0	0	0	0 1.1	7
1244P1	1017.000	23:54:44	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1016.000	23:54:52	2	2500	100	1	0	0	0	0 1.5	7
1244P1	1015.000	23:55:01	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1014.000	23:55:09	2	2500	100	1	0	0	0	0 0.4	7

## GCS90 Log Line 1244P1

Page 26/29

9/11/03				VOLUME		AUTOFIRE		TIME-ERROR		SPREAD	
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	1013.000	23:55:17	1	2500	100	1	0	0	0	0 1.1	7
1244P1	1012.000	23:55:26	2	2500	100	1	0	0	0	0 1.1	7
1244P1	1011.000	23:55:34	1	2500	100	1	0	0	0	0 1.4	7
1244P1	1010.000	23:55:42	2	2500	100	1	0	0	0	0 0.7	7
1244P1	1009.000	23:55:51	1	2500	100	1	0	0	0	0 1.3	7
1244P1	1008.000	23:55:59	2	2500	100	1	0	0	0	0 0.5	7
1244P1	1007.000	23:56:07	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1006.000	23:56:16	2	2500	100	1	0	0	0	0 0.9	7
1244P1	1005.000	23:56:24	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1004.000	23:56:32	2	2500	100	1	0	0	0	0 1.1	7
1244P1	1003.000	23:56:41	1	2500	100	1	0	0	0	0 0.8	7
1244P1	1002.000	23:56:49	2	2500	100	1	0	0	0	0 0.7	7
1244P1	1001.000	23:56:58	1	2500	100	1	0	0	0	0 0.5	7
1244P1	1000.000	23:57:06	2	2500	100	1	0	0	0	0 1.3	7
1244P1	999.000	23:57:14	1	2500	100	1	0	0	0	0 0.8	7
1244P1	998.000	23:57:22	2	2500	100	1	0	0	0	0 1.3	7
1244P1	997.000	23:57:30	1	2500	100	1	0	0	0	0 0.8	7
1244P1	996.000	23:57:39	2	2500	100	1	0	0	0	0 0.7	7
1244P1	995.000	23:57:47	1	2500	100	1	0	0	0	0 1.0	7
1244P1	994.000	23:57:56	2	2500	100	1	0	0	0	0 1.5	7
1244P1	993.000	23:58:04	1	2500	100	1	0	0	0	0 0.6	7
1244P1	992.000	23:58:12	2	2500	100	1	0	0	0	0 1.1	7
1244P1	991.000	23:58:21	1	2500	100	1	0	0	0	0 0.7	7
1244P1	990.000	23:58:29	2	2500	100	1	0	0	0	0 1.0	7
1244P1	989.000	23:58:37	1	2500	100	1	0	0	0	0 1.1	7
1244P1	988.000	23:58:46	2	2500	100	1	0	0	0	0 1.6	7
1244P1	987.000	23:58:54	1	2500	100	1	0	0	0	0 0.8	7
1244P1	986.000	23:59:02	2	2500	100	1	0	0	0	0 1.0	7
1244P1	985.000	23:59:10	1	2500	100	1	0	0	0	0 0.5	7
1244P1	984.000	23:59:18	2	2500	100	1	0	0	0	0 1.3	7
1244P1	983.000	23:59:27	1	2500	100	1	0	0	0	0 0.5	7
1244P1	982.000	23:59:35	2	2500	100	1	0	0	0	0 1.1	7
1244P1	981.000	23:59:43	1	2500	100	1	0	0	0	0 1.2	7
1244P1	980.000	23:59:52	2	2500	100	1	0	0	0	0 1.0	7
1244P1	979.000	0:00:00	1	2500	100	1	0	0	0	0 0.8	7
1244P1	978.000	0:00:09	2	2500	100	1	0	0	0	0 1.0	7
1244P1	977.000	0:00:17	1	2500	100	1	0	0	0	0 1.0	7
1244P1	976.000	0:00:25	2	2500	100	1	0	0	0	0 0.4	7
1244P1	975.000	0:00:34	1	2500	100	1	0	0	0	0 0.7	7
1244P1	974.000	0:00:42	2	2500	100	1	0	0	0	0 0.5	7
1244P1	973.000	0:00:50	1	2500	100	1	0	0	0	0 1.0	7
1244P1	972.000	0:00:59	2	2500	100	1	0	0	0	0 0.5	7
1244P1	971.000	0:01:07	1	2500	100	1	0	0	0	0 0.6	7
1244P1	970.000	0:01:16	2	2500	100	1	0	0	0	0 0.6	7
1244P1	969.000	0:01:24	1	2500	100	1	0	0	0	0 1.1	7
1244P1	968.000	0:01:32	2	2500	100	1	0	0	0	0 1.4	7
1244P1	967.000	0:01:41	1	2500	100	1	0	0	0	0 0.9	7
1244P1	966.000	0:01:49	2	2500	100	1	0	0	0	0 1.1	7
1244P1	965.000	0:01:57	1	2500	100	1	0	0	0	0 1.5	7
1244P1	964.000	0:02:05	2	2500	100	1	0	0	0	0 1.3	7
1244P1	963.000	0:02:14	1	2500	100	1	0	0	0	0 0.8	7
1244P1	962.000	0:02:22	2	2500	100	1	0	0	0	0 1.1	7
1244P1	961.000	0:02:30	1	2500	100	1	0	0	0	0 0.8	7
1244P1	960.000	0:02:38	2	2500	100	1	0	0	0	0 0.5	7
1244P1	959.000	0:02:47	1	2500	100	1	0	0	0	0 1.1	7
1244P1	958.000	0:02:55	2	2500	100	1	0	0	0	0 0.6	7
1244P1	957.000	0:03:03	1	2500	100	1	0	0	0	0 0.9	7

## GCS90 Log Line 1244P1

Page 27/29

10/11/03				VOLUME		AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT	SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	956.000	0:03:11	2	2500	100	1	0	0	0	0 1.3	7
1244P1	955.000	0:03:20	1	2500	100	1	0	0	0	0 1.0	7
1244P1	954.000	0:03:28	2	2500	100	1	0	0	0	0 1.0	7
1244P1	953.000	0:03:36	1	2500	100	1	0	0	0	0 1.3	7
1244P1	952.000	0:03:44	2	2500	100	1	0	0	0	0 1.5	7
1244P1	951.000	0:03:53	1	2500	100	1	0	0	0	0 0.6	7
1244P1	950.000	0:04:01	2	2500	100	1	0	0	0	0 0.8	7
1244P1	949.000	0:04:09	1	2500	100	1	0	0	0	0 0.5	7
1244P1	948.000	0:04:18	2	2500	100	1	0	0	0	0 0.9	7
1244P1	947.000	0:04:26	1	2500	100	1	0	0	0	0 1.0	7
1244P1	946.000	0:04:34	2	2500	100	1	0	0	0	0 0.7	7
1244P1	945.000	0:04:42	1	2500	100	1	0	0	0	0 0.8	7
1244P1	944.000	0:04:51	2	2500	100	1	0	0	0	0 1.4	7
1244P1	943.000	0:04:59	1	2500	100	1	0	0	0	0 1.2	7
1244P1	942.000	0:05:07	2	2500	100	1	0	0	0	0 1.5	7
1244P1	941.000	0:05:16	1	2500	100	1	0	0	0	0 0.5	7
1244P1	940.000	0:05:24	2	2500	100	1	0	0	0	0 0.9	7
1244P1	939.000	0:05:32	1	2500	100	1	0	0	0	0 0.5	7
1244P1	938.000	0:05:40	2	2500	100	1	0	0	0	0 1.0	7
1244P1	937.000	0:05:49	1	2500	100	1	0	0	0	0 0.7	7
1244P1	936.000	0:05:57	2	2500	100	1	0	0	0	0 0.7	7
1244P1	935.000	0:06:05	1	2500	100	1	0	0	0	0 0.6	7
1244P1	934.000	0:06:14	2	2500	100	1	0	0	0	0 0.8	7
1244P1	933.000	0:06:22	1	2500	100	1	0	0	0	0 1.0	7
1244P1	932.000	0:06:30	2	2500	100	1	0	0	0	0 0.6	7
1244P1	931.000	0:06:39	1	2500	100	1	0	0	0	0 0.8	7
1244P1	930.000	0:06:47	2	2500	100	1	0	0	0	0 0.6	7
1244P1	929.000	0:06:55	1	2500	100	1	0	0	0	0 0.6	7
1244P1	928.000	0:07:03	2	2500	100	1	0	0	0	0 0.8	7
1244P1	927.000	0:07:12	1	2500	100	1	0	0	0	0 0.7	7
1244P1	926.000	0:07:20	2	2500	100	1	0	0	0	0 1.1	7
1244P1	925.000	0:07:28	1	2500	100	1	0	0	0	0 1.1	7
1244P1	924.000	0:07:36	2	2500	100	1	0	0	0	0 1.0	7
1244P1	923.000	0:07:45	1	2500	100	1	0	0	0	0 1.1	7
1244P1	922.000	0:07:53	2	2500	100	1	0	0	0	0 1.1	7
1244P1	921.000	0:08:01	1	2500	100	1	0	0	0	0 0.4	7
1244P1	920.000	0:08:10	2	2500	100	1	0	0	0	0 1.7	7
1244P1	919.000	0:08:18	1	2500	100	1	0	0	0	0 1.3	7
1244P1	918.000	0:08:26	2	2500	100	1	0	0	0	0 1.4	7
1244P1	917.000	0:08:34	1	2500	100	1	0	0	0	0 0.7	7
1244P1	916.000	0:08:43	2	2500	100	1	0	0	0	0 0.8	7
1244P1	915.000	0:08:51	1	2500	100	1	0	0	0	0 0.6	7
1244P1	914.000	0:08:59	2	2500	100	1	0	0	0	0 0.8	7
1244P1	913.000	0:09:07	1	2500	100	1	0	0	0	0 0.5	7
1244P1	912.000	0:09:16	2	2500	100	1	0	0	0	0 0.8	7
1244P1	911.000	0:09:24	1	2500	100	1	0	0	0	0 0.7	7
1244P1	910.000	0:09:32	2	2500	100	1	0	0	0	0 1.0	7
1244P1	909.000	0:09:41	1	2500	100	1	0	0	0	0 1.1	7
1244P1	908.000	0:09:49	2	2500	100	1	0	0	0	0 1.3	7
1244P1	907.000	0:09:57	1	2500	100	1	0	0	0	0 0.8	7
1244P1	906.000	0:10:06	2	2500	100	1	0	0	0	0 1.1	7
1244P1	905.000	0:10:14	1	2500	100	1	0	0	0	0 0.6	7
1244P1	904.000	0:10:22	2	2500	100	1	0	0	0	0 0.7	7
1244P1	903.000	0:10:31	1	2500	100	1	0	0	0	0 0.8	7
1244P1	902.000	0:10:39	2	2500	100	1	0	0	0	0 1.5	7
1244P1	901.000	0:10:47	1	2500	100	1	0	0	0	0 1.1	7
1244P1	900.000	0:10:55	2	2500	100	1	0	0	0	0 0.7	7

## GCS90 Log Line 1244P1

Page 28/29

10/11/03				VOLUME			AUTOFIRE TIME-ERROR SPREAD					
LINE	SHOT	HH:MM:SS	SRC	TOT	CNT		SHOT	LINE	MISS	DELTA	ERR	CNT
1244P1	899.000	0:11:04	1	2500	100	1	0	0	0	0	1.5	7
1244P1	898.000	0:11:12	2	2500	100	1	0	0	0	0	0.6	7
1244P1	897.000	0:11:20	1	2500	100	1	0	0	0	0	0.9	7
1244P1	896.000	0:11:29	2	2500	100	1	0	0	0	0	0.3	7
1244P1	895.000	0:11:37	1	2500	100	1	0	0	0	0	0.9	7
1244P1	894.000	0:11:45	2	2500	100	1	0	0	0	0	0.7	7
1244P1	893.000	0:11:54	1	2500	100	1	0	0	0	0	0.8	7
1244P1	892.000	0:12:02	2	2500	100	1	0	0	0	0	1.0	7
1244P1	891.000	0:12:10	1	2500	100	1	0	0	0	0	0.7	7
1244P1	890.000	0:12:18	2	2500	100	1	0	0	0	0	0.9	7
1244P1	889.000	0:12:27	1	2500	100	1	0	0	0	0	0.9	7

## GCS90 Log Line 1244P1

Page 29/29

STATISTICS SUMMARY LINE:1244P1 SHOT: 888.000 0:12:27 10/11/03

ARRAY	SUB	GUN	TOTAL	DELT	MISS	AUTO	BAD	HCOUNT	2*QC	DELTA VARIATION		>QC	>2*QC	LOW	DEPTH	
										QC	OK				HIGH	
Port	6	1	741	2	0	0	0.3	467198	0	2	739	0	0	0	0	0
Port	6	2	741	0	0	0	0.0	462972	0	0	741	0	0	0	0	0
Port	6	3	741	0	1	0	0.1	467846	0	0	740	0	0	0	0	0
Port	6	4	0	0	0	0	0.0	10032	0	0	0	0	0	0	0	0
Port	6	5	0	0	0	0	0.0	280547	0	0	0	0	0	0	0	0
Port	6	6	741	0	1	0	0.1	468089	0	0	740	0	0	0	0	0
Port	6	7	741	0	1	0	0.1	467912	0	0	740	0	0	0	0	0
Port	6	8	0	0	0	0	0.0	282484	0	0	0	0	0	0	0	0
Port	6	9	741	0	0	0	0.0	465126	0	0	741	0	0	0	0	0
Port	6	10	741	0	0	0	0.0	465965	0	0	741	0	0	0	0	0
Port	6	11	741	1	1	0	0.3	465720	0	0	739	1	0	0	0	0
Port	5	1	741	0	0	0	0.0	467223	0	0	741	0	0	0	0	0
Port	5	2	741	0	0	0	0.0	467594	0	0	741	0	0	0	0	0
Port	5	3	0	0	0	0	0.0	279644	0	0	0	0	0	0	0	0
Port	5	4	741	0	1	0	0.1	102094	0	0	740	0	0	0	0	0
Port	5	5	741	0	1	0	0.1	467774	0	0	740	0	0	0	0	0
Port	5	6	741	0	1	0	0.1	469003	0	0	740	0	0	0	0	0
Port	5	8	741	0	1	0	0.1	467899	0	0	740	0	0	0	0	0
Port	5	9	0	0	0	0	0.0	677	0	0	0	0	0	0	0	0
Port	5	10	0	0	0	0	0.0	279486	0	0	0	0	0	0	0	0
Port	5	11	0	0	0	0	0.0	6986	0	0	0	0	0	0	0	0
Port	4	1	741	0	0	0	0.0	464790	0	0	741	0	0	0	0	0
Port	4	2	0	0	0	0	0.0	283971	0	0	0	0	0	0	0	0
Port	4	3	741	0	0	0	0.0	462937	0	0	741	0	0	0	0	0
Port	4	4	741	0	1	0	0.1	467405	0	0	740	0	0	0	0	0
Port	4	5	741	0	1	0	0.1	467430	0	0	740	0	0	0	0	0
Port	4	6	741	0	1	0	0.1	464115	0	0	740	0	0	0	0	0
Port	4	7	0	0	0	0	0.0	280514	0	0	0	0	0	0	0	0
Port	4	8	0	0	0	0	0.0	257312	0	0	0	0	0	0	0	0
Port	4	9	741	0	0	0	0.0	212200	0	0	741	0	0	0	0	0
Port	4	10	741	0	0	0	0.0	467831	0	0	741	0	0	0	0	0
Port	4	11	741	0	1	0	0.1	466300	0	0	740	0	0	0	0	0
Starboard	3	1	740	0	0	0	0.0	268351	0	0	740	0	0	0	0	0
Starboard	3	2	740	0	0	0	0.0	269439	0	0	740	0	0	0	0	0
Starboard	3	3	740	7	0	0	0.9	269902	0	7	733	0	0	0	0	0
Starboard	3	4	0	0	0	0	0.0	3610	0	0	0	0	0	0	0	0
Starboard	3	5	0	0	0	0	0.0	213558	0	0	0	0	0	0	0	0
Starboard	3	6	740	0	0	0	0.0	269973	0	0	740	0	0	0	0	0
Starboard	3	7	740	0	0	0	0.0	268590	0	0	740	0	0	0	0	0
Starboard	3	8	0	0	0	0	0.0	213670	0	0	0	0	0	0	0	0
Starboard	3	9	740	0	0	0	0.0	269945	0	0	740	0	0	0	0	0
Starboard	3	10	740	0	0	0	0.0	269156	0	0	740	0	0	0	0	0
Starboard	3	11	740	0	0	0	0.0	269515	0	0	740	0	0	0	0	0
Starboard	2	1	740	0	0	0	0.0	278218	0	0	740	0	0	0	0	0
Starboard	2	2	740	0	0	0	0.0	278716	0	0	740	0	0	0	0	0
Starboard	2	3	0	0	0	0	0.0	222256	0	0	0	0	0	0	0	0
Starboard	2	4	0	0	0	0	0.0	9576	0	0	0	0	0	0	0	0
Starboard	2	5	740	0	0	0	0.0	278648	0	0	740	0	0	0	0	0
Starboard	2	6	740	0	0	0	0.0	279368	0	0	740	0	0	0	0	0
Starboard	2	7	740	0	0	0	0.0	278813	0	0	740	0	0	0	0	0
Starboard	2	8	740	0	0	0	0.0	278485	0	0	740	0	0	0	0	0
Starboard	2	9	0	0	0	0	0.0	9706	0	0	0	0	0	0	0	0
Starboard	2	10	0	0	0	0	0.0	221379	0	0	0	0	0	0	0	0
Starboard	2	11	0	0	0	0	0.0	12539	0	0	0	0	0	0	0	0
Starboard	1	1	740	0	0	0	0.0	294925	0	0	740	0	0	0	0	0
Starboard	1	2	0	0	0	0	0.0	237704	0	0	0	0	0	0	0	0
Starboard	1	3	740	0	0	0	0.0	294778	0	0	740	0	0	0	0	0
Starboard	1	4	740	0	0	0	0.0	108837	0	0	740	0	0	0	0	0
Starboard	1	5	740	0	0	0	0.0	295065	0	0	740	0	0	0	0	0
Starboard	1	6	740	0	0	0	0.0	295255	0	0	740	0	0	0	0	0
Starboard	1	7	0	0	0	0	0.0	238657	0	0	0	0	0	0	0	0
Starboard	1	8	0	0	0	0	0.0	242517	0	0	0	0	0	0	0	0
Starboard	1	9	740	0	0	0	0.0	76709	0	0	740	0	0	0	0	0
Starboard	1	10	740	0	0	0	0.0	290827	0	0	740	0	0	0	0	0
Starboard	1	11	740	0	0	0	0.0	288622	0	0	740	0	0	0	0	0

## SOURCE STATISTICS

SOURCE	SHOTS	DELTA	VOL	AUTO	BAD
1	740	0	0	0	0.0
2	741	0	1	0	0.1