

# Guardian Data SEISMIC

Guardian Data Seismic  
38 Ord Street  
WEST PERTH WA 6005  
Telephone: (08) 9214-6212  
Facsimile: (08) 9214-6260  
Email: gdsperth@gds.com.au

## TRANSCRIPTION REPORT

**DATA TYPE: Seismic Field Data**

### **J O B D E T A I L S**

CLIENT :	Dept of Nat. Res. & Env - Vic	NO. OF COPIES:	2
YOUR REF NO:	G162	NO. REELS TRANSCRIBED:	359
OUR REF NO. :	AU32591	NO. REELS NOT TRANSCRIBED:	0
	Dept of Nat. Res. & Env - Vic	NO. OUTPUT MEDIA:	1
REFER. DOC. :		TRANSCRIPTION DATE:	April, 2003
JOB TYPE:	Rode Encapsulation		

PRINTED: 16/04/2003 10:33:28

### **S U R V E Y D E T A I L S**

SURVEY :	OWM82A (WM81) Otway Basin
SURVEY YEAR :	1982
SURVEY TYPE :	2D Survey / Land

ACQUISITION COMPANY : Seismograph Service Ltd

### **M E D I A D E T A I L S**

INPUT TYPE :	9 Track ½" open reel tape, 800 BPI NRZI
INPUT LEN/CAP :	1200 feet
INPUT FORMAT :	SEG B

OUTPUT TYPE :	128 Track 3590 cartridge
OUTPUT LEN/CAP :	10.0 GByte
OUTPUT FORMAT :	RODE

# TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Output Logical File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001	2		OWM82A-H	97	100 - 108	1 - 9	10	1	2	0
	3			98	109 - 117	10 - 18	9	0	1	0
	4			99	118 - 126	19 - 27	9	0	0	0
	5			100	127 - 135	28 - 36	9	0	2	0
	6			101	136 - 144	37 - 45	9	0	0	0
	7			102	145 - 152	46 - 54	9	1	1	0
	8			103	153 - 160	55 - 64	10	0	3	0
	9			104	161 - 168	65 - 72	14	0	3	0
	10			105	169 - 175	73 - 79	11	1	2	0
	11			106	176 - 185	80 - 88	9	0	3	0
	12			107	186 - 194	90 - 98	9	0	0	0
	13			108	195 - 203	99 - 107	9	0	1	0
	14			109	204 - 212	108 - 116	9	0	0	0
	15			110	213 - 221	117 - 125	9	0	0	0
	16			111	222 - 230	126 - 134	9	0	6	0
	17			112	231 - 239	135 - 143	9	0	9	0
	18			113	240 - 246	144 - 150	17	0	2	0
	19			114	247 - 254	151 - 158	11	1	10	0
	20			115	256 - 265	159 - 167	9	0	4	0
	21			116	266 - 273	169 - 176	8	0	7	0
	22			117	274 - 280	177 - 183	7	0	7	0
	23			118	281 - 287	184 - 190	7	0	5	0
	24			119	288 - 294	191 - 198	8	0	6	0
	25			120	295 - 302	199 - 206	8	0	7	0
	26			121	303 - 311	207 - 215	8	0	5	0
	27			122	312 - 317	216 - 221	14	0	7	0
	28			123	318 - 323	222 - 227	9	0	6	0
	29			124	324 - 331	228 - 235	8	1	7	0
	30			125	332 - 338	236 - 243	8	0	7	0
	31			126	339 - 347	242 - 251	9	1	4	0
	32			127	348 - 356	252 - 260	10	1	4	0
	33			128	359 - 366	263 - 271	9	0	4	0
	34			129	367 - 375	272 - 282	9	0	1	0
	35			130	376 - 384	283 - 291	10	1	8	0
	36			131	385 - 393	292 - 300	10	1	1	0
	37			132	394 - 398	301 - 306	18	1	6	0
	38			133	400 - 408	307 - 315	9	0	6	0
	39			134	409 - 417	316 - 324	9	0	1	0
	40			135	418 - 426	325 - 333	10	1	3	0
	41			136	427 - 428	334 - 336	3	0	3	0
	42		OWM82A-J	137	316 - 308	1 - 9	9	0	3	0
	43			138	307 - 299	10 - 18	10	1	2	0
	44			139	298 - 290	19 - 27	9	0	3	0
	45			140	289 - 281	28 - 36	9	0	0	0
	46			141	280 - 272	37 - 45	9	0	2	0
	47			142	271 - 263	46 - 54	9	0	1	0

# TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Output Logical File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001	48		OWM82A-J	143	262 - 258	55 - 60	17	0	4	0
	49			144	257 - 249	61 - 68	8	0	1	0
	50			145	248 - 239	69 - 77	9	0	6	0
	51			146	238 - 231	78 - 86	9	0	0	0
	52			147	230 - 223	87 - 95	9	0	3	0
	53			148	222 - 214	96 - 104	9	0	4	0
	54			149	213 - 205	105 - 113	9	0	1	0
	55			150	204 - 196	114 - 122	9	0	2	0
	56			151	195 - 187	123 - 131	9	0	1	0
	57			152	186 - 180	132 - 138	17	1	5	0
	58			153	179 - 171	140 - 146	9	0	4	0
	59			154	170 - 163	148 - 156	9	0	1	0
	60			155	162 - 154	157 - 165	9	0	5	0
	61			156	153 - 145	166 - 174	9	0	2	0
	62			157	144 - 136	175 - 183	9	0	3	0
	63			158	135 - 127	184 - 192	9	0	1	0
	64			159	126 - 121	193 - 198	17	0	3	0
	65			160	120 - 112	199 - 207	11	1	2	0
	66			161	111 - 103	208 - 216	9	0	5	0
	67			162	102 - 100	217 - 220	4	0	1	0
	68		OWM82A-K	163	331 - 323	1 - 9	9	0	6	0
	69			164	322 - 314	10 - 18	9	0	3	0
	70			165	313 - 305	19 - 27	9	0	3	0
	71			166	304 - 298	28 - 33	18	1	0	0
	72			167	297 - 291	34 - 42	10	1	2	0
	73			168	290 - 282	43 - 51	9	0	2	0
	74			169	281 - 273	52 - 60	9	0	4	0
	75			170	272 - 264	61 - 70	10	1	2	0
	76			171	263 - 255	71 - 79	10	1	7	0
	77			172	254 - 246	80 - 88	9	0	1	0
	78			173	245 - 237	88 - 97	9	0	3	0
	79			174	236 - 228	98 - 106	10	1	2	0
	80			175	227 - 223	107 - 112	20	1	11	0
	81			176	221 - 213	113 - 121	10	1	3	0
	82			177	212 - 204	122 - 130	10	1	5	0
	83			178	203 - 195	131 - 139	10	1	3	0
	84			179	194 - 186	140 - 148	9	0	8	0
	85			180	185 - 177	149 - 157	10	1	5	0
	86			181	176 - 166	158 - 167	9	0	5	0
	87			182	165 - 158	168 - 177	10	1	1	0
	88			183	157 - 149	178 - 188	9	0	6	0
	89			184	148 - 142	189 - 195	18	1	2	0
	90			185	141 - 133	196 - 203	9	0	3	0
	91			186	132 - 124	205 - 213	9	0	2	0
	92			187	123 - 115	214 - 222	9	0	7	0
	93			188	114 - 106	223 - 231	10	1	6	0

# TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Output Logical File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001	94		OWM82A-K	189	105 - 100	232 - 237	6	0	6	0
	95		OWM82A-L	190	334 - 326	1 - 9	9	0	2	0
	96			191	325 - 317	10 - 18	10	1	7	0
	97			192	316 - 308	19 - 27	9	0	7	0
	98			193	307 - 299	28 - 37	9	0	8	0
	99			194	298 - 290	38 - 48	9	0	9	0
	100			195	289 - 285	49 - 54	17	0	0	0
	101			196	284 - 276	55 - 63	9	0	3	0
	102			197	275 - 269	64 - 73	9	0	2	0
	103			198	268 - 260	74 - 82	9	0	6	0
	104			199	259 - 252	83 - 92	9	0	3	0
	105			200	251 - 243	93 - 101	9	0	9	0
	106			201	242 - 234	102 - 110	9	0	1	0
	107			202	233 - 225	112 - 121	9	0	9	0
	108			203	224 - 219	122 - 130	10	1	5	0
	109			204	218 - 212	133 - 139	8	1	4	0
	110			205	211 - 204	140 - 147	15	0	5	0
	111			206	203 - 197	148 - 154	10	0	4	0
	112			207	196 - 188	155 - 163	10	1	1	0
	113			208	187 - 179	164 - 172	9	0	1	0
	114			209	178 - 170	173 - 181	10	0	10	0
	115			210	169 - 161	182 - 191	9	0	5	0
	116			211	160 - 153	192 - 199	11	1	10	0
	117			212	152 - 144	200 - 208	9	0	2	0
	118			213	143 - 135	209 - 219	9	0	4	0
	119			214	134 - 126	220 - 227	10	2	7	0
	120			215	125 - 118	228 - 236	9	0	1	0
	121			216	117 - 113	237 - 242	17	0	10	0
	122			217	112 - 104	243 - 251	9	0	4	0
	123		OWM82A-M	218	320 - 312	1 - 9	9	0	2	0
	124			219	311 - 303	10 - 18	10	1	3	0
	125			220	302 - 294	19 - 28	9	0	2	0
	126			221	293 - 285	29 - 37	9	0	3	0
	127			222	284 - 276	38 - 47	9	0	9	0
	128			223	275 - 267	48 - 56	9	0	1	0
	129			224	266 - 264	57 - 61	3	0	2	0
	130			225	263 - 258	64 - 70	16	0	3	0
	131			226	257 - 250	71 - 78	12	0	9	0
	132			227	249 - 241	79 - 87	9	0	9	0
	133			228	240 - 232	88 - 96	9	0	1	0
	134			229	231 - 223	93 - 105	9	1	4	0
	135			230	222 - 214	106 - 114	9	0	0	0
	136			231	213 - 205	115 - 123	9	0	5	0
	137			232	204 - 196	124 - 133	9	0	2	0
	138			233	195 - 187	134 - 142	9	0	6	0
	139			234	186 - 178	143 - 151	11	2	9	0

# TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Output Logical File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001	140		OWM82A-M	235	177 - 178	152 - 157	18	2	8	0
	141			236	171 - 164	158 - 166	9	0	2	0
	142			237	136 - 155	167 - 175	9	0	5	0
	143			238	154 - 146	176 - 184	9	0	3	0
	144			239	145 - 137	185 - 193	9	1	6	0
	145			240	136 - 128	194 - 202	9	0	2	0
	146			241	127 - 119	203 - 211	9	0	9	0
	147			242	118 - 110	212 - 220	9	0	7	0
	148			243	109 - 101	221 - 229	9	0	3	0
	149			244	100 - 101	230 - 231	2	0	2	0
	150		OWM82A-N	245	470 - 466	1 - 6	17	0	2	0
	151			246	465 - 458	7 - 15	9	0	9	0
	152			247	457 - 449	16 - 24	9	0	3	0
	153			248	448 - 441	25 - 35	9	0	0	0
	154			249	440 - 432	36 - 44	9	0	8	0
	155			250	431 - 423	45 - 53	9	0	8	0
	156			251	422 - 414	54 - 62	9	0	1	0
	157			252	413 - 405	63 - 71	10	1	2	0
	158			253	401 - 396	72 - 80	9	0	4	0
	159			254	395 - 387	81 - 90	9	0	9	0
	160			255	386 - 381	91 - 96	17	0	5	0
	161			256	380 - 372	97 - 107	10	1	8	0
	162			257	371 - 363	108 - 116	9	0	9	0
	163			258	362 - 354	117 - 125	9	0	5	0
	164			259	353 - 345	126 - 134	13	4	5	0
	165			260	344 - 336	135 - 143	10	1	3	0
	166			261	335 - 327	144 - 152	9	1	8	0
	167			262	326 - 318	153 - 161	9	0	0	0
	168			263	317 - 309	162 - 170	9	0	2	0
	169			264	308 - 300	171 - 179	9	0	1	0
	170			265	299 - 291	180 - 188	9	2	7	0
	171			266	290 - 282	189 - 197	9	0	2	0
	172			267	281 - 272	198 - 203	17	0	8	0
	173			268	275 - 267	204 - 212	9	0	1	0
	174			269	266 - 258	213 - 221	10	1	9	0
	175			270	257 - 249	220 - 230	9	0	9	0
	176			271	248 - 240	231 - 239	9	0	2	0
	177			272	239 - 231	240 - 248	9	0	7	0
	178			273	230 - 222	249 - 258	10	1	7	0
	179			274	221 - 213	258 - 266	9	0	7	0
	180			275	212 - 204	267 - 275	9	0	1	0
	181			276	203 - 195	276 - 285	12	3	7	0
	182			277	194 - 186	285 - 293	9	0	2	0
	183			278	185 - 178	294 - 301	15	0	6	0
	184			279	177 - 171	302 - 308	22	11	11	0
	185			280	170 - 162	309 - 317	9	0	2	0

# TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Output Logical File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001	186		OWM82A-N	281	161 - 152	318 - 331	22	13	6	0
	187			282	152 - 144	327 - 335	9	0	3	0
	188			283	143 - 139	336 - 344	9	0	7	0
	189			284	134 - 126	345 - 353	9	0	2	0
	190			285	125 - 117	354 - 362	11	0	9	0
	191			286	116 - 108	363 - 371	9	0	0	0
	192			287	107 - 100	372 - 379	8	0	4	0
	193		OWM82A-P	311	161 - 156	1 - 6	17	0	4	0
	194			312	155 - 147	7 - 15	9	0	5	0
	195			313	146 - 138	16 - 24	9	0	7	0
	196			314	137 - 129	25 - 33	9	0	3	0
	197			315	128 - 120	34 - 42	9	0	8	0
	198			316	119 - 111	43 - 51	9	0	9	0
	199			317	110 - 102	52 - 60	9	0	8	0
	200			318	101 - 100	61 - 64	4	0	2	0
	201		OWM82A-Q	288	100 - 108	2 - 9	8	0	1	0
	202			289	109 - 115	10 - 16	29	6	7	0
	203			290	116 - 123	17 - 24	10	0	4	0
	204			291	124 - 132	25 - 33	9	0	6	0
	205			292	133 - 141	34 - 42	9	0	4	0
	206			293	142 - 150	43 - 51	9	0	8	0
	207			294	151 - 159	52 - 60	9	0	9	0
	208			295	160 - 168	61 - 69	9	0	9	0
	209			296	169 - 177	70 - 78	9	0	8	0
	210			297	178 - 186	79 - 87	9	0	5	0
	211			298	187 - 195	88 - 96	9	0	2	0
	212			299	196 - 204	97 - 105	9	0	8	0
	213			300	205 - 212	106 - 113	17	0	9	0
	214			301	213 - 220	114 - 121	10	0	1	0
	215			302	221 - 229	122 - 130	9	0	7	0
	216			303	230 - 238	131 - 139	9	0	7	0
	217			304	239 - 247	140 - 148	9	0	6	0
	218			305	248 - 256	149 - 157	9	0	5	0
	219			306	257 - 265	158 - 166	9	0	9	0
	220			307	266 - 274	167 - 175	9	0	5	0
	221			308	275 - 283	176 - 184	9	0	9	0
	222			309	284 - 292	185 - 193	9	0	3	0
	223			310	293 - 300	194 - 202	9	0	8	0
	224		OWM82A-R	319	271 - 264	1 - 9	9	0	1	0
	225			320	263 - 254	10 - 19	10	0	4	0
	226			321	253 - 245	20 - 28	9	0	1	0
	227			322	244 - 238	29 - 36	16	0	2	0
	228			323	237 - 230	37 - 44	11	0	11	0
	229			324	229 - 221	45 - 56	9	0	9	0
	230			325	220 - 212	57 - 65	17	0	7	0
	231			326	211 - 203	66 - 75	9	0	8	0

# TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Output Logical File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001	232		OWM82A-R	327	202 - 194	76 - 84	9	0	9	0
	233			328	193 - 185	85 - 93	9	0	9	0
	234			329	184 - 176	95 - 102	8	0	8	0
	235			330	175 - 167	103 - 111	9	1	8	0
	236			331	166 - 158	112 - 120	9	0	8	0
	237			332	157 - 158	121 - 121	1	0	1	0
	238			333	156 - 148	122 - 130	9	0	8	0
	239			334	147 - 142	131 - 135	20	15	5	0
	240			335	141 - 133	137 - 145	9	0	7	0
	241			336	132 - 124	146 - 154	9	0	6	0
	242			337	123 - 115	155 - 163	9	0	4	0
	243			338	114 - 106	164 - 172	9	0	9	0
	244			339	105 - 100	173 - 179	7	0	2	0
	245		OWM82A-S	340	100 - 105	1 - 6	18	1	3	0
	246			341	106 - 114	7 - 16	12	0	9	0
	247			342	115 - 123	17 - 27	17	8	8	0
	248			343	124 - 132	26 - 34	9	0	5	0
	249			344	133 - 141	35 - 43	9	0	8	0
	250			345	142 - 150	44 - 52	9	0	9	0
	251			346	151 - 159	53 - 61	9	0	5	0
	252			347	160 - 164	62 - 68	18	1	6	0
	253			348	164 - 174	69 - 77	9	0	6	0
	254			349	175 - 183	78 - 87	9	0	7	0
	255			350	184 - 192	88 - 96	11	2	5	0
	256			351	193 - 201	97 - 105	9	0	3	0
	257			352	202 - 211	106 - 114	9	0	7	0
	258			353	212 - 220	115 - 123	10	1	5	0
	259			354	221 - 229	124 - 132	9	0	8	0
	260			355	230 - 238	133 - 141	12	3	9	0
	261			356	239 - 247	142 - 150	9	0	2	0
	262			357	248 - 253	151 - 159	10	1	9	0
	263			358	257 - 264	160 - 167	8	0	3	0
	264			359	265 - 270	168 - 173	20	3	17	0
	265			360	271 - 279	174 - 182	9	0	2	0
	266			361	280 - 288	183 - 192	9	0	9	0
	267			362	289 - 297	192 - 200	9	0	8	0
	268			363	298 - 306	201 - 209	9	0	7	0
	269			364	307 - 315	210 - 218	9	0	4	0
	270			365	316 - 324	219 - 227	9	0	4	0
	271			366	325 - 333	228 - 236	9	0	9	0
	272			367	334 - 343	237 - 245	9	0	5	0
	273			368	344 - 349	246 - 251	18	0	6	0
	274			369	350 - 358	252 - 260	9	0	1	0
	275		OWM82A-T	11	100 - 103	1 - 5	16	0	4	0
	276			12	104 - 111	6 - 13	9	1	0	0
	277			13	107 - 119	14 - 21	9	1	3	0

# TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Output Logical File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001	278		OWM82A-T	14	120 - 123	22 - 29	9	1	0	0
	279			15	128 - 135	30 - 37	9	1	5	0
	280			16	136 - 143	38 - 45	9	1	1	0
	281			17	144 - 151	46 - 53	9	1	1	0
	282			18	148 - 159	54 - 61	8	0	2	0
	283			19	160 - 164	62 - 68	15	0	7	0
	284			20	165 - 168	67 - 71	9	0	6	0
	285			21	169 - 171	72 - 78	7	0	5	0
	286			22	172 - 183	79 - 86	8	0	3	0
	287			23	184 - 190	87 - 93	7	0	7	0
	288			24	191 - 198	94 - 101	8	0	2	0
	289			25	199 - 205	103 - 108	6	0	0	0
	290			26	206 - 212	109 - 115	7	0	7	0
	291			27	213 - 220	116 - 123	8	0	3	0
	292			28	222 - 228	124 - 130	7	0	3	0
	293			29	229 - 236	131 - 138	8	0	5	0
	294			30	237 - 245	139 - 146	8	0	1	0
	295			31	246 - 250	147 - 147	2	1	1	0
Remarks : [SY] [PD-Oxide loss from BOT to EOT]										
	296			32	251 - 257	153 - 158	7	1	4	0
	297			33	258 - 264	159 - 165	7	0	5	0
	298			34	265 - 271	166 - 172	7	0	6	0
	299			35	272 - 278	173 - 179	7	0	4	0
	300			36	279 - 286	180 - 186	7	0	0	0
	301			37	287 - 293	187 - 193	7	0	3	0
	302			38	294 - 300	194 - 200	7	0	0	0
	303			39	301 - 308	201 - 208	8	0	3	0
	304			40	309 - 315	209 - 215	7	0	3	0
	305			41	316 - 322	216 - 222	7	0	5	0
	306			42	323 - 326	223 - 226	15	0	1	0
	307			43	327 - 333	227 - 233	7	0	1	0
	308			44	334 - 340	234 - 240	7	0	1	0
	309			45	341 - 347	241 - 247	7	0	3	0
	310			46	348 - 354	248 - 254	7	0	4	0
	311			47	355 - 362	255 - 262	8	0	6	0
	312			48	363 - 370	262 - 270	8	1	3	0
	313			49	371 - 377	271 - 277	7	0	2	0
	314			50	378 - 384	278 - 284	7	0	0	0
	315			51	385 - 392	285 - 292	8	0	7	0
	316			52	398 - 399	293 - 299	7	0	0	0
	317			53	400 - 406	300 - 306	7	0	2	0
	318			54	407 - 413	307 - 313	7	0	1	0
	319			55	414 - 417	314 - 317	15	0	0	0
	320			56	418 - 424	318 - 324	7	0	3	0
	321			57	425 - 431	325 - 331	7	0	0	0
	322			58	432 - 438	332 - 338	7	1	2	0



# TRANSCRIPTION DETAILS

Output Media ID	Output File No.	Output Logical File No	Line Number	Reel ID	Shotpoint Range	Record Range	Records Read Count	Records Dropped Count	Hard Error Count	Soft Error Count
AU32591-001	323		OWM82A-T	59	439 - 446	339 - 346	7	0	2	0
	324			60	446 - 453	347 - 354	8	0	1	0
	325			61	454 - 459	355 - 362	7	0	2	0
	326			62	460 - 466	363 - 369	7	0	3	0
	327			63	467 - 473	370 - 376	7	0	6	0
	328			64	474 - 481	377 - 383	7	0	0	0
	329			65	482 - 489	384 - 391	8	0	4	0
	330			66	490 - 497	392 - 399	8	0	2	0
	331			67	498 - 505	400 - 407	8	0	2	0
	332			68	506 - 512	408 - 414	8	0	1	0
	333			69	513 - 516	415 - 418	18	3	4	0
	334			70	517 - 524	419 - 426	8	0	1	0
	335			71	525 - 531	427 - 433	7	0	3	0
	336			72	532 - 539	434 - 441	8	0	3	0
	337			73	540 - 546	442 - 448	7	0	5	0
	338			74	547 - 553	449 - 455	7	0	5	0
	339			75	554 - 560	456 - 462	7	0	7	0
	340			76	561 - 568	463 - 470	8	0	3	0
	341			77	569 - 575	471 - 477	7	0	6	0
	342			78	576 - 582	478 - 484	7	0	2	0
	343			79	583 - 590	485 - 492	9	1	8	0
	344			80	591 - 597	493 - 499	7	0	1	0
	345			81	598 - 605	500 - 507	8	0	4	0
	346			82	606 - 613	508 - 515	12	4	8	0
	347			83	614 - 615	516 - 520	15	0	6	0
	348			84	619 - 625	521 - 528	8	0	8	0
	349			85	626 - 633	528 - 535	8	0	7	0
	350			86	634 - 641	537 - 543	7	0	4	0
	351			87	643 - 648	544 - 550	7	0	7	0
	352			88	649 - 656	551 - 558	8	0	8	0
	353			89	657 - 664	559 - 566	8	1	5	0
	354			90	665 - 672	567 - 574	8	0	6	0
	355			91	673 - 680	575 - 583	9	1	5	0
	356			92	681 - 688	584 - 592	9	1	6	0
	357			93	689 - 696	592 - 599	8	0	2	0
	358			94	697 - 700	600 - 601	12	0	6	0
	359			95	701 - 707	604 - 610	7	0	6	0
	360			96	708 - 712	611 - 616	6	1	2	0

## TRANSCRIPTION REMARK CODES

ERROR TYPE	CODE	ERROR	ACTION
------------	------	-------	--------

PHYSICAL TAPE CONDITION	<b>SY</b>	STICKY TAPE	INSERT REMARK
	<b>PD</b>	PHYSICALLY DAMAGED TAPE(HARD ERROR)	CHEWED, STRETCHED, HARD ERROR, OXIDE LOSS

LABELLING & DOCUMENTATION	<b>TLD</b>	TAPE LABEL DIFFERS FROM REFERENCE DOCUMENTATION	DESCRIBE LABELLING DIFFERENCE
	<b>DOL</b>	DATA ON TAPE DIFFERS FROM REFERENCE DOCUMENTATION	DESCRIBE DIFFERENCE
	<b>DOC</b>	REFERENCE DOCUMENTATION IS DIFFERENT FROM THAT STATED AT THE BEGINNING OF THE TRANSCRIPTION REPORT	DESCRIBE SUBSTITUTE DOCUMENTATION USED

DATA FORMAT	<b>FORM</b>	DATA FORMAT ERROR	DESCRIBE ERROR IN DATA FORMAT
----------------	-------------	-------------------	-------------------------------

MISCELLANEOUS TAPE PROBLEMS	<b>OTH</b>	ADDITIONAL ERRORS NOT DESCRIBED IN ABOVE LIST	DESCRIBE ERROR
	<b>SKEW</b>	DATA SKEWED ON TAPE	INSERT REMARK
	<b>BLNK</b>	BLANK	CONTAINS NO DATA
	<b>MISS</b>	MISSING INPUT REEL ACCORDING TO REFERENCE DOCUMENTATION	INSERT REMARK
	<b>SCRT</b>	SCRATCH TAPE ACCORDING TO REFERENCE DOCUMENTATION	DO NOT PROCESS-INSERT REMARK