

Input Source: D:\OP_Folder\Clients\ExxonMobil\FTA_A-27\GUN\COMP_A27_COMP_015.DLIS
Format: DLIS
Storage Set ID: Default Storage Set

Max Record Length: 8192
Storage Unit Sequence: 1

File Header File: **PERFO_010LUP** Sequence: **1**

Defining Origin: 35

File ID: PERFO_010LUP File Type: DEPTH LOG

Producer Name: Schlumberger

Product/Version: OP 14C0-302

File Set: 41

File Number: 9

19-JUN-2006 7:34:24

Company Name: Esso Australia Ltd.

Well Name: A27

Field Name: Fortescue

Tool String: MWP_GUN, MWPT-CA, MWGT-AA

Computations: WELLCAD, BORDYN

Error Summary File: **PERFO_010LUP** Sequence: **1**

No errors detected in file.

Well Site Data File: **PERFO_010LUP** Sequence: **1**

Origin: 35

Well Data

Company Name	Esso Australia Ltd.	CN
Well Name	A27	WN
Field Name	Fortescue	FN
Rig:	Prod4/Crane	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	AUSL06297085	SON
Longitude	148 16' 36.62" E\	LONG
Latitude	038 24' 31.49" S	LATI
Maximum Hole Deviation	57.0 (deg)	MHD
Elevation of Kelly Bushing	39.6 (m)	EKB
Elevation of Ground Level	-69.0 (m)	EGL
Elevation of Derrick Floor	39.6 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	K.B	LMF, APD
Drilling Measured From	K.B	DMF

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year	18-Jun-2006	DATE
Run Number	1	RUN
Current Casing Size	7.63 (in)	CSIZ
Casing Depth From	19.5 (m)	CDF
Casing Depth To	3659.9 (m)	CADT
Casing Grade	L-80	CASG
Casing Weight	29.7 (lbm/ft)	CWEI
Bit Size	9.88 (in)	BS
Logging Unit Number	1	LUN, LUL
Engineer's Name	G Wright , S Gilbert	ENGI
Witness's Name	G Rimmer	WITN
Service Order Number	AUSL06297085	SON

Absent Valued Parameters: TDD, TDL, BLI, TLI, BSDF, BSDT, DLAB, TLAB

Mud Data

Drilling Fluid Type	Production Fluids	DFT
Maximum Recorded Temperature	227.0 (degC)	MRT
	227.0 (degC)	MRT1

Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT2, MRT3, DCS, TCS, DLAB, TLAB

PVT Data	
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR	
Cement Data	
Cement Job Type	Primary CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA	
Remarks	
Log correlated to : ExxonMobil Fortescue A27 composite log.	R1
Schlumberger Crew: John Light , Andrew Hall	R15
Other Services	
None	OS1

Frame Summary						
File: PERFO_010LUP		Sequence: 1				
Origin: 35						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	3499.56	3445.92 m	-60.0 (0.1 in) up	22	TDEP	60B
	11481.50	11305.50 ft				
BOREHOLE-DEPTH	3499.56	3445.94 m	-10.0 (0.1 in) up	10	TDEP;1	10B
	11481.50	11305.58 ft				

File Header	File: PERFO_011LUP	Sequence: 2
Defining Origin: 35		
File ID: PERFO_011LUP	File Type: DEPTH LOG	
Producer Name: Schlumberger	Product/Version: OP 14C0-302	File Set: 41
		File Number: 10
		19-JUN-2006 8:56:29
Company Name:	Esso Australia Ltd.	
Well Name:	A27	
Field Name:	Fortescue	
Tool String:	MWP_GUN, MWPT-CA, MWGT-AA	
Computations:	WELLCAD, BORDYN	

Error Summary	File: PERFO_011LUP	Sequence: 2
No errors detected in file.		

Well Site Data	File: PERFO_011LUP	Sequence: 2
Origin: 35		
Well Data		
Company Name	Esso Australia Ltd.	CN
Well Name	A27	WN
Field Name	Fortescue	FN
Rig:	Prod4/Crane	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	AUSL06297085	SON
Longitude	148 16' 36.62" E\	LONG
Latitude	038 24' 31.49" S	LATI
Maximum Hole Deviation	57.0 (deg)	MHD
Elevation of Kelly Bushing	39.6 (m)	EKB
Elevation of Ground Level	-69.0 (m)	EGL
Elevation of Derrick Floor	39.6 (m)	EDF

Permanent Datum

Log Measured From

Drilling Measured From

M.S.L
K.B
K.B

Elevation of Permanent Datum

Above Permanent Datum

0.0 (m)
39.6 (m)

PDAT, EPD
LMF, APD
DMF

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month–Day–Year

Run Number

Current Casing Size

Casing Depth From

Casing Depth To

Casing Grade

Casing Weight

Bit Size

Logging Unit Number

Engineer's Name

Witness's Name

Service Order Number

18–Jun–2006
1
7.63 (in)
19.5 (m)
3659.9 (m)
L–80
29.7 (lbm/ft)
9.88 (in)
1
G Wright , S Gilbert
G Rimmer
AUSL06297085

Logging Unit Location

Prod4/AusI

DATE
RUN
CSIZ
CDF
CADT
CASG
CWEI
BS
LUN, LUL
ENGI
WITN
SON

Absent Valued Parameters: TDD, TDL, BLI, TLI, BSDF, BSDT, DLAB, TLAB

Mud Data

Drilling Fluid Type

Maximum Recorded Temperature

Production Fluids
227.0 (degC)
227.0 (degC)

DFT
MRT
MRT1

Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT2, MRT3, DCS, TCS, DLAB, TLAB

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type

Primary

CJT

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log correlated to : ExxonMobil Fortescue A27 composite log.
Schlumberger Crew: John Light , Andrew Hall

R1
R15

Other Services

None

OS1

Frame Summary File: PERFO_011LUP Sequence: 2						
Origin: 35						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE–DEPTH	3497.43	3448.20 m	–60.0 (0.1 in) up	22	TDEP	60B
	11474.50	11313.00 ft				
BOREHOLE–DEPTH	3497.43	3448.23 m	–10.0 (0.1 in) up	10	TDEP;1	10B
	11474.50	11313.08 ft				

File Header

File: PERFO_012LTP Sequence: 3

Defining Origin: 35

File ID: PERFO_012LTP File Type: STATION

Producer Name: Schlumberger Product/Version: OP 14C0–302 File Set: 41 File Number: 11 19–JUN–2006 9:00:24

Company Name:

Well Name:

Field Name:

Tool String:

Computations:

Esso Australia Ltd.
A27
Fortescue
MWP_GUN, MWPT–CA, MWGT–AA
WELLCAD, BORDYN

Error Summary File: PERFO_012LTP Sequence: 3	
No errors detected in file.	

Well Site Data

File: PERFO_012LTP Sequence: 3

Origin: 35

Well Data

Company Name

Esso Australia Ltd.

CN

Well Name

Field Name

Rig:

State:

Nation

Field Location

Service Order Number

Longitude

Latitude

Maximum Hole Deviation

Elevation of Kelly Bushing

Elevation of Ground Level

Elevation of Derrick Floor

Permanent Datum

Log Measured From

Drilling Measured From

A27

Fortescue

Prod4/Crane

Victoria

Australia

Gippsland

Basin

Bass Strait

AUSL06297085

148 16' 36.62" E\

038 24' 31.49" S

57.0 (deg)

39.6 (m)

-69.0 (m)

39.6 (m)

M.S.L

K.B

K.B

WN

FN

CLAB, COUN

SLAB, STAT

NATI

FL

FL1

FL2

SON

LONG

LATI

MHD

EKB

EGL

EDF

PDAT, EPD

LMF, APD

DMF

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year

Run Number

Current Casing Size

Casing Depth From

Casing Depth To

Casing Grade

Casing Weight

Bit Size

Logging Unit Number

Engineer's Name

Witness's Name

Service Order Number

18-Jun-2006

1

7.63 (in)

19.5 (m)

3659.9 (m)

L-80

29.7 (lbm/ft)

9.88 (in)

1

G Wright , S Gilbert

G Rimmer

AUSL06297085

DATE

RUN

CSIZ

CDF

CADT

CASG

CWEI

BS

LUN, LUL

ENGI

WITN

SON

Absent Valued Parameters: TDD, TDL, BLI, TLI, BSDF, BSDT, DLAB, TLAB

Mud Data

Drilling Fluid Type

Maximum Recorded Temperature

Production Fluids

227.0 (degC)

227.0 (degC)

DFT

MRT

MRT1

Absent Valued Parameters: DFD, DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT2, MRT3, DCS, TCS, DLAB, TLAB

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type

Primary

CJT

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log correlated to : ExxonMobil Fortescue A27 composite log.

Schlumberger Crew: John Light , Andrew Hall

R1

R15

Other Services

None

OS1

Frame Summary

File: PERFO_012LTP

Sequence: 3

Origin: 35

Index Type

TIME

Start

7395.52

Stop

9682.52 s

Spacing

2000.0 (0.5 ms)

Channels

5

Index Channel

TIME;2

Frame Name

2000T

Index Type

TIME

Start

7395.52

Stop

9682.52 s

Spacing

1000.0 (0.5 ms)

Channels

14

Index Channel

TIME;3

Frame Name

1000T

Index Type

TIME

Start

7395.52

Stop

9682.52 s

Spacing

500.0 (0.5 ms)

Channels

4

Index Channel

TIME;4

Frame Name

500T

Schlumberger

Verification Listing

Listing Completed: 19-JUN-2006 12:36:32