



Input DLIS Files					
DEFAULT	MPBT_023LUP	FN:22	PRODUCER	11-Apr-2006 09:22	2729.9 M 2597.8 M
Output DLIS Files					
DEFAULT	MPBT_026PUP	FN:25	PRODUCER	11-Apr-2006 09:34	2731.6 M 2599.9 M

OP System Version: 14C0-302			
MCM			
MPEX-BA	14C0-302	MPSU-CA	14C0-302
CCL-L	14C0-302		

PIP SUMMARY


Time Mark Every 60 S






2650


2675



SCCL

TENS





PIP SUMMARY

Time Mark Every 60 S

Parameters		
DLIS Name	Description	Value
CCLD	CCL-L: Casing Collar Locator	
CCLT	CCL reset delay	12 IN
	CCL Detection Level	0.3 V
DO	System and Miscellaneous	
PP	Depth Offset for Playback	1.7 M
	Playback Processing	NORMAL

Format: PERFO Vertical Scale: 1:200 Graphics File Created: 11-Apr-2006 09:34

Input DLIS Files

DEFAULT	MPBT_023LUP	FN:22	PRODUCER	11-Apr-2006 09:22	2729.9 M	2597.8 M
---------	-------------	-------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	MPBT_026PUP	FN:25	PRODUCER	11-Apr-2006 09:34
---------	-------------	-------	----------	-------------------