




PIP SUMMARY


Density Samples +
Gamma Ray Samples
Resistivity Samples
Neutron Samples -


| | | | | |
|---|--|---|---|--|
| | | ARC BHCorr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H_RT) 0.2 (OHMM) 200 | Thermal Neutron Ratio, Bottom, Real-Time (TNRB_ RT) 45 (PU) -15 | ARC Equivalent Circulating density (ECD_ARC_RT) 10 (LB/G) 15 |
| ARC Gamma Ray, Real-Time (ARC_GR_RT) 0 (GAPI) 200 | | ARC BHCorr Phase-Shift Resistivity 28-in. at 2 MHz, Real-Time (P28H_RT) 0.2 (OHMM) 200 | Bulk Density, Bottom, Real-Time Computed Downhole (ROBB_DH_RT) 1.85 (G/C3) 2.85 | ARC Annulus Temperature (ATMP_RT) 0 (DEGC) 200 |
| ROP*5 (ROP5) (M/HR) 200 0 | | MWD Collar RPM (CRPM_RT) (RPM) 0 400 | ARC BHCorr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H_RT) 0.2 (OHMM) 200 | Photoelectric Factor, Bottom, Real-Time Computed Downhole (PEB_RT) 0 (---- 10 |
| | | | Bulk Density Correction, Bottom, Real-Time Computed Downhole (DRHB_DH_ RT) (G/C3) -0.25 0.25 | ARC Annulus Pressure (APRS_RT) 0 (PSI) 6000 |














| | | | | | |
|--|---|---|--|--|--|
| <div>ROP*5 (ROP5) (M/HR)</div> <div>2000</div> | <div>MWD Collar RPM (CRPM_RT) (RPM)</div> <div>0400</div> | <div>ARC BHCorr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H_RT)</div> <div>0.2200 (OHMM)</div> | <div>Photoelectric Factor, Bottom, Real-Time (PEB_RT)</div> <div>010 (----</div> | <div>Bulk Density Correction, Bottom, Real-Time Computed Downhole (DRHB_DH_RT) (G/C3)</div> <div>-0.250.25</div> | <div>ARC Annulus Pressure (APRS_RT)</div> <div>06000 (PSI)</div> |
| <div>ARC Gamma Ray, Real-Time (ARC_GR_RT)</div> <div>0200 (GAPI)</div> | | <div>ARC BHCorr Phase-Shift Resistivity 28-in. at 2 MHz, Real-Time (P28H_RT)</div> <div>0.2200 (OHMM)</div> | <div>Bulk Density, Bottom, Real-Time Computed Downhole (ROBB_DH_RT)</div> <div>1.852.85 (G/C3)</div> | <div>ARC Annulus Temperature (ATMP_RT)</div> <div>0200 (DEGC)</div> | |
| | | <div>ARC BHCorr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H_RT)</div> <div>0.2200 (OHMM)</div> | <div>Thermal Neutron Ratio, Bottom, Real-Time (TNRB_RT) (PU)</div> <div>45-15</div> | <div>ARC Equivalent Circulating density (ECD_ARC_RT) (LB/G)</div> <div>1015</div> | |

PIP SUMMARY

- └─ Gamma Ray Samples
 - └─ Density Samples ──
 - └─ Resistivity Samples

Neutron Samples ──

IDEAL Version: ID11_0C_01
IDEAL