True Vertical Depth Log

IDEAL Version: ID12_0C_01

IDF

RAB	id12_0c_01	MWD_10	id12_0c_01
ADN	id12_0c_01		

Format: GeoVISION Service Log Vertical Scale: 1:200 Graphics File Created: 16-Feb-2007 16:43

PIP SUMMARY

Density Samples

Neutron Samples

Gamma Ray Samples

Ring Samples

Rate of Penetration, Averaged over Last 5ft (ROP5_RM) 200 (M/HR) 0		
RAB Gamma Ray (GR_RAB) 0 (GAPI) 200		Ring Resistivity (RES_RING) 0.2 (OHMM) 2000
Vertical Hole Diameter (VERD) 6 (IN) 16		Shallow Button Resistivity (RES_BS) 0.2 (OHMM) 2000
Horizontal Hole Diameter (HORD) 6 (IN) 16	RAB Rotational Speed (RPM_RAB) (RPM) 250 0	Medium Button Resistivity (RES_BM) 0.2 (OHMM) 2000
Density Time After Bit (TAB_DEN) 0 (HR) 10	ADN Rotational Speed (RPM_ADN) (RPM) 0 250	Deep Button Resistivity (RES_BD) 0.2 (OHMM) 2000

Thermal Neutron Porosity (TNPH) 45 (PU) -15
Bulk Density, Bottom (ROBB) 1.85 (G/C3) 2.85
Photoelectric Factor, Bottom (PEB) 0 (----- 10
Bulk Density Correction, Bottom (DRHB) -0.75 (G/C3) 0.25




2350
TVD
2375
TVD


2400
TVD
2425
TVD



Density Time After Bit (TAB_DEN) 0 (HR) 10	ADN Rotational Speed (RPM_ADN) (RPM) 0 250	Deep Button Resistivity (RES_BD) 0.2 (OHMM) 2000	Bulk Density Correction, Bottom (DRHB) −0.75 (G/C3) 0.25
Horizontal Hole Diameter (HORD) 6 (IN) 16	RAB Rotational Speed (RPM_RAB) (RPM) 250 0	Medium Button Resistivity (RES_BM) 0.2 (OHMM) 2000	Photoelectric Factor, Bottom (PEB) 0 (−−−− 10
Vertical Hole Diameter (VERD) 6 (IN) 16		Shallow Button Resistivity (RES_BS) 0.2 (OHMM) 2000	Bulk Density, Bottom (ROBB) 1.85 (G/C3) 2.85
RAB Gamma Ray (GR_RAB) 0 (GAPI) 200		Ring Resistivity (RES_RING) 0.2 (OHMM) 2000	Thermal Neutron Porosity (TNPH) 45 (PU) −15
Rate of Penetration, Averaged over Last 5ft (ROP5_RM) 200 (M/HR) 0			

PIP SUMMARY

Density Samples

Neutron Samples

Gamma Ray Samples

Ring Samples

IDEAL Version: ID12_0C_01

IDF

RAB	id12_0c_01	MWD_10	id12_0c_01
ADN	id12_0c_01		

True Vertical Depth Log