

Elver-1 EcoScope Service RT 500MD

Format: ECO-SON-GVR_500MD_RT


Vertical Scale: 1:500


Graphics File Created: 05-Jan-2009 08:10


PIP SUMMARY


Gamma Ray Samples
Neutron Samples
Resistivity Samples


		<div>Shallow Button Resistivity, Real-Time (RES_BS_RT)</div> <div>0.2 (OHMM) 2000</div>			
		<div>Deep Button Resistivity, Real-Time (RES_BD_RT)</div> <div>0.2 (OHMM) 2000</div>			<div>Equivalent Circulating Density, Real-Time (ECD_ ECO_RT)</div> <div>0 (G/C3) 2</div>
<div>Ultrasonic Caliper, Average Diameter, Real-Time, Recomputed at Surface (UCAV_ECO_RT)</div> <div>8 (IN) 13</div>		<div>Ring Resistivity, Real-Time (RES_RING_RT)</div> <div>0.2 (OHMM) 2000</div>	<div>Photoelectric Factor, Bottom, Real-Time, Computed Downhole (PEB_DH_ ECO_RT)</div> <div>0 (----) 10</div>	<div>Bulk Density Correction, Bottom, Real-Time Computed Downhole (DRHB_DH_ ECO_RT) (G/C3)</div> <div>-0.25 0.25</div>	<div>Delta-T Compressional, Real-Time (DTCO_RT)</div> <div>40 (US/F) 140</div>
<div>Gamma Ray, Average, Real-Time (GRMA_ECO_RT)</div> <div>0 (GAPI) 200</div>		<div>ARC Phase Shift Resistivity 40 inch at 2 MHz, Real-Time (P40H_ECO_RT)</div> <div>0.2 (OHMM) 2000</div>	<div>Bulk Density, Bottom, Real-Time, Computed Downhole (ROBB_DH_ECO_ RT)</div> <div>1.95 (G/C3) 2.95</div>	<div>Coherence at Compressional Peak, Real-Time (CHCO_RT)</div> <div>-9 (----) 1</div>	
<div>ROP*5 (ROP5)</div> <div>200 (M/HR) 0</div>	<div>MWD Collar RPM (CRPM_RT) (RPM)</div> <div>0 400</div>	<div>ARC Phase Shift Resistivity 16 inch at 2 MHz, Real-Time (P16H_ECO_RT)</div> <div>0.2 (OHMM) 2000</div>	<div>Best Thermal Neutron Porosity, Average, Real-Time (BPHI_ECO_RT)</div> <div>45 (PU) -15</div>	<div>Downhole Annulus Temperature, Real Time, Computed Downhole (DHAT_ DH_ECO_RT) (DEGC)</div> <div>0 -- -- 200</div>	











BPHI data 3754-3776m being re-processed at time of log creation

<p>ROP*5 (ROP5) (M/HR)</p> <p>200 0</p>	<p>MWD Collar RPM (CRPM_RT) (RPM)</p> <p>0 400</p>	<p>ARC Phase Shift Resistivity 16 inch at 2 MHz, Real-Time (P16H_ECO_RT)</p> <p>0.2 (OHMM) 2000</p>	<p>Best Thermal Neutron Porosity, Average, Real-Time (BPHI_ECO_RT)</p> <p>45 (PU) -15</p>	<p>Downhole Annulus Temperature, Real Time, Computed Downhole (DHAT_ DH_ECO_RT)</p> <p>0 (DEGC) 200</p>
<p>Gamma Ray, Average, Real-Time (GRMA_ECO_RT)</p> <p>0 (GAPI) 200</p>		<p>ARC Phase Shift Resistivity 40 inch at 2 MHz, Real-Time (P40H_ECO_RT)</p> <p>0.2 (OHMM) 2000</p>	<p>Bulk Density, Bottom, Real-Time, Computed Downhole (ROBB_DH_ECO_ RT)</p> <p>1.95 (G/C3) 2.95</p>	<p>Coherence at Compressional Peak, Real-Time (CHCO_RT)</p> <p>-9 (----) 1</p>
<p>Ultrasonic Caliper, Average Diameter, Real-Time, Recomputed at Surface (CHUCO_RT)</p>		<p>Ring Resistivity, Real-Time (RES_RING_RT)</p>	<p>Photoelectric Factor, Bottom, Real-Time, Computed</p> <p>Bulk Density Correction, Bottom, Real-Time Computed Downhole</p>	<p>Delta-T Compressional, Real-Time (DTCO_RT)</p>

[illegible]