



Elver-1 EcoScope Service RT 200MD


Format: ECO-SON-GVR_200MD_RT Vertical Scale: 1:200 Graphics File Created: 09-Jan-2009 08:04


PIP SUMMARY


- Gamma Ray Samples
- Resisitivity Samples













































































ROP*5 (ROP5) 200 (M/HR) 0	MWD Collar RPM (CRPM_RT) (RPM) 0400	ARC Phase Shift Resistivity 16 inch at 2 MHz, Real-Time (P16H_ECO_RT) 0.2 (OHMM)2000	Best Thermal Neutron Porosity, Average, Real-Time (BPHI_ECO_RT) 45 (PU)-15	Downhole Annulus Temperature, Real Time, Computed Downhole (DHAT_DH_ECO_RT) (DEGC) 0200
Gamma Ray, Average, Real-Time (GRMA_ECO_RT) 0 (GAPI)200		ARC Phase Shift Resistivity 40 inch at 2 MHz, Real-Time (P40H_ECO_RT) 0.2 (OHMM)2000	Bulk Density, Bottom, Real-Time, Computed Downhole (ROBB_DH_ECO_RT) 1.95 (G/C3)2.95	Coherence at Compressional Peak, Real-Time (CHCO_RT) -9 (----)1
Ultrasonic Caliper, Average Diameter, Real-Time, Recomputed at Surface (UCAV_ECO_RT) 8 (IN)13		Ring Resistivity, Real-Time (RES_RING_RT) 0.2 (OHMM)2000	Photoelectric Factor, Bottom, Real-Time, Computed Downhole (PEB_DH_ECO_RT) 0 (----)10	Bulk Density Correction, Bottom, Real-Time Computed Downhole (DRHB_DH_ECO_RT) (G/C3) -0.250.25
		Deep Button Resistivity, Real-Time (RES_BD_RT) 0.2 (OHMM)2000		Delta-T Compressional, Real-Time (DTCO_RT) 40 (US/F)140
		Shallow Button Resistivity, Real-Time (RES_BS_RT) 0.2 (OHMM)2000		Equivalent Circulating Density, Real-Time (ECD_ECO_RT) 0 (G/C3)2

PIP SUMMARY

- └

 Gamma Ray Samples
- └

 Resisitivity Samples

IDEAL Version: ID13_0C_08

IDF