



Elver-1 EcoScope Service RT 500TVD


Format: ECO-SON-GVR_500TVD_RT


Vertical Scale: 1:500

Graphics File Created: 11-Jan-2009 17:49














2850
TVD


2900
TVD


2950
TVD




















<p>ROP*5 (ROP5) (M/HR)</p> <p>200</p> <p>0</p>	<p>MWD Collar RPM (CRPM_RT) (RPM)</p> <p>0</p> <p>400</p>	<p>ARC Phase Shift Resistivity 16 inch at 2 MHz, Real-Time (P16H_ECO_RT)</p> <p>0.2 (OHMM)</p> <p>2000</p>	<p>Best Thermal Neutron Porosity, Average, Real-Time (BPHI_ECO_RT)</p> <p>0.45 (V/V)</p> <p>-0.15</p>	<p>Downhole Annulus Temperature, Real Time, Computed Downhole (DHAT_</p> <p>DH_ECO_RT)</p> <p>0 (DEGC)</p> <p>200</p>
<p>Gamma Ray Average</p>		<p>ARC Phase Shift Resistivity</p>	<p>Bulk Density, Bottom, Real-Time, Computed</p>	<p>Coherence at Compressional</p>

Gamma Ray, Average, Real-Time (GRMA_ECO_RT)	0 (GAPI) 200	40 inch at 2 MHz, Real-Time (P40H_ECO_RT)	0.2 (OHMM) 2000	Real-Time, Computed Downhole (ROBB_DH_ECO_RT)	1.95 (G/C3) 2.95	Confidence at Compressional Peak, Real-Time (CHCO_RT)	-4 (----) 1
Ultrasonic Caliper, Average Diameter, Real-Time, Recomputed at Surface (UCAV_ECO_RT)	6 (IN) 16	Ring Resistivity, Real-Time (RES_RING_RT)	0.2 (OHMM) 2000	Photoelectric Factor, Bottom, Real-Time, Computed Downhole (PEB_DH_ECO_RT)	Bulk Density Correction, Bottom, Real-Time Computed Downhole (DRHB_DH_ECO_RT)	Delta-T Compressional, Real-Time (DTCO_RT)	40 (US/F) 140
		Deep Button Resistivity, Real-Time (RES_BD_RT)	0.2 (OHMM) 2000	0 (----) 10	-0.25 0.25	Equivalent Circulating Density, Real-Time (ECD_ECO_RT)	0.8 (G/C3) 1.6
		Shallow Button Resistivity, Real-Time (RES_BS_RT)	0.2 (OHMM) 2000				