



Company : Beach Petroleum

Well : Spikey Beach-1

Interval : 69.00 - 414.57 meters

Created : 08/Sep/2009 6:24:11 AM



INTEQ

FORMATION EVALUATION LOG

DRILLING PARAM		MD meters	Oil Show	LITHOLOGY %	CORE	TOTAL GAS	CHROMATOGRAPH	Calimetry	Lithology Description
ROP (m/hr)						Total Gas (unit)	Methane ppm		
200	160	1:500	P F G			50 100 150 200 250	1 Methane ppm 100000		
WEIGHT ON BIT (klbf)						1 Ethane ppm 100000			
Gamma Ray (API)						1 Propane ppm 100000			
						1 iso-Butane ppm 100000			
						1 n-Butane ppm 100000			
						1 iso-Pentane ppm 100000			
		1 n-Pentane ppm 100000							

<p>NB1: 660mm (26") x 914mm (36") H/Openner Make: Hughes Type: CR1 Jets: 3x20,1x16 Depth In: 95.5m Depth Out: 155.0m Drilled: 59.5m in 1.7hrs Grade: 0-0-NO-A-0-I-NO-TD</p>		<p>70</p> <p>80</p> <p>90</p> <p>100</p> <p>110</p> <p>120</p> <p>130</p> <p>140</p> <p>150</p> <p>160</p> <p>170</p>						<p>All depth measurements in meters referenced from Rotary Table (RT) RT-MSL: 21.5mMD Water Depth: 74.0mMD RT-Seabed: 95.5mMD</p> <p>Spud Spikey Beach-1 @ 21:00hrs on 5-Sep-09</p> <p>Drill 914mm (36") hole with seawater and Hi-Vis Sweeps Returns to Seabed</p>	
<p>5 Sep 09</p> <p>7 Sep 09</p> <p>NB2: 445mm (17-1/2") Make: Hughes Type: GX-CIV Jets: 3x18,1x16 Depth In: 155.0m Depth Out: xxxm</p>									<p>Type: SW w/PHG MW: 8.8 ppg FV: 100 PV: - Gel: - YP: - pH: 9.5</p>
									<p>Set 762mm (30") x 508mm (20") casing shoe at 151.4mMDRT</p>
									<p>Drill 445mm (17-1/2") hole with seawater and Hi-Vis Sweeps Returns to Seabed</p>


Drilled: xxxxm id xxxhrs
Grade: xxxxxxxxxx

7 Sep 09
8 Sep 09

WOB: 1 - 21 kbf
RPM: 0 - 83
SPP: 108 - 2098 psi
GPM: 401 - 1059

WOB: 1 - 12 kbf
RPM: 17 - 87
SPP: 1667 - 2297 psi
GPM: 908 - 1027

180
190
200
210
220
230
240
250
260
270
280
290
300
310
320



Type: SW w/PHG
MW: 8.8 ppg FV: 100
PV: - Gel: -
YP: - pH: 9.0

MD: 206.93 INC: 0.26
AZI: 42.95 TVD: 206.93

Drill 445mm (17-1/2") hole with seawater
and Hi-Vis Sweeps
Returns to Seabed

MD: 294.67 INC: 0.36
AZI: 50.37 TVD: 294.66

Drill 445mm (17-1/2") hole with seawater
and Hi-Vis Sweeps
Returns to Seabed

