

FROM (m): 930

TO (m): 1065

SCALE: 1/ 500

Country : AUSTRALIA  
 Region : TASMANIA  
 Field : TREFOIL  
 Permit : T/18P  
 Well Type : APPRAISAL  
 Rig Name : KAN TAN 4

**POSITION**  
 Latitude : 39 53' 07.93" S  
 Longitude : 145 22' 14.62" E  
 X (m) : 360690.389  
 Y (m) : 5583676.588  
 RT-Sealevel (m MSL) : 26  
 RT-Seabed (m) : 95

**CASING SHOE SIZE / DEPTH**  
 762mm (30") at (m MDRT) : 153.00  
 340mm (13 3/8") at (m MDRT) : 930.00  
 245mm (9 5/8") at (m MDRT) :

Spud Date : 06-10-2009  
 Total Depth Date :  
 Total Depth (m MDRT) :  
 Total Depth (m TVSS) :  
 Status :

### ABBREVIATIONS

MW MUD WEIGHT	NB NEW BIT
FV FUNNEL VISCOSITY	RR RERUN BIT
PV PLASTIC VISCOSITY	CB CORE BIT
YP YIELD POINT	WOB WEIGHT ON BIT
FC FILTER CAKE	RPM REVS PER MINUTE
SOL SOLIDS	FLC FLOW CHECK
CR CIRCULATE RETURNS	WL FILTRATE
SD SAND - %	PR POOR RETURNS
S SALINITY - PPM	NR NO RETURNS
RM MUD RESISTIVITY	BG BACKGROUND GAS
RMF MUD FILTRATE	TG TRIP GAS
C CARBIDE TEST	STG SHORT TRIP GAS
LAT LOGGED AFTER TRIP	CG CONNECTION GAS
DS DEVIATION SURVEY	SG SWAB GAS
	SVG SURVEY GAS

### LITHOLOGY LEGEND

	Dolomite		Claystone		Argil Siltstone		Calcareous
	Calciurudite		Siltstone		Sandy Siltstone		Dolomitic
	Calcarenite		Sandstone		Calcareous Siltstone		Fossils
	Calcsiltite		Coal		Argil Sandstone		Foraminiferae
	Calculutite		Intrusive Volcanics		Calcareous Sandstone		Carbonaceous
	Sandy claystone		Volcaniclastics		Dolomitic Sandstone		Chert
	Silty Claystone		tuff		Silty Sandstone		Pyrite
	Calcareous Claystone		Cement				Glauconite
	Argil Calculutite						Mica

### ENGINEERING

	Test
	FIT or LOT
	Mud loss
	Mud gain
	Deviation Survey
	Core
	Shoe
	Calcimetry



