



PRESSURE EVALUATION LOG

WELL : TREFOIL-2



FROM (m) : 930

TO (m) : 2100

SCALE: 1/ 500

Country : AUSTRALIA
Region : TASMANIA
Field : TREFOIL
Permit : T/18P
Well Type : APPRAISAL
Rig Name : KAN TAN 4

POSITION
Latitude : 39 53' 07.93" S
Longitude : 145 22' 14.62" E
X (m) : 360690.389
Y (m) : 5583676.588
RT-Sealevel (m MSL) : 26
RT-Seabed (m) : 95


CASING SHOE SIZE / DEPTH
762mm (30") at (m MDRT) : 153.00
340mm (13 3/8") at (m MDRT) : 930.00
245mm (9 5/8") at (m MDRT) :

Spud Date : 06-10-2009
Total Depth Date :
Total Depth (m MDRT) :
Total Depth (m TVSS) :
Status :

ABBREVIATIONS

MW MUD WEIGHT
FV FUNNEL VISCOSITY
PV PLASTIC VISCOSITY
YP YIELD POINT
FC FILTER CAKE
SOL SOLIDS
CR CIRCULATE RETURNS
SD SAND - %
S SALINITY - PPM
RM MUD RESISTIVITY
RMF MUD FILTRATE
C CARBIDE TEST
LAT LOGGED AFTER TRIP
DS DEVIATION SURVEY
NB NEW BIT
RR RERUN BIT
CB CORE BIT
WOB WEIGHT ON BIT
RPM REVS PER MINUTE
FLC FLOW CHECK
WL FILTRATE
PR POOR RETURNS
NR NO RETURNS
BG BACKGROUND GAS
TG TRIP GAS
STG SHORT TRIP GAS
CG CONNECTION GAS
SG SWAB GAS
SVG SURVEY GAS

LITHOLOGY LEGEND



ENGINEERING

