

# WKF W12A LWD VISION SERVICE RT 500MD

Format: VISION SERVICE RT 500MD

Vertical Scale: 1:500

Graphics File Created: 24-Nov-2009 04:08

## PIP SUMMARY

arcVISION Gamma Ray

Delta-T Compressional, Real-Time

Resistivity

ROBB (Density Bottom)

TNPH (Thermal Neutron Porosity)

Thermal Neutron Porosity, Real-Time (TNPH\_ADN\_RT)  
0.45 (V/V) -0.15

ARC Gamma Ray, Real-Time (ARC\_GR\_RT)  
0 (GAPI) 200

ARC BHCorr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H\_RT)  
0.2 (OHMM) 2000

Bulk Density, Bottom, Real-Time Computed Downhole (ROBB\_DH\_RT)  
1.85 (G/C3) 2.85

Average Borehole Diameter, Real-Time (ADIA\_ADN\_RT)  
6 (IN) 16

MWD Collar RPM (CRPM\_RT) (RPM)  
0 250

ARC BHCorr Phase-Shift Resistivity 28-in. at 2 MHz, Real-Time (P28H\_RT)  
0.2 (OHMM) 2000

Photoelectric Factor, Bottom, Real-Time (PEB\_RT)  
0 (-----) 10


ROP\*5 (ROP5) (M/HR)  
200 0


PKPK\_RPM (Stick\_RT) (RPM)  
0 250


ARC BHCorr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H\_RT)  
0.2 (OHMM) 2000


Bulk Density Correction, Bottom, Real-Time Computed Downhole (DRHB\_DH\_RT)  
-0.75 (G/C3) 0.25


Delta-T Compressional, Real-Time (DTCO\_RT)  
600 (US/M) 100





































<p><b>ROP*5 (ROP5)</b> (M/HR)</p> <p>200 0</p>	<p><b>PKPK_RPM</b> (Stick_RT) (RPM)</p> <p>0 250</p>	<p><b>ARC BHCorr Phase-Shift Resistivity 16-in. at 2 MHz, Real-Time (P16H_RT)</b></p> <p>0.2 (OHMM) 2000</p>	<p><b>Bulk Density Correction, Bottom, Real-Time Computed Downhole (DRHB_DH_RT)</b></p> <p>-0.75 (G/C3) 0.25</p>	<p><b>Delta-T Compressional, Real-Time (DTCO_RT)</b></p> <p>600 (US/M) 100</p>
--	--	--	--	--

Average Borehole Diameter, Real-Time (ADIA_ADN_RT) 6 (IN) 16	MWD Collar RPM (CRPM_RT) (RPM) 0 250	ARC BHCorr Phase-Shift Resistivity 28-in. at 2 MHz, Real-Time (P28H_RT) (OHMM) 2000 0.2 2000	Photoelectric Factor, Bottom, Real-Time (PEB_RT) (G/C3) 0 10
ARC Gamma Ray, Real-Time (ARC_GR_RT) (GAPI) 200		ARC BHCorr Phase-Shift Resistivity 40-in. at 2 MHz, Real-Time (P40H_RT) (OHMM) 2000 0.2 2000	Bulk Density, Bottom, Real-Time Computed Downhole (ROBB_DH_RT) (G/C3) 1.85 2.85
			Thermal Neutron Porosity, Real-Time (TNPH_ADN_RT) (V/V) 0.45 -0.15

PIP SUMMARY

arcVISION Gamma Ray

Delta-T Compressional, Real-Time

Resistivity

ROBB (Density Bottom)

TNPH (Thermal Neutron Porosity)

IDEAL Version: ID14\_0C\_25

IDF