

IDEAL Version: ID14_0C_26

IDF

SON675

Id14_0c_26

Format: VISION Service RM Log

Vertical Scale: 1:500

Graphics File Created: 22-Dec-2009 19:22

PIP SUMMARY


Density Samples +


Neutron Samples +


+ ARC Gamma Ray Samples


+ ARC Resistivity Samples


<p>Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR)</p> <p style="text-align: center;">200 0</p>		<p>ARC Phase-Shift Resistivity 40-in. at 2 MHz (P40H) (OHMM)</p> <p style="text-align: center;">0.2 2000</p>	
<p>ARC Gamma Ray (GR_ARC) (GAPI)</p> <p style="text-align: center;">0 200</p>		<p>ARC Phase-Shift Resistivity 34-in. at 2 MHz (P34H) (OHMM)</p> <p style="text-align: center;">0.2 2000</p>	<p>Thermal Neutron Porosity (TNPH) (V/V)</p> <p style="text-align: center;">0.45 -0.15</p>
<p>Vertical Hole Diameter (VERD) (IN)</p> <p style="text-align: center;">6 16</p>		<p>ARC Phase-Shift Resistivity 28-in. at 2 MHz (P28H) (OHMM)</p> <p style="text-align: center;">0.2 2000</p>	<p>Bulk Density, Bottom (ROBB) (G/C3)</p> <p style="text-align: center;">1.85 2.85</p>
<p>Horizontal Hole Diameter (HORD) (IN)</p> <p style="text-align: center;">6 16</p>		<p>ARC Phase-Shift Resistivity 22-in. at 2 MHz (P22H) (OHMM)</p> <p style="text-align: center;">0.2 2000</p>	<p>Photoelectric Factor, Bottom (PEB) (-----)</p> <p style="text-align: center;">0 10</p>
<p>Density Time After Bit (TAB_DEN) (HR)</p> <p style="text-align: center;">0 10</p>	<p>ADN Rotational Speed (RPM_ADN) (RPM)</p> <p style="text-align: center;">0 250</p>	<p>ARC Phase-Shift Resistivity 16-in. at 2 MHz (P16H) (OHMM)</p> <p style="text-align: center;">0.2 2000</p>	<p>Bulk Density Correction, Bottom (DRHB) (G/C3)</p> <p style="text-align: center;">-0.75 0.25</p>




































































<p>Density Time After Bit (TAB_DEN) (HR)</p> <p>0 10</p>	<p>ADN Rotational Speed (RPM_ADN) (RPM)</p> <p>0 250</p>	<p>ARC Phase-Shift Resistivity 16-in. at 2 MHz (P16H)</p> <p>0.2 (OHMM) 2000</p>	<p>Bulk Density Correction, Bottom (DRHB)</p> <p>(G/C3)</p> <p>-0.75 0.25</p>
<p>Horizontal Hole Diameter (HORD) (IN)</p> <p>6 16</p>		<p>ARC Phase-Shift Resistivity 22-in. at 2 MHz (P22H)</p> <p>0.2 (OHMM) 2000</p>	<p>Photoelectric Factor, Bottom (PEB)</p> <p>(----)</p> <p>0 10</p>
<p>Vertical Hole Diameter (VERD) (IN)</p> <p>6 16</p>		<p>ARC Phase-Shift Resistivity 28-in. at 2 MHz (P28H)</p> <p>0.2 (OHMM) 2000</p>	<p>Bulk Density, Bottom (ROBB)</p> <p>(G/C3)</p> <p>1.85 2.85</p>
<p>ARC Gamma Ray (GR_ARC) (GAPI)</p> <p>0 200</p>		<p>ARC Phase-Shift Resistivity 34-in. at 2 MHz (P34H)</p> <p>0.2 (OHMM) 2000</p>	<p>Thermal Neutron Porosity (TNPH)</p> <p>(V/V)</p> <p>0.45 -0.15</p>
<p>Rate of Penetration, Averaged over Last 5ft (ROP5_RM)</p>		<p>ARC Phase-Shift Resistivity 40-in. at 2 MHz (P40H)</p>	

200

(M/HR)

0

0.2

(OHMM)

2000

PIP SUMMARY

Density Samples +

Neutron Samples +

+ ARC Gamma Ray Samples

+ ARC Resistivity Samples

IDEAL Version: ID14_OC_26

IDF

SON675

Id14_oc_26