

True Vertical Depth Log

IDEAL Version: ID14_0C_26

IDF


SON675


Id14_0c_26


Format: VISION Service RM Log Vertical Scale: 1:500


Graphics File Created: 22-Dec-2009 19:25


<p>Rate of Penetration, Averaged over Last 5ft (ROP5_RM) (M/HR) 0</p>	<p>ARC Phase-Shift Resistivity 40-in. at 2 MHz (P40H) (OHMM) 0.2 2000</p>	
<p>ARC Gamma Ray (GR_ARC) (GAPI) 0 200</p>	<p>ARC Phase-Shift Resistivity 34-in. at 2 MHz (P34H) (OHMM) 0.2 2000</p>	<p>Thermal Neutron Porosity (TNPH) (V/V) 0.45 -0.15</p>
<p>Vertical Hole Diameter (VERD) (IN) 6 16</p>	<p>ARC Phase-Shift Resistivity 28-in. at 2 MHz (P28H) (OHMM) 0.2 2000</p>	<p>Bulk Density, Bottom (ROBB) (G/C3) 1.85 2.85</p>
<p>Horizontal Hole Diameter (HORD) (IN) 6 16</p>	<p>ARC Phase-Shift Resistivity 22-in. at 2 MHz (P22H) (OHMM) 0.2 2000</p>	<p>Photoelectric Factor, Bottom (PEB) (----) 0 10</p>
<p>Density Time After Bit (TAB_DEN) (HR) 0 10</p>	<p>ADN Rotational Speed (RPM_ADN) (RPM) 0 250</p>	<p>ARC Phase-Shift Resistivity 16-in. at 2 MHz (P16H) (OHMM) 0.2 2000</p>
		<p>Bulk Density Correction, Bottom (DRHB) (G/C3) -0.75 0.25</p>
































<u>Density Time After Bit (TAB_DEN)</u> (HR)	ADN Rotational Speed (RPM_ADN) (RPM)	<u>ARC Phase-Shift Resistivity 16-in. at 2 MHz (P16H)</u> (OHMM)	<u>Bulk Density Correction, Bottom (DRHB)</u> (G/C3)
<u>Horizontal Hole Diameter (HORD)</u> (IN)	0 10 0 250	0.2 2000	-0.75 0.25
<u>Vertical Hole Diameter (VERD)</u> (IN)		<u>ARC Phase-Shift Resistivity 22-in. at 2 MHz (P22H)</u> (OHMM)	<u>Photoelectric Factor, Bottom (PEB)</u> (----)
<u>ARC Gamma Ray (GR_ARC)</u> (GAPI)		0.2 2000	0 10
<u>Rate of Penetration, Averaged over Last 5ft (ROP5_RM)</u> (M/HR)		<u>ARC Phase-Shift Resistivity 28-in. at 2 MHz (P28H)</u> (OHMM)	<u>Bulk Density, Bottom (ROBB)</u> (G/C3)
0 200		0.2 2000	1.85 2.85
200 0		<u>ARC Phase-Shift Resistivity 34-in. at 2 MHz (P34H)</u> (OHMM)	<u>Thermal Neutron Porosity (TNPH)</u> (V/V)
0 200		<u>ARC Phase-Shift Resistivity 40-in. at 2 MHz (P40H)</u> (OHMM)	0.45 -0.15

IDEAL Version: ID14_0C_26

IDF

SON675

Id14_0c_26

True Vertical Depth Log